

# Report on Ferrocement

Reported by ACI Committee 549

ACI 549R-18



American Concrete Institute  
*Always advancing*



## Report on Ferrocement

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided "as is" without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised the ACI Collection of Concrete Codes, Specifications, and Practices.

**American Concrete Institute**  
38800 Country Club Drive  
Farmington Hills, MI 48331  
Phone: +1.248.848.3700  
Fax: +1.248.848.3701

[www.concrete.org](http://www.concrete.org)



concrete, ferrocement reinforcement can be assembled into its final desired shape and the mortar plastered directly in place without the use of a form.

The term “ferrocement” implies the combination of a ferrous reinforcement embedded in a cementitious matrix, yet there are characteristics of ferrocement that can be achieved with reinforcement other than steel meshes or rods. The use of nonmetallic mesh is being explored by several researchers around the world (Brameshuber 2015). Such meshes include woven alkali-resistant glass; organic woven fabrics such as polypropylene; and organic natural fabrics made with jute, burlap, or bamboo fibers. Therefore, the term “ferrocement” currently includes material other than steel as reinforcement.

The definition for ferrocement has developed over the years to reflect advances in technology and practice. IFS 10-01 describes it as:

... a type of reinforced concrete commonly constructed of hydraulic cement mortar reinforced with closely spaced layers of relatively small wire diameter mesh. The mesh may be made of metallic or other suitable materials. The fineness of the mortar mixture and its composition should be compatible with the opening and tightness of the reinforcing system it is meant to encapsulate. The matrix may contain discontinuous fibers.

## 1.2—Scope

This report includes the history, development, and applications of ferrocement together with composition and construction. Appendix A of this report provides several case studies of ferrocement applications.

## CHAPTER 2—DEFINITIONS

ACI provides a comprehensive list of definitions through an online resource, “ACI Concrete Terminology.”

## CHAPTER 3—HISTORY

The origins of ferrocement can be traced to the work of Jean Louis Lambot who, in 1855, filed a patent for a material he called ferciment (Naaman 2000), which he claimed could replace wood in construction. He made numerous items, including two boats, one of which can be seen in Fig. 3a. Other contemporary researchers were looking at reinforcing of cement-based matrix with metallic reinforcement. Due to the difficulties in producing suitable wire reinforcement, the larger bars became popular and reinforced concrete was produced as we know it today.

Ferrocement, however, had a niche following and became a popular method for constructing boats, as shown in Fig. 3b.

Following the Second World War, Italian architect and engineer Pier Luigi Nervi developed the material for both marine and terrestrial applications with considerable success, as seen in Fig. 3c of his yacht, “Nanelle” (Huxtable 1960). Figure 3d shows an early warehouse and Fig. 3e shows the Turin Exhibition Hall roof. Further development moved to



Fig. 3a—Lambot's boat.



Fig. 3b—Early boat.

New Zealand where there was a thriving boat building and pontoon industry.

In 1972, the National Academy of Sciences, through its Board on Science and Technology for International Development, established the Ad Hoc Panel on the Utilization of Ferrocement in Developing Countries. The report of the panel (National Academy of Sciences 1973) stimulated interest in non-marine applications of this versatile material.

This led directly to the founding of the International Ferrocement Information Center (IFIC) at the Asian Institute of Technology, Bangkok, Thailand, in October 1976. In collaboration with the New Zealand Ferro Cement Marine Association (NZFCMA), the IFIC started publishing a quarterly journal, *The Journal of Ferrocement*. The IFIC developed outreach and training programs, and hosted the Second (Austriaco et al. 1985) and Eighth (Nimityongskul 2006) International Symposia. Unfortunately, through lack of funding, IFIC ceased production of the publication in 2006, and following intensive flooding in 2011, most of the remaining archive has been destroyed. A significant body of work, however, has been gathered from enthusiasts around the world and is held at the University of Manchester in the United Kingdom, where an electronic archive is being created.