


Australian Standard 1074—1980

STEEL TUBES AND TUBULARS THREADED OR SUITABLE FOR THREADING WITH PIPE THREADS OF WHITWORTH FORM



STANDARDS ASSOCIATION OF AUSTRALIA
Incorporated by Royal Charter

THE FOLLOWING SCIENTIFIC, INDUSTRIAL AND GOVERNMENTAL ORGANIZATIONS and departments were officially represented on the committee entrusted with the preparation of this standard:

Australian Gas Association
Bureau of Steel Manufacturers of Australia
Confederation of Australian Industry
Department of Housing and Construction
Department of Local Government, Queensland (Joint Committee)
Departments of Public Works
Federated Master Plumbers of Australia
Metal Trades Industry Association of Australia
Institution of Engineers, Australia
Water Supply Authorities

This standard, prepared by Committee WS/4, Steel Pipes and Fittings, was approved on behalf of the Council of the Standards Association of Australia on 19 June 1980, and was published on 31 December 1980.

To keep abreast of progress in industry, Australian standards are subject to continuous review and are kept up-to-date by the issue of amendments or revised editions as necessary. It is important therefore that standard users ensure that their standards are up-to-date. Full details of all SAA publications will be found in the Annual List of Australian Standards; these details are supplemented by monthly listings in the SAA journal 'The Australian Standard'. Information on the Annual List and 'The Australian Standard' may be obtained from any sales office of the Association, where details are also available of the current status of individual standards. Suggestions for improvements to published standards, addressed to the head office of the Association, are welcomed.

AUSTRALIAN STANDARD

**STEEL TUBES
AND TUBULARS**

**THREADED OR SUITABLE FOR
THREADING WITH PIPE THREADS
OF WHITWORTH FORM**

AS 1074—1980

First published (as AS B105)	1951
Revised (endorsement of BS 1387:1957)	1960
AS 1074 first published	1971
Second edition	1976
Third edition	1980

**PUBLISHED BY THE STANDARDS ASSOCIATION OF AUSTRALIA
STANDARDS HOUSE, 80 ARTHUR STREET, NORTH SYDNEY, N.S.W.**

ISBN 0 7262 2081 7

PREFACE

This standard was prepared by the Association's Committee on Steel Pipes and Fittings—Water and Gas to supersede AS 1074—1976.

In this edition provision has been made for two additional methods of test, viz eddy current and ultrasonic testing, to supplement the hydrostatic test which may be specified by the purchaser. The format has also been changed to bring the standard into line with the current SAA editorial style.

Attention is drawn to the fact that 165.1 mm outside diameter is no longer a British or international standard size for plain end tubes and should be used only where threading to AS 1722* is unavoidable. Where 150 mm nominal size is required, 168.3 mm outside diameter should be used, threaded to ANS B2.1†, or API 5B‡, as recommended in ISO 64§, or using other forms of joint.

This standard does not indicate the services for which the tubes are appropriate. Where the use of tubes is not controlled by by-laws or regulations, reference should be made to the appropriate code of practice or application standard. Some codes of practice for building relating to town gas and water and also the relevant bylaws, preclude the use of light tubes for these services.

The metric units adopted in this standard are those of the International System (SI). Values for pressure and stress are given in pascals (Pa), which is a special name recommended by the International Committee on Weights and Measures for the unit 1 N/m^2 .

This standard may require reference to the following:

- AS 1000 The International System of Units (SI) and its Application
- AS 1391 Methods for Tensile Testing of Metals
- AS 1650 Galvanized Coatings on Ferrous Articles
- AS 1722 Pipe Threads of Whitworth Form
Part 1—Sealing Pipe Threads
- AS 1835 Seamless Steel Tubes for Pressure Purposes
- AS 1836 Welded Steel Tubes for Pressure Purposes
- AS 2084 Methods for Eddy Current Testing of Metal Bar and Tubular Products
- BS 3894 Methods for Converting Elongation Values for Steel
Part 1—Carbon and Low Alloy Steels
- ISO 50 Metal Pipes—Steel Sockets Screwed According to ISO 7
- ISO 65 Steel Tubes Suitable for Screwing in Accordance with International Standard ISO 7.

* AS 1722, Pipe Threads of Whitworth Form: Part 1—Sealing Pipe Threads.

† ANS B2.1, Pipe Threads.

‡ API 5B, Specification for Line Pipe Threads.

§ ISO 64, Steel Tubes: Outside Diameters.

CONTENTS

	<i>Page</i>
SECTION 1. SCOPE AND GENERAL	
1.1 Scope	4
1.2 Definitions	4
1.3 Designation	4
SECTION 2. TUBES AND SOCKETS	
2.1 Process of Manufacture	5
2.2 Material	5
2.3 Dimensions of Tubes and Sockets	5
2.4 Permissible Variation in Thickness, Diameter and Mass	5
2.5 Screw Threads	5
2.6 Lengths	6
2.7 Galvanizing	6
2.8 Leak Tightness Test	6
2.9 Tests on Finished Tubes	6
2.10 Workmanship	6
2.11 Marking	6
2.12 Protection and Packing for Transport	6
SECTION 3. TUBULARS	
3.1 General	7
3.2 Threads	7
3.3 Galvanizing	7
3.4 Pieces	7
3.5 Nipples	7
3.6 Longscrews	7
3.7 Sockets and Backnuts	7
3.8 Bends and Springs	7
3.9 Return Bends	7
APPENDICES	
A Dimensions of Steel Tubes	
Table A1 Light	8
Table A2 Medium	8
Table A3 Heavy	9
B Dimensions of Tubulars	
Table B1 Sockets	10
Table B2 Pieces	11
Table B3 Running Nipples, Close Taper Nipples, Barrel Nipples	12
Table B4 Longscrews	13
Table B5 Bends and Springs	14
Table B6 Return Bends	15
C Information to be Supplied by the Purchaser	16
D Nominal Size Equivalents	17
E Eddy Current Testing	18
F Ultrasonic Examination of Longitudinal Weld of ERW Pipe	19

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard
for
STEEL TUBES AND TUBULARS THREADED OR
SUITABLE FOR THREADING WITH PIPE THREADS
OF WHITWORTH FORM

SECTION 1. SCOPE AND GENERAL

1.1 SCOPE. This standard specifies requirements for welded and seamless, threaded and socketed steel tubes and tubulars, and to plain end steel tubes suitable for screwing to AS 1722, Part 1, and of nominal sizes 6 to 150 inclusive. Three thicknesses of tube are provided for, as specified in Appendix A and designated Light, Medium and Heavy.

NOTE: Guidelines to purchasers on requirements that must be specified by the purchaser or agreed upon at the time of enquiry or order are given in Appendix C.

1.2 DEFINITIONS. For the purpose of this standard, the following definitions apply:

1.2.1 Tube — a straight tube of uniform internal diameter, as described in Section 2 and specified in Tables A1, A2 and A3 of Appendix A.

NOTE: The term 'tube' is synonymous with the term 'pipe'.

1.2.2 Socket — the threaded coupler utilized in joining the tubes together, as described in Section 2 and specified in Table B1 of Appendix B.

NOTE: The term 'socket' is synonymous with the term 'coupler'.

1.2.3 Tubulars — pieces, nipples, long screws, bends, springs and return bends, as described in Section 3 and specified in Tables B2 to B6 of Appendix B.

1.2.4 Length:

(a) Of a threaded and socketed 'random length' tube — the overall length when one socket has been screwed on.

(b) Of threaded and socketed 'exact length' tube — the length of the tube exclusive of the socket.

1.2.5 Nominal size — the size reference denoting the approximate internal diameter of the tube. For each size of tube, the outside diameter is fixed by the corresponding screw thread dimensions of AS 1722, Part 1, therefore the actual internal diameter of each size of tube will vary according to the thickness.

1.3 DESIGNATION. The tubes and tubulars shall be designated according to their nominal sizes. Sockets and backnuts shall be designated according to the respective nominal sizes of the tubes for which they are intended.