



## **Methods of testing soils for engineering purposes**

### **Method 4.1.1: Soil chemical tests — Determination of the organic matter content of a soil — Normal method**

AS 1289.4.1.1:2019

This Australian Standard® was prepared by CE-009, Testing Of Soils For Engineering Purposes. It was approved on behalf of the Council of Standards Australia on 9 December 2019.

This Standard was published on 20 December 2019.

The following are represented on Committee CE-009:

- Australian Building Codes Board
- Australian Chamber of Commerce and Industry
- Australian Geomechanics Society
- AUSTROADS
- Cement Concrete & Aggregates Australia — Aggregates
- Engineering & Construction Laboratories Association
- Engineers Australia
- National Association of Testing Authorities Australia
- The University of Melbourne
- University of Sydney
- Victorian Construction Materials Laboratories Association

This Standard was issued in draft form for comment as DR AS 1289.4.1.1:2019.

#### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

[www.standards.org.au](http://www.standards.org.au)

ISBN 978 1 76072 685 0



## **Methods of testing soils for engineering purposes**

### **Method 4.1.1: Soil chemical tests — Determination of the organic matter content of a soil — Normal method**

Originally as part of AS A89—1966.  
Previous edition AS 1289.D1.1—1977.  
Revised and redesignated as AS 1289.4.1.1—1997.  
Second edition 2019.

#### **COPYRIGHT**

© Standards Australia Limited 2019

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

## Preface

This Standard was prepared by the Standards Australia Committee CE-009, Testing of Soils for Engineering Purposes, to supersede AS 1289.4.1.1—1997, *Methods of testing soils for engineering purposes, Method 4.1.1: Soil chemical tests—Determination of the organic matter content of a soil—Normal method*.

The objective of this Standard is to determine the percentage of organic matter present in a soil.

Currently in preview, click buy full vers.

## Contents

Preface .....	ii
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Reagents</b> .....	<b>1</b>
<b>4 Apparatus</b> .....	<b>2</b>
<b>5 Procedure</b> .....	<b>2</b>
5.1 Preparation of test portions for analysis .....	2
5.2 Standardization of iron II sulfate 0.5M solution .....	3
<b>6 Estimation of the organic matter</b> .....	<b>3</b>
<b>7 Calculations</b> .....	<b>4</b>
<b>8 Test report</b> .....	<b>5</b>
<b>Bibliography</b> .....	<b>6</b>

NOTES

Currently in preview, click buy full version

# Australian Standard®

## Methods of testing soils for engineering purposes

### Method 4.1.1: Soil chemical tests — Determination of the organic matter content of a soil — Normal method

#### 1 Scope

This Standard covers the determination of the percentage by mass of organic matter present in a soil.

NOTE A wide variety of both dry and wet combustion methods are at present in use for the determination of the organic matter content of soil. This method, originally due to Walkley and Black[1] and since revised by Walkley[2], has been widely employed and has been found to give reproducible results that are accurate for day-to-day engineering purposes.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document.

NOTE Documents for informative purposes are listed in the Bibliography.

AS 1289.0, *Methods of testing soils for engineering purposes, Part 0: Definitions and general requirements*

AS 1289.1.1, *Methods of testing soils for engineering purposes, Method 1.1: Preparation of disturbed soil samples for testing*

ISO 3310-1, *Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth*

ISO 3310-2, *Test sieves — Technical requirements and testing — Part 2: Test sieves of perforated metal plate*

#### 3 Reagents

The following reagents of analytical reagent (AR) grade shall be used:

(a) *Potassium dichromate 0.0167M solution*

Dissolve 49.035 g of potassium dichromate in distilled water and make up to the mark in a 1 L volumetric flask with distilled water.

(b) *Concentrated sulfuric acid*

Density 1.84 g/mL.

(c) *Iron(II) sulfate approximately 0.5M solution*

Dissolve approximately 140 g of ferrous sulfate heptahydrate ( $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ ) in 0.5M sulfuric acid and make up to the mark in a 1 L volumetric flask.

Keep this solution tightly stoppered as it is unstable in air. Standardize it against the dichromate solution at least once per week.

(d) *Orthophosphoric acid 85 %*

Density 1.7 g/mL to 1.75 g/mL.

(e) *Indicator solution*

Dissolve 0.25 g of sodium diphenylamine-sulfonate in 100 mL of distilled water.