

AS 1538—1988

Australian Standard[®]

**Cold-formed Steel Structures
Code**

This Australian Standard was prepared by Committee BD/1, Steel Structures. It was approved on behalf of the Council of the Standards Association of Australia on 19 September 1988 and published on 31 December 1988.

The following interests are represented on Committee BD/1:

Association of Consulting Engineers, Australia
Australian Institute of Steel Construction
Australian Road Research Board
Australian Welding Research Association
Bureau of Steel Manufacturers of Australia
Confederation of Australian Industry
CSIRO, Division of Building, Construction and Engineering
Department of Administrative Services—Construction Control (Commonwealth)
Institution of Engineers, Australia
National Association of Australian State Road Authorities
Public Works Department, New South Wales
Railways of Australia Committee
The University of New South Wales
University of Sydney

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

For details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS 1538—1988

Australian Standard[®]

**Cold-formed Steel Structures
Code**

First published as AS 1538—1974.
Second edition 1988.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 5234 4

PREFACE

This Standard was prepared by the Association's Committee on Steel Structures to supersede AS 1538–1974.

It is intended that this Standard supplements AS 1250–1981, *SAA Steel Structures Code*.

This Standard is a working stress Standard and is based on permissible and working stress design.

The technical requirements of this Standard are essentially those of the 1974 edition but the opportunity has been taken to introduce a number of significant amendments which include the following:

- (a) Unstiffened compression elements are now treated by effective area reduction, rather than by permissible stress reduction.
- (b) The concept of sub–element is abolished.
- (c) Provision is made for web stiffeners.
- (d) The inelastic reserve capacity of flexural members is introduced.
- (e) The determination of elastic critical stress of laterally unbraced beams has been revised and its scope enlarged. Allowance is made for beams restrained at one flange only.
- (f) In computing the permissible bending stresses in web, the stiffened and unstiffened flanges are now distinguished.
- (g) The web crippling of beams has undergone considerable modification by the introduction of new parameters and interaction with bending.
- (h) The treatment of axially loaded compression members is somewhat simplified.
- (i) Welded connections (treated in the previous edition in a cursory manner or by reference to other publications) are now provided and in line with modern welding practice.
- (j) For some structural members, bracing requirements have been modified.
- (k) A new Appendix provides equations for calculation of 'column properties' of certain sections (Appendix A) and another Appendix lists a large number of related references (Appendix D).

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in–house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in–house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

Page

SECTION 1. SCOPE AND GENERAL

1.1	SCOPE	4
1.2	NEW MATERIALS OR METHODS	4
1.3	REFERENCED DOCUMENTS	4
1.4	DEFINITIONS	4
1.5	NOTATION	5
1.6	DESIGN AND SUPERVISION	9
1.7	MATERIALS	9
1.8	CORROSION PROTECTION	9

SECTION 2. DESIGN REQUIREMENTS AND SECTION PROPERTIES

2.1	LOAD COMBINATIONS	10
2.2	DESIGN METHODS	10
2.3	OTHER DESIGN CONSIDERATIONS	10
2.4	SECTION PROPERTIES	10

SECTION 3. MAXIMUM PERMISSIBLE DESIGN STRESSES

3.1	MAXIMUM PERMISSIBLE DESIGN STRESS	15
3.2	INELASTIC RESERVE CAPACITY OF FLEXURAL MEMBERS	16
3.3	LATERALLY UNBRACED AND INTERMEDIATELY BRACED BEAMS	16
3.4	MAXIMUM PERMISSIBLE STRESSES IN WEBS OF BEAMS	17
3.5	WEB CRIPPLING OF BEAMS	17
3.6	AXIALLY LOADED COMPRESSION MEMBERS	20
3.7	COMBINED BENDING AND COMPRESSION	21
3.8	CIRCULAR HOLLOW MEMBERS IN COMPRESSION OR BENDING	22
3.9	STRESS IN COMPOUND MEMBERS MADE OF DISSIMILAR STEELS	22

SECTION 4. DESIGN OF CONNECTIONS

4.1	FASTENING SYSTEMS	23
4.2	WELDED CONNECTIONS	23
4.3	CONNECTING TWO CHANNELS TO FORM AN I-SECTION	26
4.4	SPACING OF CONNECTIONS IN COMPRESSION ELEMENTS	27
4.5	BOLTED CONNECTIONS	27

SECTION 5. BRACING REQUIREMENTS

5.1	WALL STUDS	29
5.2	CHANNELS AND Z-SECTIONS USED AS BEAMS	29

SECTION 6. TESTING

6.1	COMPRESSION TESTING	31
6.2	TESTS FOR SPECIAL CASES	31

APPENDICES

A	SECTION PROPERTIES	33
B	PROTECTION	36
C	MINIMUM VALUES OF YIELD STRESS AND TENSILE STRENGTH FOR STEELS TO AS 1163, AS 1397, AS 1594 AND AS 1595	37
D	REFERENCES	38

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard
COLD-FORMED STEEL STRUCTURES CODE

SECTION 1. SCOPE AND GENERAL

1.1 SCOPE. This Standard specifies requirements for the design and protection of structures or structural members made by cold-forming carbon and low alloy steel strip or sheet. The Standard is intended to supplement AS 1250—1981.

1.2 NEW MATERIALS OR METHODS. This Standard shall not be interpreted to prevent the use of materials or of methods of design or construction not especially referred to in this Standard. If it is desired to seek the opinion of the SAA Committee on Steel Structures as to whether materials or methods of design or construction not covered in this Standard, are deemed to comply with the intention of this Standard, details of such materials or methods, including relevant test results, shall be submitted to the Committee.

1.3 REFERENCED DOCUMENTS. The following documents are referred to in this Standard.

AS	
1110	ISO metric hexagon precision bolts and screws
1111	ISO metric hexagon commercial bolts and screws
1112	ISO metric hexagon nuts, including thin nuts, slotted nuts and castle nuts
1163	Structural steel hollow sections
1250*	SAA Steel Structures Code (including Amendment No 1, 1982 and Amendment No 2, 1984)
1252	High strength steel bolts with associated nuts and washers for structural engineering
1391	Methods for tensile testing of metals
1397	Steel sheet and strip—Hot-dipped zinc-coated or aluminium/zinc coated
1511	SAA High-strength Structural Bolting Code
1553	Covered electrodes for welding
1553.1	Part 1: Low carbon steel electrodes for manual metal-arc welding of carbon and carbon-manganese steels
1554	SAA Structural Steel Welding Code
1554.1	Part 1: Welding of steel structures
1559	Fasteners—Bolts, nuts and washers for tower construction
1594	Hot-rolled low carbon steel plate, sheet and strip
1595	Cold-rolled unalloyed low carbon steel sheet and strip
1803	Electrodes and fluxes for submerged-arc welding
2203	Carbon steel electrodes, cored (for arc welding)
2214	SAA Structural Steel Welding Supervisors Certification Code

2311	The painting of buildings
2312	Guide to the protection of iron and steel against exterior atmospheric corrosion
2812	Welding, brazing and cutting of metals—Glossary of terms

AWS

D1.3-81	Recommended practice for resistance welding
C1.1-66	Recommended practice for resistance welding

AISI Specification for the design of cold-formed steel structural members

1.4 DEFINITIONS. For the purpose of this Standard, the definitions given in AS 2812 and those below apply.

Beam—structural member, other than a triangulated frame, which supports load primarily by its internal resistance to bending.

Bend—bend adjacent to flat elements and having a maximum inside radius-to-thickness ratio (R/t) of 8 (see Figure 1.4).

Column—axially-loaded compression member.

Compound member—structural member consisting of two or more formed members or flat sheets joined longitudinally by structural fastenings.

NOTE: Formed members or sheets which do not contribute to load capacity or stiffness of a compound member are not considered a part of the member.

Effective width (effective design width) (b_e)—flat effective width, determined in accordance with Clauses 2.4.1 and 2.4.5, i.e. the flat width (b) reduced for design purposes.

Elements—simple shapes into which a cold-formed structural member is considered divided (see Figure 1.1) and may consist of the following shapes:

- (a) Flat elements—appearing in cross-section as rectangles.
- (b) Bends—appearing in cross-section as sectors of circular rings, having the inside radius to thickness ratio equal or less than eight ($R/t \leq 8$).
- (c) Arched elements—circular or parabolic elements having the inside radius to thickness ratio greater than eight ($R/t > 8$).

Feed width (w_f)—width of coiled or flat steel used in production of a cold-formed product.

Flat-width ratio (of a single flat compression element) (b/t)—ratio of the flat width (b) exclusive of edge fillets, to the element thickness (t).

Flexural-torsional buckling—mode of buckling in which members bend and twist simultaneously.

* Refers only to AS 1250—1981 edition.