

AS 3600:2018 Sup 1:2022

STANDARDS
Australia



Supplement

**Concrete structures — Commentary
(Supplement 1 to AS 3600:2018)**



currently in review, click buy full version

Supplement

**Concrete structures —
Commentary (Supplement 1 to
AS 3600:2018)**

Originated in part as MP 28.C4—1975, MP 28.C9—1975, MP 28.C10—1975, MP 28.C21—1975, MP 28.C6—1977, MP 28.C11—1977, MP 28.C12—1977, MP 28.C13—1977, MP 28.C14—1977, MP 28.C15—1977, MP 28.C19—1978, MP 28.C21—1978, MP 28.C22—1978, MP 28.C23—1978 and MP 28.C25—1978.
Revised, amalgamated and redesignated as AS 3600 SUPP 1—1990.
Previous edition AS 3600—2009 Supp 1:2014.
Fourth edition AS 3600:2018 Sup 1:2022.

© Standards Australia Limited 2022

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth).

Preface

This Supplement was prepared by Standards Australia Committee BD-002, Concrete Structures, to supersede AS 3600—2009 Supp 1:2014, *Concrete structures—Commentary (Supplement to AS 3600:2009)*.

The objective of this document is to provide commentary to assist in the interpretation of the provisions of AS 3600:2018, *Concrete structures*, by —

- (a) providing background reference material to the requirements in the Standard;
- (b) indicating the origin of particular requirements;
- (c) indicating departures from previous practice due to changes that have occurred in construction practice and theory since the previous edition of the Standard was published; and
- (d) explaining the application of certain clauses.

In this document, AS 3600:2018 is referred to as “the Standard” or “the 2018 edition of the Standard” while this document is referred to as “this document”. The numbers and titles of sections and clauses used in this document align with those in the Standard except that the numbers are prefixed with the letter “C”. The figures in this document are numbered according to the clause in which they are referenced and also carry the “C” prefix. Therefore references to sections, clauses, tables, figures, equations and appendices that are not identified by the prefix “C” refer to the Standard unless indicated otherwise.

Documents referenced in the text and documents recommended for further reading are listed at the end of the applicable section or appendix to which they relate.

While it is intended that this document be read in conjunction with the Standard, it does not form an integral part of the Standard.

The opportunity has also been taken to include improvements suggested since the last edition by users. Like the Standard itself, this document is an ongoing work-in-progress. Suggestions for improvements to both the Standard and to this document in regard either to content or to clarity of wording, are therefore welcomed.

Acknowledgement

Standards Australia wishes to acknowledge the contribution of the following people to the development of this document:

Blundy	Philip
Brock	Gil
Cumming	Ian
Fletcher	Geoff
Forbes	James
Foster	Prof. Stephen
Gilbert	Raymond Ian
Hocking	David
Laby	Prof. John
Manning	Mark
McBean	Peter
Mendis	Prof. Priyan
Menegon	Dr. Scott
Munter	Scott
Ng	Anthony
Nichols	John
Ranzi	Gianluc
Ravindra	Rajathi
Sirivivatnanon	Prof. Vute
Smith	Brooks
Sturgess	Mark
Uy	Prof. Brian
West	Debbie

Contents

Preface	ii
Section C1 Scope and general	1
C1.1 Scope and application.....	1
C1.1.1 Scope.....	1
C1.1.2 Application.....	1
C1.1.3 Exclusions.....	2
C1.2 Normative references.....	2
C1.3 Existing structures.....	3
C1.4 Documentation.....	3
C1.5 Construction.....	3
C1.6 Definitions.....	3
C1.7 Notation.....	3
C1.8 References.....	4
Section C2 Design procedures, actions and loads	5
C2.1 Design procedures.....	5
C2.1.1 Design for strength and serviceability.....	5
C2.1.2 Design for earthquake actions.....	5
C2.1.3 Design for robustness and structural integrity.....	6
C2.1.4 Design for durability and fire resistance.....	6
C2.1.5 Design for fatigue.....	7
C2.1.6 Material properties.....	7
C2.2 Design for strength.....	7
C2.2.1 General.....	8
C2.2.2 Strength check procedure for use with linear elastic methods of analysis, with simplified analysis methods and for statically determinate structures.....	8
C2.2.3 Strength check procedure for use with linear elastic stress analysis.....	10
C2.2.4 Strength check procedure for use with strut-and-tie analysis.....	12
C2.2.5 Strength check procedure for use with nonlinear analysis of framed structures.....	13
C2.2.6 Strength check procedure for use with nonlinear stress analysis.....	13
C2.3 Design for serviceability.....	13
C2.3.1 General.....	13
C2.3.2 Deflection.....	14
C2.3.3 Cracking.....	16
C2.3.4 Vibration.....	18
C2.4 Design for fatigue.....	19
C2.5 Actions and combinations of actions.....	19
C2.5.1 Actions and loads.....	19
C2.5.2 Combinations of actions and loads.....	19
C2.5.3 Construction effects.....	19
C2.5.4 Arrangements of vertical loads on continuous beams, frames and floor systems.....	20
C2.6 References.....	20
Section C3 Design properties of materials	24
C3.1 Properties of concrete.....	24
C3.1.1 Strength.....	24
C3.1.2 Modulus of elasticity.....	26
C3.1.3 Density.....	28
C3.1.4 Stress-strain curves.....	28
C3.1.5 Poisson's ratio.....	29
C3.1.6 Coefficient of thermal expansion.....	29
C3.1.7 Shrinkage.....	30
C3.1.8 Creep.....	34
C3.2 Properties of reinforcement.....	38

C3.2.1	Strength and ductility.....	38
C3.2.2	Modulus of elasticity.....	39
C3.2.3	Stress-strain curves.....	39
C3.2.4	Coefficient of thermal expansion.....	41
C3.3	Properties of tendons.....	41
C3.3.1	Strength.....	41
C3.3.2	Modulus of elasticity.....	41
C3.3.3	Stress-strain curves.....	42
C3.3.4	Relaxation of tendons.....	44
C3.4	Loss of prestress in tendons.....	44
C3.4.1	General.....	44
C3.4.2	Immediate loss of prestress.....	45
C3.4.3	Time-dependent losses of prestress.....	47
C3.5	Material properties for nonlinear structural analysis.....	50
C3.6	References.....	51
Section C4	Design for durability.....	54
C4.1	General.....	54
C4.2	Method of design for durability.....	54
C4.3	Exposure classification.....	56
C4.3.1	General.....	56
C4.3.2	Concession for exterior exposure of a single surface.....	58
C4.4	Requirements for concrete for exposure classifications A1, A2, B1, C1 and C2.....	58
C4.5	Requirements for concrete for exposure classification U.....	59
C4.6	Abrasion.....	59
C4.7	Freezing and thawing.....	60
C4.8	Aggressive soils.....	60
C4.8.1	Sulfate and acid sulfate soils.....	60
C4.8.2	Saline soils.....	60
C4.9	Restriction on chemical content in concrete.....	61
C4.10	Requirements for cover to reinforcing steel and tendons.....	61
C4.10.1	General.....	61
C4.10.2	Cover for concrete placement.....	61
C4.10.3	Cover for corrosion protection.....	62
C4.11	References.....	63
Section C5	Design for fire resistance.....	67
C5.1	Scope.....	67
C5.2	Definitions.....	67
C5.3	Design performance criteria.....	67
C5.3.1	General performance criteria.....	67
C5.3.2	General rules for the interpretation of tabulated data and figures.....	72
C5.3.3	Increase in axis distance for prestressing tendons.....	72
C5.3.4	Dimensional limitations to achieve fire-rating.....	73
C5.3.5	Joints.....	73
C5.3.6	The effect of chases.....	73
C5.3.7	Increasing FRPs by the addition of insulating materials.....	73
C5.4	Fire resistance periods (FRPs) for beams.....	73
C5.4.1	Structural adequacy for beams incorporated in roof or floor systems.....	73
C5.4.2	Structural adequacy for beams exposed to fire on all sides.....	75
C5.5	Fire resistance periods (FRPs) for slabs.....	75
C5.5.1	Insulation for slabs.....	75
C5.5.2	Structural adequacy for slabs.....	75
C5.6	Fire resistance periods (FRPs) for columns.....	76
C5.6.1	Insulation and integrity for columns.....	76
C5.6.2	Structural adequacy for columns.....	76
C5.6.3	Restricted tabular method to determine structural adequacy for columns.....	76
C5.6.4	General tabular method to determine structural adequacy for columns.....	77
C5.7	Fire resistance periods (FRPs) for walls.....	77

C5.7.1	Insulation for walls.....	77
C5.7.2	Structural adequacy for walls.....	78
C5.7.3	Effective height limitations for walls.....	78
C5.7.4	Other requirements for walls.....	78
C5.8	Increase of fire resistance periods (FRPs) by use of insulating materials.....	78
C5.8.1	Increase of FRP by the addition of insulating materials.....	78
C5.9	References.....	78
Section C6	Methods of structural analysis.....	80
C6.1	General.....	80
C6.1.1	Basis for structural analysis.....	80
C6.1.2	Interpretation of the results of analysis.....	80
C6.1.3	Methods of analysis.....	80
C6.1.4	Geometrical properties.....	80
C6.2	Linear elastic analysis.....	81
C6.2.1	General.....	81
C6.2.2	Span length.....	81
C6.2.3	Critical sections for negative moments.....	82
C6.2.4	Stiffness.....	82
C6.2.5	Deflections.....	82
C6.2.6	Secondary bending moments and shears resulting from prestress.....	82
C6.2.7	Moment redistribution in reinforced and prestressed members for strength design.....	83
C6.3	Elastic analysis of frames incorporating secondary bending moments.....	85
C6.3.1	General.....	85
C6.3.2	Analysis.....	85
C6.4	Linear elastic stress analysis.....	85
C6.4.1	General.....	85
C6.4.2	Analysis.....	85
C6.4.3	Sensitivity of analysis to input data and modelling parameters.....	85
C6.5	Nonlinear frame analysis.....	86
C6.5.1	General.....	86
C6.5.2	Nonlinear material effects.....	86
C6.5.3	Nonlinear geometric effects.....	86
C6.5.4	Values of material properties.....	86
C6.5.5	Sensitivity of analysis to input data and modelling parameters.....	86
C6.6	Nonlinear stress analysis.....	87
C6.7	Plastic methods of analysis.....	89
C6.7.1	General.....	89
C6.7.2	Methods for beams and frames.....	89
C6.7.3	Methods for slabs.....	90
C6.8	Analysis using strut-and-tie models.....	90
C6.8.1	General.....	90
C6.8.2	Sensitivity of analysis to input data and modelling parameters.....	91
C6.9	Idealized frame method of analysis.....	91
C6.9.1	General.....	91
C6.9.2	Idealized frames.....	91
C6.9.3	Analysis for vertical loads.....	91
C6.9.4	Analysis for horizontal loads.....	92
C6.9.5	Idealized frame method for structures incorporating two-way slab systems.....	92
C6.10	Simplified methods of flexural analysis.....	93
C6.10.1	General.....	93
C6.10.2	Simplified method for reinforced continuous beams and one-way slabs.....	93
C6.10.3	Simplified method for reinforced two-way slabs supported on four sides.....	93
C6.10.4	Simplified method for reinforced two-way slab systems having multiple spans.....	94
C6.11	References.....	96
Section C7	Strut-and-tie modelling.....	99

C7.1	General	99
C7.2	Concrete struts	102
C7.2.1	Types of struts	102
C7.2.2	Strut efficiency factor	102
C7.2.3	Design strength of struts	103
C7.2.4	Bursting reinforcement in bottle-shaped struts	103
C7.3	Ties	104
C7.3.1	Arrangements of ties	104
C7.3.2	Design strength of ties	104
C7.3.3	Anchorage of ties	105
C7.4	Nodes	105
C7.4.1	Types of nodes	105
C7.4.2	Design strength of nodes	107
C7.5	Analysis of strut-and-tie models	108
C7.6	Design based on strut-and-tie modelling	108
C7.7	References	108
Section C8	Design of beams for strength and serviceability	110
C8.1	Strength of beams in bending	110
C8.1.1	General	110
C8.1.2	Basis of strength calculations	110
C8.1.3	Rectangular stress block	111
C8.1.4	Dispersion angle of prestress and concentrated forces	112
C8.1.5	Design strength in bending	112
C8.1.6	Minimum strength requirements	114
C8.1.7	Stress in reinforcement and bonded tendons at ultimate strength	115
C8.1.8	Stress in tendons not yet bonded	115
C8.1.9	Spacing of reinforcement and tendon	116
C8.2	Strength of beams in shear	116
C8.2.1	General	116
C8.2.2	Design procedures	119
C8.2.3	Sectional design of a beam	120
C8.2.4	Concrete contribution to shear strength (V_{uc})	121
C8.2.5	Transverse shear and torsion reinforcement contribution	124
C8.2.6	Hanging reinforcement	128
C8.2.7	Additional longitudinal tension forces caused by shear and torsion	130
C8.2.8	Proportioning longitudinal reinforcement	130
C8.3	General detailing of beams	130
C8.3.1	Detailing of flexural reinforcement and tendons	130
C8.3.2	Detailing of shear and torsional reinforcement	134
C8.3.3	Detailing of torsional reinforcement	136
C8.4	Longitudinal shear in composite and monolithic beams	137
C8.4.1	General	137
C8.4.2	Design shear stress	137
C8.4.3	Shear stress capacity	138
C8.4.4	Shear plane reinforcement	139
C8.4.5	Minimum thickness of structural components	139
C8.5	Deflection of beams	139
C8.5.1	General	139
C8.5.2	Beam deflection by refined calculation	139
C8.5.3	Beam deflection by simplified calculation	141
C8.5.4	Deemed to conform span-to-depth ratios for reinforced beams	145
C8.6	Crack control of beams	146
C8.6.1	General requirements	146
C8.6.2	Crack control for tension and flexure in reinforced beams	148
C8.6.3	Crack control for flexure in prestressed beams	149
C8.6.4	Crack control in the side face of beams	150
C8.6.5	Crack control at openings and discontinuities	150
C8.7	Vibration of beams	150

C8.8	T-beams and L-beams.....	151
	C8.8.1 General.....	151
	C8.8.2 Effective width of flange for strength and serviceability.....	151
C8.9	Slenderness limits for beams.....	151
C8.10	References.....	152
Section C9	Design of slabs for strength and serviceability.....	157
C9.1	Strength of slabs in bending.....	157
	C9.1.1 General.....	157
	C9.1.2 Reinforcement and tendon distribution in two-way flat slabs.....	157
	C9.1.3 Detailing of tensile reinforcement in slabs.....	158
C9.2	Structural integrity reinforcement.....	159
	C9.2.1 General.....	159
	C9.2.2 Minimum structural integrity reinforcement.....	160
	C9.2.3 Minimum reinforcement for distributing loads.....	160
	C9.2.4 Spacing of reinforcement and tendons.....	161
C9.3	Strength of slabs in shear.....	161
	C9.3.1 Definitions and symbols.....	161
	C9.3.2 Strength.....	161
	C9.3.3 Ultimate shear strength where M_v^* is zero.....	162
	C9.3.4 Ultimate shear strength where M_v^* is not zero.....	162
	C9.3.5 Minimum area of closed fitments.....	163
	C9.3.6 Detailing of shear reinforcement.....	163
C9.4	Deflection of slabs.....	163
	C9.4.1 General.....	163
	C9.4.2 Slab deflection by refined calculation.....	163
	C9.4.3 Slab deflection by simplified calculation.....	164
	C9.4.4 Deemed to conform span-to-depth ratio for reinforced slabs.....	165
C9.5	Crack control of slabs.....	166
	C9.5.1 General requirements.....	166
	C9.5.2 Crack control for flexure in reinforced slabs.....	167
	C9.5.3 Crack control for shrinkage and temperature effects.....	168
	C9.5.4 Crack control in the vicinity of restraints.....	171
	C9.5.5 Crack control at openings and discontinuities.....	171
C9.6	Vibration of slabs.....	171
C9.7	Moment resisting width for one-way slabs supporting concentrated loads.....	171
C9.8	Longitudinal shear in composite slabs.....	172
C9.9	References.....	172
Section C10	Design of columns for strength and serviceability.....	175
C10.1	General.....	175
	C10.1.1 Design strength.....	175
	C10.1.2 Minimum bending moment.....	177
	C10.1.3 Definitions.....	177
C10.2	Design procedures.....	177
	C10.2.1 Design procedure using linear elastic analysis.....	177
	C10.2.2 Design procedure incorporating secondary bending moments.....	178
	C10.2.3 Design procedure using rigorous analysis.....	179
	C10.2.4 Design for shear.....	179
C10.3	Design of short columns.....	179
	C10.3.1 General.....	179
	C10.3.2 Short column with small compressive axial force.....	179
	C10.3.3 Short braced column with small bending moments.....	179
C10.4	Design of slender columns.....	180
	C10.4.1 General.....	180
	C10.4.2 Moment magnifier for a braced column.....	180
	C10.4.3 Moment magnifier for an unbraced column.....	181
	C10.4.4 Buckling load.....	182

C10.5	Slenderness.....	183
C10.5.1	General.....	183
C10.5.2	Radius of gyration.....	183
C10.5.3	Effective length of a column.....	183
C10.5.4	End restraint coefficients for regular rectangular framed structures.....	184
C10.5.5	End restraint coefficients for any framed structure.....	184
C10.5.6	End restraint provided by footings.....	184
C10.6	Strength of columns in combined bending and compression.....	185
C10.6.1	Basis of strength calculations.....	185
C10.6.2	Strength of cross-sections calculated using the rectangular stress block.....	186
C10.6.3	Design based on each bending moment acting separately.....	186
C10.6.4	Design for biaxial bending and compression.....	187
C10.7	Reinforcement requirements for columns.....	187
C10.7.1	Limitations on longitudinal steel.....	187
C10.7.2	Functions of fitments.....	188
C10.7.3	Confinement to the core.....	188
C10.7.4	Restraint of longitudinal reinforcement.....	193
C10.7.5	Splicing of longitudinal reinforcement.....	193
C10.8	Transmission of axial force through floor systems.....	193
C10.9	Crack control.....	195
C10.10	References.....	195
Section C11	Design of walls.....	198
C11.1	General.....	198
C11.2	Design procedures.....	198
C11.2.1	General.....	198
C11.2.2	Groups of walls.....	199
C11.3	Braced walls.....	200
C11.4	Effective height.....	200
C11.5	Simplified design method for braced walls subject to vertical compression forces.....	200
C11.5.1	General.....	200
C11.5.2	Limitation on use of method.....	200
C11.5.3	Design axial strength of a wall.....	201
C11.5.4	Eccentricity of vertical load.....	201
C11.6	Design of walls for in-plane shear forces.....	202
C11.6.1	Critical section for shear.....	202
C11.6.2	Strength in shear.....	203
C11.6.3	Shear strength excluding wall reinforcement.....	203
C11.6.4	Contribution to shear strength by wall reinforcement.....	203
C11.7	Reinforcement requirements for walls.....	203
C11.7.1	Minimum reinforcement.....	203
C11.7.2	Horizontal reinforcement for crack control.....	203
C11.7.3	Spacing of reinforcement.....	203
C11.7.4	Restraint of vertical reinforcement.....	204
C11.7.5	Dowelled connections in prefabricated concrete walls.....	205
C11.8	References.....	205
Section C12	Design of non-flexural members, end zones and bearing surfaces.....	207
C12.1	General.....	207
C12.2	Strut-and-tie models for the design of non-flexural members.....	207
C12.3	Additional requirements for continuous concrete nibs and corbels.....	208
C12.4	Additional requirements for stepped joints in beams and slabs.....	209
C12.5	Bearing zones behind concentrated forces and prestressing anchorages.....	210
C12.5.1	General.....	210
C12.5.2	Reinforcement.....	211
C12.5.3	Loading cases to be considered for prestressing systems.....	213
C12.5.4	Calculation of tensile forces along the line of a concentrated load or anchorage force.....	213
C12.5.5	Calculation of tensile forces induced near the loaded face.....	213

C12.5.6	Quantity and distribution of reinforcement.....	213
C12.6	Bearing surfaces.....	213
C12.7	Crack control.....	213
C12.8	References.....	214
Section C13	Stress development of reinforcement and tendons.....	215
C13.1	Stress development in reinforcement.....	215
C13.1.1	General.....	215
C13.1.2	Development length for a deformed bar in tension.....	217
C13.1.3	Development length of plain bars in tension.....	222
C13.1.4	Development length of headed reinforcement in tension.....	222
C13.1.5	Development length of deformed bars in compression.....	222
C13.1.6	Development length of plain bars in compression.....	224
C13.1.7	Development length of bundled bars.....	224
C13.1.8	Development length of welded plain or deformed mesh in tension.....	224
C13.2	Splicing of reinforcement.....	225
C13.2.1	General.....	225
C13.2.2	Lapped splices for bars in tension.....	226
C13.2.3	Lapped splices for mesh in tension.....	226
C13.2.4	Lapped splices for bars in compression.....	226
C13.2.5	Lapped splices for bundled bars.....	227
C13.2.6	Welded or mechanical splices.....	227
C13.3	Stress development in tendons.....	227
C13.3.1	General.....	227
C13.3.2	Transmission lengths of pretensioned tendons.....	228
C13.3.3	Stress development in post-tensioned tendons by anchorages.....	229
C13.4	Coupling of tendons.....	229
C13.5	References.....	230
Section C14	Design for earthquake actions.....	232
C14.1	General.....	232
C14.2	Definitions.....	234
C14.3	Structural ductility factor (μ) and structural performance factor (S_p).....	234
C14.4	General earthquake design requirements.....	235
C14.4.1	Design for strength.....	235
C14.4.2	Inter-storey drift.....	235
C14.4.3	Moment resisting frames.....	235
C14.4.4	Structural walls.....	236
C14.4.5	Diaphragms.....	238
C14.4.6	Ductility of reinforcement and prestressed concrete beams and band beams with $\mu > 1.25$ and $\mu \leq 3$	238
C14.4.7	Robustness and structural integrity.....	238
C14.5	Intermediate moment-resisting frames (IMRFs).....	239
C14.5.1	General.....	239
C14.5.2	Beams.....	239
C14.5.3	Slabs.....	240
C14.5.4	Columns.....	242
C14.5.5	Column joints.....	243
C14.5.6	Robustness and structural integrity.....	243
C14.6	Limited ductile structural walls.....	243
C14.6.1	General.....	243
C14.6.2	Boundary elements.....	243
C14.6.3	Confinement of the wall core.....	244
C14.6.4	Mean concrete strength.....	245
C14.6.5	Effective height to thickness.....	245
C14.6.6	In-plane shear.....	247
C14.6.7	Reinforcement.....	248
C14.7	Moderately ductile structural walls.....	250
C14.7.1	General.....	250

C14.7.2	Effective height to thickness.....	250
C14.7.3	Vertical reinforcement laps.....	250
C14.8	References.....	250
Section C15	Diaphragms.....	253
C15.1	General.....	253
C15.2	Design actions.....	253
C15.2.1	General design actions.....	253
C15.2.2	Analysis procedure.....	253
C15.3	Cast in-place toppings.....	254
C15.4	Diaphragm reinforcement.....	254
C15.4.1	General.....	254
C15.4.2	Minimum reinforcement.....	254
C15.4.3	Effect of development and laps.....	254
C15.4.4	Collectors.....	254
C15.4.5	Construction joints.....	254
C15.5	Reference.....	254
Section C16	Steel fibre reinforced concrete.....	255
C16.1	General.....	255
C16.2	Definitions.....	255
C16.2.1	Crack mouth opening displacement (CMOD).....	255
C16.2.2	Crack opening displacement (COD).....	256
C16.2.3	Hardening behaviour.....	256
C16.2.4	Softening behaviour.....	256
C16.2.5	Steel fibre reinforced concrete (SFRC).....	256
C16.2.6	Target dosage.....	256
C16.3	Properties of SFRC.....	256
C16.3.1	General.....	256
C16.3.2	Compressive strength.....	257
C16.3.3	Tensile properties.....	257
C16.3.4	Modulus of elasticity.....	260
C16.4	Design of SFRC members containing reinforcement or tendons.....	260
C16.4.1	General.....	260
C16.4.2	Strength in bending and combined bending and axial force.....	260
C16.4.3	Minimum reinforcement requirements for bending.....	261
C16.4.4	Strength of beams in shear.....	261
C16.4.5	Design with strut-and-tie models.....	263
C16.4.6	Fatigue.....	263
C16.4.7	Design for serviceability limit states.....	263
C16.5	Durability.....	265
C16.6	Fire.....	265
C16.7	Production of SFRC.....	265
C16.8	References.....	265
Section C17	Material and construction requirements.....	267
C17.1	Material and construction requirements for concrete and grout.....	267
C17.1.1	Materials and limitations on constituents.....	267
C17.1.2	Specification and manufacture of concrete.....	267
C17.1.3	Handling, placing and compacting of concrete.....	268
C17.1.4	Finishing of unformed concrete surfaces.....	268
C17.1.5	Curing and protection of concrete.....	268
C17.1.6	Sampling and testing for conformance.....	269
C17.1.7	Rejection of concrete.....	269
C17.1.8	Requirements for grout and grouting.....	269
C17.2	Material and construction requirements for reinforcing steel.....	269
C17.2.1	Materials.....	270
C17.2.2	Fabrication.....	270
C17.2.3	Bending.....	271
C17.2.4	Fixing.....	271

C17.2.5	Lightning protection by reinforcement.....	272
C17.3	Material and construction requirements for prestressing ducts, anchorages and tendons.....	272
C17.3.1	Materials for ducts, anchorages and tendons.....	272
C17.3.2	Construction requirements for ducts.....	272
C17.3.3	Construction requirements for anchorages.....	273
C17.3.4	Construction requirements for tendons.....	273
C17.3.5	Construction requirements for unbonded tendons.....	274
C17.4	Construction requirements for joints and embedded items.....	274
C17.5	Tolerances for structures and members.....	275
C17.5.1	General.....	275
C17.5.2	Tolerances for position and size of structures and members.....	275
C17.5.3	Tolerance on position of reinforcement and tendons.....	275
C17.6	Formwork.....	276
C17.6.1	General.....	276
C17.6.2	Stripping of forms and removal of formwork supports.....	276
C17.7	Prefabricated concrete structures.....	278
C17.7.1	General.....	278
C17.7.2	Prefabricated elements as floor and roof diaphragms.....	278
C17.7.3	Vertical integrity ties.....	278
C17.7.4	Prefabricated concrete load bearing walls.....	279
C17.7.5	Grout ducts to joints.....	280
C17.7.6	Seating of prefabricated floor elements.....	281
C17.8	References.....	281
Section C18	Design for fatigue.....	283
C18.1	General.....	283
C18.2	Maximum compressive stress in concrete.....	283
C18.3	Plain concrete with compression-tension stress.....	284
C18.4	Plain concrete with pure tension or combined tension-compression strains.....	284
C18.5	Shear limited by web compressive stresses.....	284
C18.6	Shear in slabs.....	285
C18.7	Adjustment factor for bond behaviour in reinforcing and prestressing steel.....	285
C18.8	Tensile stress range in steel.....	285
C18.9	Calculation of stresses in reinforcement and tendons of flexural members.....	286
C18.10	References.....	286
Section C19	Joints, embedded items and fixings.....	287
C19.1	Joints.....	287
C19.1.1	General.....	287
C19.1.2	Construction joints.....	287
C19.1.3	Movement joints.....	288
C19.1.4	Joint fillers and sealants.....	289
C19.2	Embedded items.....	291
C19.3	Fixings.....	291
C19.3.1	General.....	291
C19.3.2	Post-installed and cast-in fastenings.....	292
C19.3.3	Cast-in fixings.....	292
C19.4	References.....	292
Section C20	Plain concrete pedestals and footings.....	293
C20.1	General.....	293
C20.2	Durability.....	293
C20.3	Pedestals.....	293
C20.4	Footings.....	293
C20.4.1	Dimensions.....	293
C20.4.2	Strength in bending.....	293
C20.4.3	Strength in shear.....	293
C20.5	References.....	293

Section C21 Slab-on-ground floors, pavements and footings	294
C21.1 General.....	294
C21.2 Design considerations.....	294
C21.3 Footings.....	294
C21.4 References.....	294
Appendix CA (normative) Referenced documents	295
Appendix CB (normative) Testing of members and structures	296
Appendix CC (normative) Residual tensile strength tests for SFRC	304

NOTES

Supplement

Concrete structures — Commentary (Supplement 1 to AS 3600:2018)

Section C1 Scope and general

C1.1 Scope and application

C1.1.1 Scope

Most concrete structures in Australia are designed and constructed to comply with the National Construction Code (NCC) (Ref. 1) and for such structures the design requirements are set out in the NCC and in AS/NZS 1170.0 (Ref. 2). AS 3600:2018 (the Standard) sets out minimum provisions for the design and construction of concrete structures in Australia. It is called up by the NCC so that compliance with the requirements of the NCC is deemed to be satisfied by following the provisions of the Standard.

The Standard covers reinforced and prestressed concrete structures. It does not provide rules for all plain concrete structures, except for plain concrete footings and pedestals. The exclusion of mass concrete structures recognizes the fact that they are generally outside the range of normal structures. The treatment of plain concrete members in the Standard is thus limited, and other design criteria, not covered therein, will usually need to be considered in the design of plain concrete members and structures.

Clause 1.1.1 Note 1 points out that much of the content of the Standard is based on general principles and therefore may be applicable to design situations not specifically covered by the Standard.

In the preparation of a standard such as the Standard, a certain level of knowledge and competence of the users has to be assumed. As indicated by Clause 1.1.1 Note 2, it is assumed that the users would be professionally qualified civil or structural engineers experienced in the design of concrete structures, or equally qualified but less experienced persons working under their guidance. Therefore it is intended that the Standard be applied and interpreted primarily by such persons. Similarly, it is intended that the construction of the structure be carried out and supervised by suitably qualified persons using appropriate quality control systems.

C1.1.2 Application

Clause 1.1.2 places various restrictions on the materials that can be used in conjunction with the Standard.

A lower limit on concrete compressive strength of 20 MPa is imposed because strength grades less than this are not normally suitable for structures. In the Standard, the upper limit for the concrete compressive strength is 120 MPa. The design procedures in the Standard apply to structures with concrete strengths within these limits. This is not to suggest that concretes with greater strength cannot be produced commercially or cannot be used in the construction of concrete structures. However, when used in such situations, the applicability of the rules given in the Standard needs to be checked.

Concretes made from naturally occurring Australian coarse aggregates have surface-dry densities falling in the range 2100 kg/m³ to 2800 kg/m³. Lightweight structural concretes in Australia generally use naturally occurring sands combined with manufactured lightweight aggregates, for which the surface-dry density is seldom less than 1800 kg/m³. Density limits for structural concretes have been set accordingly.

Chemical, mechanical and dimensional requirements for steel reinforcement having lower characteristic yield/proof stresses (f_{sy}) of 250 MPa or 500 MPa are given in AS/NZS 4671 (Ref. 3). The number corresponding to f_{sy} is also termed the strength grade. AS/NZS 4671 defines three ductility classes distinguished in requirements by the letters “L” (low), “N” (normal) and “E” (earthquake), placed immediately after the strength-grade number. For each ductility class, different minimum values for uniform elongation/strain and maximum stress-to-yield/proof-stress ratio apply. The latter class (E) is