

BS 1377-3:2018+A1:2021



BSI Standards Publication

# Methods of test for soils for civil engineering purposes

Part 3: Chemical and electro-chemical testing

**bsi.**

**Publishing and copyright information**

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2021

Published by BSI Standards Limited 2021

ISBN 978 0 539 17400 7

ICS 33.020

The following BSI references relate to the work on this document:

Committee reference B/526/3

Drafts for comment 18/30351283 DC; 21/30435929 DC

**Amendments/corrigenda issued since publication**

Date	Text affected
30 September 2021	A1: see Foreword

# Contents

	Page
<b>Foreword</b>	<b>iv</b>
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Determination of the organic matter content	3
4.1 Principle	3
4.2 Reagents	3
4.3 Apparatus	4
4.4 Preparation of test specimen	4
4.5 Procedure	5
4.6 Calculations	7
4.7 Test report	8
5 Determination of total organic carbon (TOC)	8
5.1 Principle	8
5.2 Reagents	9
5.3 Apparatus	9
5.4 Preparation of test specimen	10
5.5 Procedure	10
5.6 Calculations	12
5.7 Test report	12
6 Determination of the mass loss on ignition	12
6.1 Principle	12
6.2 Apparatus	12
6.3 Procedure	13
6.4 Calculations	14
6.5 Test report	14
7 Determination of sulfur compounds	14
7.1 General	14
7.2 Sampling, sample storage and sample preparation	15
7.3 Determination of water-soluble sulfate in soil (WS)	17
7.4 Ion Chromatography (IC) method for analysis of water extract or groundwater sulfate	19
<i>Table 1 — Example concentration of calibration ranges</i>	21
<i>Table 2 — Example anion concentrations in calibration standards</i>	21
7.5 Inductively coupled plasma atomic emission spectrometer (ICP-AES) method for analysis of acid or water extract or groundwater sulfate	23
<i>Table 3 — Tin concentration as a % of the upper limit of the apparatus of the different calibration standards for ICP-AES</i>	24
<i>Table 4 — Example of five calibration standards for copper, magnesium and sulfur</i>	24
7.6 Gravimetric method for analysis of acid or water extract or groundwater sulfate	26
7.7 Ion-exchange method for analysis of water extract or groundwater sulfate	28
<i>Figure 1 — Constant-head device for use with ion-exchange column</i>	30
<i>Figure 2 — Ion-exchange column for sulfate determination</i>	31
7.8 Determination of groundwater sulfate (GWS)	32
7.9 Determination of acid-soluble sulfate (AS)	33
7.10 Determination of total sulfur (TS)	36
7.11 Determination of total reduced sulfur (TRS)	37
<i>Figure 3 — Schematic diagram of the apparatus for total reduced sulfur determination</i>	39
<i>Figure 4 — Jones reductor assembly</i>	40

7.12	Determination of acid-soluble sulfides (monosulfide sulfur) (MS)	43
	<i>Figure 5 — Apparatus for determination of acid-soluble mono-sulfide (MS)</i>	45
8	Determination of the carbonate content	48
8.1	Types of test method	48
8.2	Total carbon analyzer, combustion method – Total inorganic carbon (TIC)	49
8.3	Rapid titration method for determination of calcium carbonate content	51
8.4	Gravimetric method for determination of calcium carbonate content	54
9	Determination of the chloride content	55
9.1	General	55
9.2	Determination of water-soluble chloride content	55
9.3	Determination of acid-soluble chloride content	56
10	Determination of magnesium – water-soluble magnesium in 2:1 extract	63
10.1	Principle	63
10.2	Sample preparation	64
10.3	Preparation of 2:1 water-soluble extract	64
10.4	Determination of magnesium in solution	64
10.5	Calculations	64
10.6	Test report	65
11	Determination of total dissolved solids	65
11.1	General	65
11.2	Apparatus	65
11.3	Test procedure	66
11.4	Calculations	66
11.5	Test report	66
12	Determination of the pH value	67
12.1	General	67
12.2	Reagents	67
12.3	Apparatus	67
12.4	Preparation of sample	68
12.5	pH determination	68
12.6	Quality control	69
12.7	Test report	69
13	Determination of electrical resistivity	69
13.1	Principle	69
13.2	Types of test and limitations	69
13.3	Measurement of resistivity: undisturbed cylindrical samples	70
	<i>Figure 6 — Testing undisturbed cylindrical samples</i>	72
13.4	Measurement of resistivity: open container method	74
	<i>Figure 7 — Design for open container for resistivity tests on saturated coarse soil</i>	76
	<i>Figure 8a — Design for reduced size open container for resistivity tests on fine-grain cohesive soil</i>	
	– <i>Example of a small resistivity test cell for use with fine-grained soils</i>	77
	<i>Figure 8b — Design for reduced size open container for resistivity tests on fine-grain cohesive soil</i>	
	– <i>Example of a reconstituted soil sample trimmed from a Proctor mould</i>	78
13.5	Measurement of resistivity: Wenner probe method	82
	<i>Figure 9 — Circuit diagram for resistivity test using Wenner probes</i>	83
13.6	Calculations	87
13.7	Test report	88
14	Determination of the redox potential	89
14.1	General	89
14.2	Apparatus	90

14.3	Reagents	91
14.4	Procedure	91
14.5	Calculations	93
14.6	Test report	93
<b>Annex A</b>	<b>(informative) Determination of sulfur compounds</b>	<b>94</b>
	<b>Bibliography</b>	<b>98</b>

### Summary of pages

This document comprises a front cover, an inside front cover, pages I to VI, pages 1 to 98, an inside back cover and a back cover.

## Foreword

### Publishing information

This part of BS 1377 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 July 2018. It was prepared by Subcommittee B/526/3, *Site investigation and ground testing*, under the authority of Technical Committee B/526, *Geotechnics*. A list of organizations represented on these committees can be obtained on request to the committee manager.

### Supersession

BS 1377-3:2018+A1:2021 supersedes BS 1377-3:2018, which is withdrawn.

### Relationship with other publications

BS 1377 is published in the following parts:

- Part 1: General requirements and sample preparation;
- Part 2: Classification tests;
- Part 3: Chemical and electrochemical tests;
- Part 4: Compaction-related tests;
- Part 5: Compressibility, permeability and durability tests;
- Part 6: Consolidation and permeability tests in hydraulic cells and with pore pressure measurement;
- Part 7: Shear strength tests (total stress);
- Part 8: Shear strength tests (effective stress);
- Part 9: In-situ tests.

### Information about this document

This part of BS 1377 is intended to be read in conjunction with BS 1377-1.

In this part of BS 1377, the tests described in the 1990 edition have been retained. Additional tests have been added to include the recommendations of BRE Special Digest 1 (BRE 2005) [1]. Also, analytical methods of chemical analysis have been included, i.e. total carbon analyzer, ion chromatography and inductively coupled plasma atomic emission spectroscopy. The two point resistivity method has been removed and additional four point tests included.

Text introduced or altered by Amendment No. 1 is indicated in the text by the tags A1 A1. Minor editorial changes are not tagged.

Amendment A1 introduces the following principal changes:

- technical changes to BS 1377-3 to remove an error in the wording and to improve clarity.

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at [bsigroup.com/standards](http://bsigroup.com/standards), or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

## Hazard warnings

**WARNING.** Persons using this British Standard are expected to be familiar with normal laboratory practice. This British Standard calls for the use of substances and/or procedures that can be injurious to health if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations relating to health and safety at any stage. These include the use of fume cupboards or similar apparatus when using acids and other toxic chemicals. This standard does not purport to address the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

It is expected that tests conducted in accordance with this British Standard will be carried out by suitably trained and experienced staff.

**WARNING.** It is dangerous to add water to concentrated acid.

## Use of this document

It has been assumed in the preparation of this part of BS 1377 that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

## Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Normatives are expressed as a set of instructions, a description, or in sentences in which the principal auxiliary verb is “shall”.

*Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.*

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. “organization” rather than “organisation”).

## Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

**Compliance with a British Standard cannot confer immunity from legal obligations.**

## 1 Scope

This part of BS 1377 describes test methods for determining the amount of chemical substances in samples of soil and extremely weak and very weak rocks, as defined by BS 5930, and groundwater.

*NOTE 1* Chemical tests in this part of BS 1377 may be used on other rocks if required.

It also describes test methods for the determination of some electrochemical and resistivity properties of solid samples.

*NOTE 2* These tests provide data to assess the potential of the ground and solutes to damage construction materials, including cementitious materials and metals in the ground. They can also be used in assessment of the potential for volume change of the ground due to chemical reaction. Resistivity test results can also be used to assess in-situ resistivity results.

This British Standard is not written for testing samples from contaminated land or for soil quality assessment.

Procedures described in this part of BS 1377 are for the determination of the following:

- a) organic matter content in the material ([Clause 4](#));
- b) total organic carbon (TOC) content in the material ([Clause 5](#));
- c) loss on ignition of the material ([Clause 6](#));
- d) sulfur compounds ([Clause 7](#)):
  - 1) water-soluble sulfate content of the material by 2% extraction;
  - 2) sulfate content in groundwater;
  - 3) acid-soluble sulfate content of the material;
  - 4) total sulfur content of the material;
  - 5) total sulfide content (total reduced sulfur) content of the material;
  - 6) acid-soluble sulfide (monosulfide sulfur) content of the material;
- e) carbonate content of the material ([Clause 8](#));
- f) chloride content ([Clause 9](#)):
  - 1) water-soluble chloride content of the material;
  - 2) acid-soluble chloride content of the material.
- g) water-soluble magnesium content of the material ([Clause 10](#));
- h) total dissolved solids of the groundwater ([Clause 11](#));
- i) pH value ([Clause 12](#));
- j) electrical resistivity of the material ([Clause 13](#)); and
- k) redox potential of the material ([Clause 14](#)).

Brief guidance on the detrimental effects of sulfur compounds on engineering works and alternative methods of identifying the specific minerals is given in [Annex A](#).

*NOTE 3* Good practice in chemical testing requires duplicate specimens to be tested. In each of the test methods the measurement of only one value of the overall result is described. It is recognized that it is necessary in many practical applications to make a number of tests in order to obtain a representative value and an indication of the reliability of the results. Guidance on the number of measurements required and the treatment of the results obtained are not provided in this standard.