



BSI Standards Publication

**Fertilizers and liming materials -- Determination
of the chloride content by potentiometric titration**

National foreword

This Published Document is the UK implementation of CEN/TS 17758:2022.

The UK participation in its preparation was entrusted to Technical Committee CII/37, Fertilisers and related chemicals.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 55 17655 1

ICS 65.080

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 June 2022.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

ICS 65.080

English Version

Fertilizers and liming materials - Determination of the chloride content by potentiometric titration

Engrais et amendements minéraux
basiques - Détermination de la teneur en
chlorures par titrage potentiométrique

Düngemittel und Kalkdünger - Bestimmung des
Chloridgehaltes mittels potentiometrischer Titration

This Technical Specification (CEN/TS) was approved by CEN on 13 March 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is not possible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword	iii
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Principle	4
5 Reagents	4
5.6 Sodium chloride control test sample	5
6 Apparatus and equipment	5
6.1 Heat plate with magnetic stirrer	5
6.2 Pipettes	5
6.6 Silver electrode or ion selective electrode for chloride	5
6.7 Reference electrode with chloride-free salt bridge	5
7 Sampling	5
7.1 Sampling	5
7.2 Sample preparation	6
8 Procedure	6
8.1 Preparation of the test portion and the sample solution	6
8.2 Calibration of the system (titre factor)	6
8.3 Determination	6
8.4 Control test	6
9 Calculation and expression of the results	6
10 Test report	7
Bibliography	8

European foreword

This document (CEN/TS 17758:2022) has been prepared by Technical Committee CEN/TC 260 “Fertilizers and liming materials”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Currently in preview, click buy full version.

1 Scope

This document specifies a method for the determination of the chloride content in organic fertilizers, organo-mineral fertilizers, inorganic fertilizers and liming materials by potentiometric titration.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1482-2, *Fertilizers and liming materials — Sampling and sample preparation — Part 2: Sample preparation*

EN 12944-1, *Fertilizers and liming materials — Vocabulary — Part 1: General terms*

EN 12944-2, *Fertilizers and liming materials — Vocabulary — Part 2: Terms relating to fertilizers*

EN 12944-3, *Fertilizers and liming materials — Vocabulary — Part 3: Terms relating to liming materials*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12944-1, EN 12944-2 and EN 12944-3 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

4 Principle

The chlorides, dissolved in water, are precipitated in an acidified medium by an excess of standard solution of silver nitrate. The chloride concentration in the samples is quantified by potentiometric determination. To detect the end point, the voltage between a reference electrode on the one hand and the silver electrode or an ion selective electrode on the other hand, is tracked. This voltage depends on the logarithm of the chloride ion activity. If it is plotted, in mV, on the ordinate and the silver nitrate solution, in ml, on the abscissa, the point of inflection of the curve obtained in this manner is the equivalence point. Equivalent methods of evaluation are permitted [4, 6].

5 Reagents

Use only reagents of recognized analytical grade and distilled or demineralized water (grade 3 according to EN ISO 3696:1995).

5.1 Nitric acid substance concentration $c = 16 \text{ mol/l}$.

5.2 Nitric acid solution, $c = 10 \text{ mol/l}$.

100 ml of nitric acid (5.1) with 370 ml of water.

5.3 Silver nitrate standard solution, $c = 0,1 \text{ mol/l}$.

Stock solution or preparation from AgNO_3 salt; since this salt is hygroscopic and cannot be dried without risk of decomposition, it is advisable to weigh out approximately 17 g, dissolve in water and fill up the volume to 1 l.