



BSI Standards Publication

Organic and organo-mineral fertilizers - Determination of the dry matter content

National foreword

This Published Document is the UK implementation of CEN/TS 17773:2022.

The UK participation in its preparation was entrusted to Technical Committee CII/37, Fertilisers and related chemicals.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

This publication is not to be regarded as a British Standard.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 55 17903 3

ICS 65.080

Compliance with a Published Document cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 June 2022.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 17773

April 2022

ICS 65.080

English Version

**Organic and organo-mineral fertilizers - Determination of
the dry matter content**

Engrais organiques et organo-minéraux -
Détermination de la teneur en matière sèche

Organische und organisch-minerale Düngemittel -
Bestimmung des Trockensubstanzanteils

This Technical Specification (CEN/TS) was approved by CEN on 13 February 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
European foreword		3
Introduction		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Principle	5
5	Sampling and sample preparation	5
6	Interferences	5
7	Reagents	6
8	Apparatus	6
9	Procedure	6
9.1	Procedure A	6
9.2	Procedure B	6
9.3	Procedure A and B	7
10	Quality control	7
11	Calculation and expression of results	7
12	Test report	8
Bibliography		9

European foreword

This document (CEN/TS 17773:2022) has been prepared by Technical Committee CEN/TC 260 “Fertilizers and liming materials”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a standardisation request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

In case of the analysis of organic and organo-mineral fertilizers, water is usually not considered a part of the sample and results are generally related to dry matter, which can be calculated by determining the dry residue (dry matter content).

Currently in preview, click buy full version

1 Scope

This document is applicable to fertilizing products, which are classified as PFC 1(A) and PFC 1(B) or the PFC 1(A) and PFC 1(B) component in PFC 7 of Regulation (EU) 2019/1009 [1]. However, the present method was not validated for blends.

This document specifies the procedure for the determination and calculation of the dry matter fraction of organic and organo-mineral fertilizers for which the results of the performed analysis are calculated to the dry matter basis.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obn>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

dry residue

remaining mass fraction of a sample after a drying process at 105 °C under specified conditions

3.2

dry matter content

mass fraction of a sample excluding water calculated by the determination of dry residue

4 Principle

The samples are dried to a constant mass in an oven at 105 °C. The difference in mass before and after the drying process is used to determine dry matter content. This method applies to solid samples and samples which become solid during the drying process. Volatile compounds volatilizing at temperatures up to and including (105 ± 2) °C are expressed as water using this procedure.

5 Sampling and sample preparation

Sampling and sample preparation should be performed carefully, following the principles described in EN 1482 (all parts) with appropriate adaptations, required to account for specificities of organic and organo-mineral fertilizers. Details about the sampling shall be given in the test report.

6 Interferences

The samples can change during the drying process, e.g. by absorption of carbon dioxide in the case of alkaline samples, or of oxygen by reducing substances.