



American Association of State Highway and Transportation Officials



LRFD BRIDGE DESIGN SPECIFICATIONS

10th Edition | 2024

978-1-56051-828-0 | LRFDBDS-10



American Association of State Highway and Transportation Officials
555 12th Street, NW, Suite 1000
Washington, DC 20004
202-634-3800 phone/202-624-5806 fax
www.transportation.org

Cover photos: **Top left:** I-35W Saint Anthony Falls Bridge, Minneapolis, MN, Courtesy of Minnesota Department of Transportation. **Top right:** Eagle Canyon Bridges, Emery County, UT, Courtesy of Utah Department of Transportation. **Bottom right:** Cart Creek Bridge, Dutch John, UT, Courtesy of Utah Department of Transportation. **Bottom left:** Kuskalana River Bridge, Chitina, AK, Courtesy of Alaska Department of Transportation & Public Facilities.

© 2024 by the American Association of State Highway and Transportation Officials. All rights reserved. Duplication is a violation of applicable law.

ISBN: 978-1-56051-828-0

Pub Code: LRFDBDS-10

FOREWORD

The first broadly recognized national standard for the design and construction of bridges in the United States was published in 1931 by the American Association of State Highway Officials (AASHO), the predecessor to AASHTO. With the advent of the automobile and the establishment of highway departments in all of the U.S. states dating back to just before the turn of the 20th century, the design, construction, and maintenance of most U.S. bridges was the responsibility of these departments and, more specifically, the chief bridge engineer within each department. It was natural, therefore, that these engineers, acting collectively as the AASHTO Highway Subcommittee on Bridges and Structures (now the Committee on Bridges and Structures), would become the author and guardian of this first bridge standard.

This first publication was entitled *Standard Specifications for Highway Bridges and Incidental Structures*. It quickly became the *de facto* national standard and, as such, was adopted and used by not only the state highway departments but also other bridge-owning authorities and agencies in the United States and abroad. Rather early on, the last three words of the original title were dropped and it has been reissued in consecutive editions at approximately four-year intervals ever since as *Standard Specifications for Highway Bridges*, with the final 17th edition appearing in 2002.

The body of knowledge related to the design of highway bridges has grown enormously since 1931 and continues to do so. Theory and practice have evolved greatly, reflecting advances through research in understanding the properties of materials, in improved materials, in more rational and accurate analysis of structural behavior, in the advent of computers and rapidly advancing computer technology, in the study of external events representing particular hazards to bridges such as seismic events and stream scour, and in many other areas. The pace of advances in these areas has, if anything, stepped up in recent years.

In 1986, the Subcommittee submitted a request to the AASHTO Standing Committee on Research to undertake an assessment of U.S. bridge design specifications, to review foreign design specifications and codes, to consider design philosophies alternative to those underlying the Standard Specifications, and to render recommendations based on these investigations. This work was accomplished under the National Cooperative Highway Research Program (NCHRP), an applied research program directed by the AASHTO Standing Committee on Research and administered on behalf of AASHTO by the Transportation Research Board (TRB). The work was completed in 1987, and, as might be expected with a standard incrementally adjusted over the years, the Standard Specifications were judged to include discernible gaps, inconsistencies, and even some conflicts. Beyond this, the specification did not reflect or incorporate the most recently developing design philosophy, load-and-resistance factor design (LRFD), a philosophy which had been gaining ground in other areas of structural engineering and in other parts of the world such as Canada and Europe.

From its inception until the early 1970s, the sole design philosophy embedded within the Standard Specifications was one known as working stress design (WSD). WSD establishes allowable stresses as a fraction or percentage of a given material's load-carrying capacity, and requires that calculated design stresses not exceed those allowable stresses. Beginning in the early 1970s, WSD began to be adjusted to reflect the variable predictability of certain load types, such as vehicular loads and wind forces, through adjusting design factors, a design philosophy referred to as load factor design (LFD).

A further philosophical extension results from considering the variability in the properties of structural elements, in similar fashion to load variabilities. While considered to a limited extent in LFD, the design philosophy of LRFD takes variability in the behavior of structural elements into account in an explicit manner. LRFD relies on extensive use of statistical methods, but sets forth the results in a manner readily usable by bridge designers and analysts.

Starting with the Eighth Edition of the AASHTO *LRFD Bridge Design Specifications*, interim changes to the Specifications were discontinued, and new editions are published on a three-year cycle. Changes are balloted and approved by at least two-thirds of the members of the Committee on Bridges and Structures. AASHTO members include the 50 State Highway or Transportation Departments, the District of Columbia, and Puerto Rico. Each member has one vote. The U.S. Department of Transportation is a non-voting member.

Orders for specifications may be placed by visiting the AASHTO Store, <https://store.transportation.org>; calling the AASHTO Publication Sales Office toll free (within the U.S. and Canada), 1-800-231-3475; or mailing to P.O. Box 933538, Atlanta, GA 31193-3538. A free copy of the current publication catalog can be downloaded from our website or requested from the Publications Sales Office.

For additional publications prepared and published by the Committee on Bridges and Structures and by other AASHTO Committees, please look online in the AASHTO Store (<https://store.transportation.org>) under “Bridges and Structures.”

Suggestions for the improvement of the *AASHTO LRFD Bridge Design Specifications* are welcomed, just as they were for the *Standard Specifications for Highway Bridges* before them, at www.transportation.org.

The following have served as chair of the Committee on Bridges and Structures since its inception in 1921: E. F. Kelley, who pioneered the work of the Committee; Albin L. Gemeny; R. B. McMinn; Raymond Archiband; G. S. Paxson; E. M. Johnson; Ward Goodman; Charles Matlock; Joseph S. Jones; Sidney Poleynard; Jack Freidenrich; Henry W. Derthick; Robert C. Cassano; Clellon Loveall; James E. Siebels; David Pope; Tom Lulay; Malcolm T. Kerley; Gregg Fredrick; and Carmen Swanwick. The Committee expresses its sincere appreciation of the work of these individuals and of those active members of the past, whose names, because of retirement, are no longer on the roll.

The Committee and AASHTO staff would also like to thank the late Diane Long (1964–2023) of Modjeski and Masters for her many years of dedicated service in helping prepare previous editions of these Specifications, as well as her help on the current edition. Her aid has been sorely missed during the production of this edition of the *LRFD Bridge Design Specifications*, and our thoughts are with her friends, family, and colleagues.

PREFACE AND ABBREVIATED TABLE OF CONTENTS

The *AASHTO LRFD Bridge Design Specifications*, Tenth Edition contains the following 15 Sections and an index:

1. Introduction
2. General Design and Location Features
3. Loads and Load Factors
4. Structural Analysis and Evaluation
5. Concrete Structures
6. Steel Structures
7. Aluminum Structures
8. Wood Structures
9. Decks and Deck Systems
10. Foundations
11. Abutments, Piers, and Walls
12. Buried Structures and Tunnel Liners
13. Railings
14. Joints and Bearings
15. Design of Sound Barriers
- Index

Detailed Tables of Contents precede each section. The last article of each section is a list of references displayed alphabetically by author.

Figures, tables, and equations are denoted by their home article number and an extension, for example 1.2.3.4.5-1 wherever they are cited. In early editions, when they were referenced in their home article or its commentary, these objects were identified only by the extension. For example, in Article 1.2.3.4.5, Eq. 1.2.3.4.5-2 would simply have been called “Eq. 2.” The same convention applies to figures and tables. Currently, these objects are identified by their whole nomenclature throughout the text, even within their home articles. This change was to increase the speed and accuracy of electronic production with regard to linking citation to objects.

Please note that the AASHTO materials standards (starting with M or T) cited throughout the *LRFD Bridge Design Specifications* can be found in *Standard Specifications for Transportation Materials and Methods of Sampling and Testing*, adopted by the AASHTO Committee on Materials and Pavements. The individual standards are also available as downloads on the AASHTO Store, <https://store.transportation.org>. Unless otherwise indicated, these citations refer to the current edition. ASTM materials specifications are also cited.

CHANGED AND DELETED ARTICLES, 2024

SUMMARY OF AFFECTED SECTIONS

The revisions included in the *AASHTO LRFD Bridge Design Specifications*, Tenth Edition affect the following sections:

1. Introduction
2. General Design and Location Features
3. Loads and Load Factors
4. Structural Analysis and Evaluation
5. Concrete Structures
6. Steel Structures
9. Decks and Deck Systems
10. Foundations
11. Walls, Abutments, and Piers
12. Buried Structures and Tunnel Liners
13. Railings
14. Joints and Bearings

SECTION 1 REVISIONS

Changed Articles

The following Articles in Section 1 contain changes or additions to the specifications, the commentary, or both:

1.3.4

Deleted Articles

No Articles were deleted from Section 1.

SECTION 2 REVISIONS

Changed Articles

The following Articles in Section 2 contain changes or additions to the specifications, the commentary, or both:

2.2	2.6.1	2.6.4.3	2.6.4.5	2.6.6.5
2.3.1.2	2.6.2	2.6.4.4.1	2.6.6	2.8
2.3.2.2.1	2.6.3	2.6.4.4.2	2.6.6.1	
2.3.4	2.6.4.1	2.6.4.4.3	2.6.6.3	
2.5.2.1.1	2.6.4.2	2.6.4.4.4	2.6.6.4	

Deleted Articles

No Articles were deleted from Section 2.

SECTION 3 REVISIONS

Changed Articles

The following Articles in Section 3 contain changes or additions to the specifications, the commentary, or both:

3.2	3.4.1	3.5.2	3.6.1.3.1	3.7.4
3.3.1	3.4.4	3.6.1.2.6a	3.6.1.6	3.8.1.1.2
3.3.2	3.4.5	3.6.1.2.6b	3.6.5.1	3.10.1

3.10.2	3.10.4	3.10.9.1	3.11	3.12.4
3.10.2.1	3.10.4.1	3.10.9.2	3.11.5.2	3.12.5
3.10.2.2	3.10.5	3.10.9.3	3.11.6.4	3.14.1
3.10.3	3.10.6	3.10.9.5	3.11.6.4.2	3.16
3.10.3.1	3.10.7.1	3.10.10	3.11.8	B3

Deleted Articles

3.7.5

SECTION 4 REVISIONS

Changed Articles

The following Articles in Section 4 contain changes or additions to the specifications, the commentary, or both:

4.3	4.6.2.7.3	4.6.3.3.2	4.7.4.1	4.7.4.4
4.4	4.6.2.10.1	4.6.3.3.4a	4.7.4.3.1	4.7.4.5
4.5.2.2	4.6.2.10.2	4.6.3.3.4b	4.7.4.3.2b	4.7.4.5.1
4.6.1.2.4b	4.6.2.10.3	4.6.3.3.4c	4.7.4.3.2c	

Deleted Articles

No Articles were deleted from Section 4.

SECTION 5 REVISIONS

Changed Articles

The following Articles in Section 5 contain changes or additions to the specifications, the commentary, or both:

5.2	5.6.4.5	5.9.5.6.5b	5.10.8.2.7	5.12.3.3.8d
5.3	5.6.4.6	5.10.1	5.10.8.4.2a	5.12.3.3.9
5.4.1	5.7.1.5	5.10.2.1	5.10.8.4.3	5.12.3.4.2d
5.4.2.1	5.7.2.1	5.10.2.2	5.10.8.4.5a	5.12.3.4.3
5.4.2.2	5.7.2.3	5.10.3.1.5	5.10.8.4.5c	5.12.5.1
5.4.2.3.1	5.7.2.4	5.10.3.2	5.11.2	5.12.5.2.3
5.4.2.3.2	5.7.3.1	5.10.4.1	5.11.3.1	5.12.5.3.2
5.4.2.4	5.7.3.2	5.10.4.3	5.11.3.2.3	5.12.5.3.3
5.4.2.5	5.8.2.1	5.10.4.4	5.11.4.1.2	5.12.5.3.4
5.4.2.6	5.8.2.2	5.10.6	5.11.4.1.3	5.12.5.3.4a
5.4.2.7	5.8.2.4.1	5.10.7.2	5.11.4.1.4	5.12.5.3.4b
5.4.3.1	5.8.4.3.5	5.10.7.3	5.11.4.1.5	5.12.5.3.6
5.4.3.3	5.8.4.4.2	5.10.7.4	5.11.4.1.6	5.12.5.3.8d
5.4.5	5.8.4.5.2	5.10.8.1	5.11.4.3	5.12.5.3.9a
5.4.6.1	5.9.1.6	5.10.8.1.2a	5.11.4.5.2	5.12.5.3.9b
5.4.6.2	5.9.2.2	5.10.8.1.2c	5.11.4.5.4	5.12.5.3.9c
5.4.6.3	5.9.2.3.1	5.10.8.2	5.12.2.1	5.12.5.3.11a
5.5.3.1	5.9.2.3.1a	5.10.8.2.1	5.12.2.2.5	5.12.5.3.11c
5.5.3.4	5.9.2.3.1b	5.10.8.2.1a	5.12.3.2.5	5.12.5.4.1
5.5.4.2	5.9.2.3.2	5.10.8.2.1b	5.12.3.3.1	5.12.5.4.2
5.6.2	5.9.2.3.2a	5.10.8.2.1c	5.12.3.3.2	5.12.5.4.3
5.6.3	5.9.2.3.2b	5.10.8.2.2a	5.12.3.3.4	5.12.5.4.4
5.6.3.1.2	5.9.2.3.3	5.10.8.2.2b	5.12.3.3.5	5.12.5.4.5
5.6.3.1.3b	5.9.3.1	5.10.8.2.4	5.12.3.3.6	5.12.5.4.6a
5.6.3.2	5.9.3.2.2b	5.10.8.2.4a	5.12.3.3.7	5.12.5.4.6b
5.6.3.5.2a	5.9.3.4.2a	5.10.8.2.4b	5.12.3.3.8	5.12.5.4.6c
5.6.3.5.2b	5.9.3.4.2b	5.10.8.2.5	5.12.3.3.8a	5.12.5.5
5.6.4.2	5.9.4.3.1	5.10.8.2.6b	5.12.3.3.8b	5.12.5.6.3
5.6.4.4	5.9.4.3.2	5.10.8.2.6d	5.12.3.3.8c	

5.12.9.4.3	5.13.2.2	5.13.4	A5.3
5.13.1	5.13.2.3	5.14.6	C5
5.13.2.1	5.13.3	5.15	

Deleted Articles

5.10.7.5	5.10.8.2.4c	5.12.3.3.9b
----------	-------------	-------------

SECTION 6 REVISIONS

Changed Articles

The following Articles in Section 6 contain changes or additions to the specifications, the commentary, or both:

6.2	6.9.4.2.1	6.10.11.2.4b	6.12.1.2.3a	6.13.1
6.3	6.10.1	6.11	6.12.2.2.1a	A6.1
6.4.3.1.1	6.10.1.6	6.11.1	6.12.2.2.1b	A6.3.1
6.4.3.1.2	6.10.1.7	6.11.1.1	6.12.2.2.1c	A6.3.3
6.4.3.1.3	6.10.3.1	6.11.2.1.1	6.12.2.2.2a	A6.3.3.1
6.4.3.1.4	6.10.3.4.2	6.11.2.2	6.12.2.2.2b	A6.3.3.2
6.5.4.2	6.10.4.2.2	6.11.2.3	6.12.2.2.2c	A6.3.3.3
6.5.5	6.10.5.1	6.11.3.1	6.12.2.2.2d	B6.2.4
6.6.1.2.1	6.10.6.2.2	6.11.3.2	6.12.2.2.2e	C6.3
6.6.1.2.2	6.10.6.2.3	6.11.4	6.12.2.2.4	C6.4.3
6.6.1.2.3	6.10.8.2.1	6.11.5	6.12.2.2.4c	C6.4.4
6.6.1.2.4	6.10.8.2.3	6.11.6.2.3	6.12.2.2.4d	C6.4.6
6.6.1.2.5	6.10.8.2.3a	6.11.7.1.1	6.12.2.2.4e	C6.4.7
6.6.2.1	6.10.8.2.3b	6.11.7.2.1	6.12.2.2.5	C6.4.8
6.6.2.2	6.10.8.2.3c	6.11.7.2.2	6.13.1	C6.4.9
6.7.2	6.10.10.1	6.11.8.1.1	6.13.2.1.1	D6.4.1
6.7.3	6.10.10.1.1	6.11.8.1.2	6.13.2.1.2	D6.4.2
6.7.4.1	6.10.10.1.2	6.11.8.2	6.13.2.3.2	D6.6
6.7.4.2	6.10.10.1.3	6.11.8.2.1	6.13.2.7	D6.6.1
6.7.4.2.1	6.10.10.1.4	6.11.8.2.2	6.13.2.8	D6.6.2
6.7.4.2.2	6.10.10.2	6.11.8.2.2a	6.13.2.10.3	D6.6.2.1
6.7.4.3	6.10.10.3	6.11.8.2.2b	6.13.2.11	D6.6.2.2
6.7.5.3	6.10.10.4.2	6.11.8.2.3	6.13.3.7	D6.6.3
6.7.7.2	6.10.10.4.3	6.11.8.3	6.13.5.2	D6.6.4
6.7.8	6.10.11.2.1	6.11.9	6.13.6.1.3b	E6.1.5.2
6.8.2.2	6.10.11.2.2	6.11.10	6.13.6.1.3c	
6.9.2.2.2	6.10.11.2.4a	6.12.1.1	6.13.6.2	

Deleted Articles

6.11.11.1	6.11.11.2	C6.4.10
-----------	-----------	---------

SECTION 9 REVISIONS

Changed Articles

The following Articles in Section 9 contain changes or additions to the specifications, the commentary, or both:

9.7.6	9.9.5.6.3	9.10
-------	-----------	------

Deleted Articles

No Articles were deleted from Section 9.

SECTION 10 REVISIONS

Changed Articles

The following Articles in Section 10 contain changes or additions to the specifications, the commentary, or both:

10.3	10.5.5.1	10.7.2.5	10.8.1.6.2	10.9.2.5
10.4.5	10.5.5.2.1	10.7.3.1	10.8.2.4	10.9.3.1
10.4.6.6	10.5.5.3	10.7.3.3	10.8.3.1	10.9.3.2
10.5.1	10.5.5.3.2	10.7.3.6	10.8.3.4	10.9.3.3
10.5.2.1	10.6.1.2	10.7.3.7	10.8.3.9.3	10.9.3.4
10.5.3.1	10.7.1.5	10.7.4	10.8.3.9.4	10.10
10.5.3.3	10.7.1.6.2	10.7.6	10.9.1.3	
10.5.4.1	10.7.2.1	10.7.7	10.9.1.5	
10.5.4.2	10.7.2.3.1	10.8.1.5	10.9.1.6.1	

Deleted Articles

No Articles were deleted from Section 10.

SECTION 11 REVISIONS

Changed Articles

The following Articles in Section 11 contain changes or additions to the specifications, the commentary, or both:

11.3	11.6.3.4	11.10.1	11.11.10.1	A11.5
11.5.4.1	11.6.5.2.1	11.10.2.2	11.11.4.1	A11.5.1
11.5.4.2	11.6.5.3	11.10.4.3	11.11.4.5	A11.5.2
11.5.7	11.7.2.3	11.10.6.2.1a	A11.3.2	

Deleted Articles

No Articles were deleted from Section 11.

SECTION 12 REVISIONS

Changed Articles

The following Articles in Section 12 contain changes or additions to the specifications, the commentary, or both:

12.6.1	12.6.2.2.4	12.9.4.2	12.12.3.10.1b
12.6.2.2.3	12.8.4.1	12.12.3.3	12.16

Deleted Articles

No Articles were deleted from Section 12.

SECTION 14 REVISIONS

Changed Articles

The following Articles in Section 14 contain changes or additions to the specifications, the commentary, or both:

14.5.6.2.7a	14.7.5.3.5	14.7.6.1
14.7.5.1	14.7.5.3.6	14.8.3.1

Deleted Articles

No Articles were deleted from Section 14.

AASHTO Publications Staff
December 2024

SECTION 1: INTRODUCTION

TABLE OF CONTENTS

1.1—SCOPE OF THE SPECIFICATIONS.....	1-1
1.2—DEFINITIONS.....	1-2
1.3—DESIGN PHILOSOPHY	1-3
1.3.1—General.....	1-3
1.3.2—Limit States.....	1-3
1.3.2.1—General	1-3
1.3.2.2—Service Limit State	1-4
1.3.2.3—Fatigue and Fracture Limit State	1-4
1.3.2.4—Strength Limit State.....	1-4
1.3.2.5—Extreme Event Limit States	1-5
1.3.3—Ductility	1-5
1.3.4—Redundancy	1-6
1.3.5—Operational Importance	1-7
1.4—REFERENCES	1-7

SECTION 2: GENERAL DESIGN AND LOCATION FEATURES

TABLE OF CONTENTS

2.1—SCOPE	2-1
2.2—DEFINITIONS.....	2-1
2.3—LOCATION FEATURES	2-3
2.3.1—Route Location.....	2-3
2.3.1.1—General	2-3
2.3.1.2—Waterway and Floodplain Crossings	2-3
2.3.2—Bridge Site Arrangement	2-4
2.3.2.1—General	2-4
2.3.2.2—Traffic Safety	2-4
2.3.2.2.1—Protection of Structures	2-4
2.3.2.2.2—Protection of Users	2-5
2.3.2.2.3—Geometric Standards.....	2-5
2.3.2.2.4—Road Surfaces.....	2-5
2.3.2.2.5—Vessel Collisions	2-5
2.3.3—Clearances.....	2-5
2.3.3.1—Navigational.....	2-5
2.3.3.2—Highway Vertical.....	2-6
2.3.3.3—Highway Horizontal.....	2-6
2.3.3.4—Railroad Overpass.....	2-6
2.3.4—Environment	2-7
2.4—FOUNDATION INVESTIGATION.....	2-7
2.4.1—General.....	2-7
2.4.2—Topographic Studies	2-7
2.5—DESIGN OBJECTIVES	2-7
2.5.1—Safety	2-7
2.5.1.1—Structural Survival.....	2-7
2.5.1.2—Limited Serviceability	2-7
2.5.1.3—Immediate Use	2-8
2.5.2—Serviceability	2-8
2.5.2.1—Durability.....	2-8
2.5.2.1.1—Materials	2-8
2.5.2.1.2—Self-Protecting Measures.....	2-8
2.5.2.2—Inspectability	2-9
2.5.2.3—Maintainability.....	2-9
2.5.2.4—Rideability	2-9
2.5.2.5—Utilities	2-10
2.5.2.6—Deformations	2-10
2.5.2.6.1—General	2-10
2.5.2.6.2—Criteria for Deflection	2-11
2.5.2.6.3—Optional Criteria for Span-to-Depth Ratios.....	2-13
2.5.2.7—Consideration of Future Widening	2-14
2.5.2.7.1—Exterior Beams on Girder System Bridges.....	2-14
2.5.2.7.2—Substructure.....	2-14
2.5.3—Constructability.....	2-14
2.5.4—Economy	2-15
2.5.4.1—General	2-15
2.5.4.2—Alternative Plans.....	2-15
2.5.5—Bridge Aesthetics.....	2-15
2.6—HYDROLOGY AND HYDRAULICS	2-17
2.6.1—General.....	2-17
2.6.2—Site Data.....	2-18
2.6.3—Hydrologic Analysis	2-18
2.6.4—Hydraulic Analysis	2-19
2.6.4.1—General	2-19

2.6.4.2—Stream Stability.....	2-19
2.6.4.3—Bridge Waterway	2-20
2.6.4.4—Bridge Foundations	2-20
2.6.4.4.1—General.....	2-20
2.6.4.4.2—Hydraulic Design and Scour Risk	2-21
2.6.4.4.3—Bridge Scour	2-22
2.6.4.4.4—Change in Foundation Conditions due to Scour.....	2-25
2.6.4.5—Roadway Approaches to Bridge.....	2-26
2.6.5—Culvert Location, Length, and Waterway Area.....	2-27
2.6.6—Roadway Drainage	2-27
2.6.6.1—General.....	2-27
2.6.6.2—Design Storm	2-28
2.6.6.3—Type, Size, and Number of Drains.....	2-28
2.6.6.4—Discharge from Deck Drains.....	2-28
2.6.6.5—Drainage of Structures	2-29
2.7—BRIDGE SECURITY	2-29
2.7.1—General.....	2-29
2.7.2—Design Demand.....	2-29
2.8—REFERENCES.....	2-30

TABLE OF CONTENTS

3.1—SCOPE	3-1
3.2—DEFINITIONS.....	3-1
3.3—NOTATION.....	3-3
3.3.1—General.....	3-3
3.3.2—Load and Load Designations	3-7
3.4—LOAD FACTORS AND COMBINATIONS	3-8
3.4.1—Load Factors and Load Combinations	3-8
3.4.2—Load Factors for Construction Loads.....	3-18
3.4.2.1—Evaluation at the Strength Limit State	3-18
3.4.2.2—Evaluation of Deflection at the Service Limit State.....	3-19
3.4.3—Load Factors for Jacking and Post-Tensioning Forces	3-19
3.4.3.1—Jacking Forces	3-19
3.4.3.2—Force for Post-Tensioning Anchorage Zones	3-19
3.4.4—Load Factors for Orthotropic Decks at the Fatigue Limit State	3-20
3.4.5—Load Factors for Cross-Frames and Diaphragms at the Fatigue Limit State	3-20
3.5—PERMANENT LOADS	3-20
3.5.1—Dead Loads: <i>DC</i> , <i>DW</i> , and <i>EV</i>	3-20
3.5.2—Earth Loads: <i>EH</i> , <i>ES</i> , and <i>DR</i>	3-21
3.6—LIVE LOADS	3-21
3.6.1—Gravity Loads: <i>LL</i> and <i>PL</i>	3-21
3.6.1.1—Vehicular Live Load.....	3-21
3.6.1.1.1—Number of Design Lanes	3-21
3.6.1.1.2—Multiple Presence of Live Load	3-22
3.6.1.2—Design Vehicular Live Load.....	3-23
3.6.1.2.1—General	3-23
3.6.1.2.2—Design Truck	3-24
3.6.1.2.3—Design Tandem.....	3-24
3.6.1.2.4—Design Lane Load.....	3-24
3.6.1.2.5—Tire Contact Area	3-24
3.6.1.2.6—Distribution of Wheel Load through Earth Fills	3-25
3.6.1.2.6a—General	3-25
3.6.1.2.6b—Traffic Parallel to the Culvert Span.....	3-26
3.6.1.2.6c—Traffic Perpendicular to the Culvert Span	3-27
3.6.1.3—Application of Design Vehicular Live Loads	3-28
3.6.1.3.1—General	3-28
3.6.1.3.2—Loading for Optional Live Load Deflection Evaluation.....	3-28
3.6.1.3.3—Design Loads for Decks, Deck Systems, and the Top Slabs of Box Culverts	3-29
3.6.1.3.4—Deck Overhang Load.....	3-30
3.6.1.4—Fatigue Load.....	3-30
3.6.1.4.1—Magnitude and Configuration.....	3-30
3.6.1.4.2—Frequency	3-30
3.6.1.4.3—Load Distribution for Fatigue	3-31
3.6.1.4.3a—Refined Methods.....	3-31
3.6.1.4.3b—Approximate Methods	3-31
3.6.1.5—Rail Transit Load	3-32
3.6.1.6—Pedestrian Loads.....	3-32
3.6.1.7—Loads on Railings	3-32
3.6.2—Dynamic Load Allowance: <i>IM</i>	3-32
3.6.2.1—General	3-32
3.6.2.2—Buried Components	3-33
3.6.2.3—Wood Components	3-33
3.6.3—Centrifugal Forces: <i>CE</i>	3-34
3.6.4—Braking Force: <i>BR</i>	3-34
3.6.5—Vehicular Collision Force: <i>CT</i>	3-36
3.6.5.1—Protection of Structures	3-36

3.6.5.2—Vehicle Collision with Barriers.....	3-43
3.7—WATER LOADS: <i>WA</i>	3-43
3.7.1—Static Pressure	3-43
3.7.2—Buoyancy	3-43
3.7.3—Stream Pressure.....	3-43
3.7.3.1—Longitudinal.....	3-43
3.7.3.2—Lateral	3-44
3.7.4—Wave Load	3-45
3.8—WIND LOAD: <i>WL</i> AND <i>WS</i>	3-45
3.8.1—Horizontal Wind Load.....	3-45
3.8.1.1—Exposure Conditions	3-45
3.8.1.1.1—General.....	3-45
3.8.1.1.2—Wind Speed.....	3-46
3.8.1.1.3—Wind Direction for Determining Wind Exposure Category	3-49
3.8.1.1.4—Ground Surface Roughness Categories.....	3-49
3.8.1.1.5—Wind Exposure Categories	3-50
3.8.1.2—Wind Load on Structures: <i>WS</i>	3-50
3.8.1.2.1—General.....	3-50
3.8.1.2.2—Loads on the Superstructure.....	3-53
3.8.1.2.3—Loads on the Substructure.....	3-53
3.8.1.2.3a—Loads from the Superstructure	3-53
3.8.1.2.3b—Loads Applied Directly to the Substructure.....	3-54
3.8.1.2.4—Wind Loads on Sound Barriers.....	3-55
3.8.1.3—Wind Load on Live Load: <i>WL</i>	3-55
3.8.2—Vertical Wind Load.....	3-56
3.8.3—Wind-Induced Bridge Motions.....	3-56
3.8.3.1—General.....	3-56
3.8.3.2—Wind-Induced Motions	3-57
3.8.3.3—Control of Dynamic Responses.....	3-57
3.8.4—Site-Specific and Structure-Specific Studies.....	3-58
3.9—ICE LOADS: <i>IC</i>	3-58
3.9.1—General	3-58
3.9.2—Dynamic Ice Forces on Piers.....	3-59
3.9.2.1—Effective Ice Strength.....	3-59
3.9.2.2—Crushing and Flexing.....	3-60
3.9.2.3—Small Streams	3-62
3.9.2.4—Combination of Longitudinal and Transverse Forces	3-62
3.9.2.4.1—Piers Parallel to Flow.....	3-62
3.9.2.4.2—Piers Skewed to Flow.....	3-63
3.9.2.5—Slender and Flexible Piers.....	3-63
3.9.3—Static Ice Loads on Piers	3-63
3.9.4—Hanging Dams and Ice Jams	3-64
3.9.5—Vertical Forces Due to Ice Adhesion	3-64
3.9.6—Ice Accretion and Snow Loads on Superstructures	3-65
3.10—EARTHQUAKE EFFECTS: <i>EQ</i>	3-66
3.10.1—General.....	3-66
3.10.2—Seismic Hazard	3-67
3.10.2.1—General Procedure.....	3-68
3.10.2.2—Site-Specific Procedure.....	3-69
3.10.3—Site Effects	3-72
3.10.3.1—Site Class Definitions.....	3-72
3.10.4—Seismic Hazard Characterization	3-74
3.10.4.1—Design Response Spectrum.....	3-74
3.10.5—Operational Classification	3-74
3.10.6—Seismic Performance Zones	3-74
3.10.7—Response Modification Factors	3-75
3.10.7.1—General.....	3-75

3.10.7.2—Application	3-76
3.10.8—Combination of Seismic Force Effects	3-76
3.10.9—Calculation of Design Forces	3-77
3.10.9.1—General	3-77
3.10.9.2—Seismic Zone 1	3-77
3.10.9.3—Seismic Zone 2	3-79
3.10.9.4—Seismic Zones 3 and 4	3-79
3.10.9.4.1—General	3-79
3.10.9.4.2—Modified Design Forces	3-80
3.10.9.4.3—Inelastic Hinging Forces	3-80
3.10.9.4.3a—General	3-80
3.10.9.4.3b—Single Columns and Piers	3-80
3.10.9.4.3c—Piers with Two or More Columns	3-81
3.10.9.4.3d—Column and Pile Bent Design Forces	3-82
3.10.9.4.3e—Pier Design Forces	3-82
3.10.9.4.3f—Foundation Design Forces	3-82
3.10.9.5—Longitudinal Restrainers	3-83
3.10.9.6—Hold-Down Devices	3-83
3.10.10—Requirements for Temporary Bridges and Stage Construction	3-83
3.11—EARTH PRESSURE: <i>EH</i> , <i>ES</i> , <i>LS</i> , AND <i>DR</i>	3-84
3.11.1—General	3-84
3.11.2—Compaction	3-85
3.11.3—Presence of Water	3-85
3.11.4—Effect of Earthquake	3-86
3.11.5—Earth Pressure: <i>EH</i>	3-86
3.11.5.1—Lateral Earth Pressure	3-86
3.11.5.2—At-Rest Lateral Earth Pressure Coefficient, k_o	3-87
3.11.5.3—Active Lateral Earth Pressure Coefficient, k_a	3-88
3.11.5.4—Passive Lateral Earth Pressure Coefficient, k_p	3-90
3.11.5.5—Equivalent-Fluid Method of Estimating Rankine Lateral Earth Pressures	3-93
3.11.5.6—Lateral Earth Pressures for Nongravity Cantilevered Walls	3-95
3.11.5.7— <i>AEP</i> for Anchored Walls	3-100
3.11.5.7.1—Cohesionless Soils	3-100
3.11.5.7.2—Cohesive Soils	3-101
3.11.5.7.2a—Stiff to Hard	3-102
3.11.5.7.2b—Soft to Medium Stiff	3-102
3.11.5.8—Lateral Earth Pressures for Mechanically Stabilized Earth Walls	3-103
3.11.5.8.1—General	3-103
3.11.5.8.2—Internal Stability	3-104
3.11.5.9—Lateral Earth Pressures for Prefabricated Modular Walls	3-105
3.11.5.10—Lateral Earth Pressures for Sound Barriers Supported on Discrete and Continuous Vertical Embedded Elements	3-106
3.11.6—Surcharge Loads: <i>ES</i> and <i>LS</i>	3-109
3.11.6.1—Uniform Surcharge Loads (<i>ES</i>)	3-110
3.11.6.2—Point, Line, and Strip Loads (<i>ES</i>): Walls Restrained from Movement	3-110
3.11.6.3—Strip Loads (<i>ES</i>): Flexible Walls	3-114
3.11.6.4—Live Load Surcharge (<i>LS</i>)	3-117
3.11.6.5—Reduction of Surcharge	3-118
3.11.7—Reduction Due to Earth Pressure	3-118
3.11.8—Drag Load and Downdrag	3-118
3.12—FORCE EFFECTS DUE TO SUPERIMPOSED DEFORMATIONS: <i>TU</i> , <i>TG</i> , <i>SH</i> , <i>CR</i> , <i>SE</i> , <i>PS</i>	3-121
3.12.1—General	3-121
3.12.2—Uniform Temperature	3-121
3.12.2.1—Temperature Range for Procedure A	3-121
3.12.2.2—Temperature Range for Procedure B	3-122
3.12.2.3—Design Thermal Movements	3-123
3.12.3—Temperature Gradient	3-124

3.12.4—Differential Shrinkage	3-125
3.12.5—Creep	3-125
3.12.6—Settlement	3-125
3.12.7—Secondary Forces from Post-Tensioning, <i>PS</i>	3-125
3.13—FRICTION FORCES: <i>FR</i>	3-125
3.14—VESSEL COLLISION: <i>CV</i>	3-126
3.14.1—General	3-126
3.14.2—Owner’s Responsibility	3-127
3.14.3—Operational Classification	3-127
3.14.4—Design Vessel	3-128
3.14.5—Annual Frequency of Collapse	3-128
3.14.5.1—Vessel Frequency Distribution	3-129
3.14.5.2—Probability of Aberrancy	3-130
3.14.5.2.1—General	3-130
3.14.5.2.2—Statistical Method	3-130
3.14.5.2.3—Approximate Method	3-130
3.14.5.3—Geometric Probability	3-133
3.14.5.4—Probability of Collapse	3-134
3.14.5.5 Protection Factor	3-134
3.14.6—Design Collision Velocity	3-135
3.14.7—Vessel Collision Energy	3-136
3.14.8—Ship Collision Force on Pier	3-137
3.14.9—Ship Bow Damage Length	3-138
3.14.10—Ship Collision Force on Superstructure	3-139
3.14.10.1—Collision with Bow	3-139
3.14.10.2—Collision with Deck House	3-139
3.14.10.3—Collision with Mast	3-139
3.14.11—Barge Collision Force on Pier	3-140
3.14.12—Barge Bow Damage Length	3-141
3.14.13—Damage at the Extreme Limit State	3-141
3.14.14—Application of Impact Force	3-142
3.14.14.1—Substructure Design	3-142
3.14.14.2—Superstructure Design	3-143
3.14.15—Protection of Substructures	3-143
3.14.16—Security Considerations	3-144
3.15—BLAST LOADING: <i>BL</i>	3-145
3.16—REFERENCES	3-145
APPENDIX A3—SEISMIC DESIGN FLOWCHARTS	3-153
APPENDIX B3—OVERSTRENGTH RESISTANCE	3-155

TABLE OF CONTENTS

4.1—SCOPE	4-1
4.2—DEFINITIONS	4-2
4.3—NOTATION	4-7
4.4—ACCEPTABLE METHODS OF STRUCTURAL ANALYSIS	4-10
4.5—MATHEMATICAL MODELING	4-11
4.5.1—General	4-11
4.5.2—Structural Material Behavior	4-12
4.5.2.1—Elastic Versus Inelastic Behavior	4-12
4.5.2.2—Elastic Behavior	4-12
4.5.2.3—Inelastic Behavior	4-12
4.5.3—Geometry	4-13
4.5.3.1—Small-Deflection Theory	4-13
4.5.3.2—Large Deflection Theory	4-13
4.5.3.2.1—General	4-13
4.5.3.2.2—Approximate Methods	4-15
4.5.3.2.2a—General	4-15
4.5.3.2.2b—Moment Magnification—Beam Columns	4-15
4.5.3.2.2c—Moment Magnification—Arches	4-17
4.5.3.2.3—Refined Methods	4-17
4.5.4—Modeling Boundary Conditions	4-17
4.5.5—Equivalent Members	4-18
4.6—STATIC ANALYSIS	4-18
4.6.1—Influence of Plan Geometry	4-18
4.6.1.1—Plan Aspect Ratio	4-18
4.6.1.2—Structures Curved in Plan	4-18
4.6.1.2.1—General	4-18
4.6.1.2.2—Single-Girder Torsionally Stiff Superstructures	4-19
4.6.1.2.3—Concrete Box Girder Bridges	4-19
4.6.1.2.4—Steel Multiple-Beam Superstructures	4-21
4.6.1.2.4a—General	4-21
4.6.1.2.4b—I-Girders	4-21
4.6.1.2.4c—Closed-Box and Tub Girders	4-23
4.6.2—Approximate Methods of Analysis	4-23
4.6.2.1—Decks	4-23
4.6.2.1.1—General	4-23
4.6.2.1.2—Applicability	4-24
4.6.2.1.3—Width of Equivalent Interior Strips	4-24
4.6.2.1.4—Width of Equivalent Strips at Edges of Slabs	4-26
4.6.2.1.4a—General	4-26
4.6.2.1.4b—Longitudinal Edges	4-26
4.6.2.1.4c—Transverse Edges	4-26
4.6.2.1.5—Distribution of Wheel Loads	4-27
4.6.2.1.6—Calculation of Force Effects	4-27
4.6.2.1.7—Cross-Sectional Frame Action	4-28
4.6.2.1.8—Live Load Force Effects for Fully and Partially Filled Grids and for Unfilled Grid Decks Composite with Reinforced Concrete Slabs	4-28
4.6.2.1.9—Inelastic Analysis	4-30
4.6.2.2—Beam-Slab Bridges	4-30
4.6.2.2.1—Application	4-30
4.6.2.2.2—Distribution Factor Method for Moment and Shear	4-36
4.6.2.2.2a—Interior Beams with Wood Decks	4-36
4.6.2.2.2b—Interior Beams with Concrete Decks	4-37
4.6.2.2.2c—Interior Beams with Corrugated Steel Decks	4-39
4.6.2.2.2d—Exterior Beams	4-40
4.6.2.2.2e—Skewed Bridges	4-41

4.6.2.2.2f—Flexural Moments and Shear in Transverse Floorbeams.....	4-42
4.6.2.2.3—Distribution Factor Method for Shear.....	4-43
4.6.2.2.3a—Interior Beams.....	4-43
4.6.2.2.3b—Exterior Beams.....	4-45
4.6.2.2.3c—Skewed Bridges.....	4-47
4.6.2.2.4—Curved Steel Bridges.....	4-48
4.6.2.2.5—Special Loads with Other Traffic.....	4-48
4.6.2.3—Equivalent Strip Widths for Slab-Type Bridges.....	4-49
4.6.2.4—Truss and Arch Bridges.....	4-50
4.6.2.5—Effective Length Factor, K	4-50
4.6.2.6—Effective Flange Width.....	4-55
4.6.2.6.1—General.....	4-55
4.6.2.6.2—Segmental Concrete Box Beams and Single-Cell, Cast-in-Place Box Beams.....	4-56
4.6.2.6.3—Cast-in-Place Multicell Superstructures.....	4-60
4.6.2.6.4—Orthotropic Steel Decks.....	4-60
4.6.2.6.5—Transverse Floorbeams and Integral Bent Caps.....	4-61
4.6.2.7—Lateral Wind Load Distribution in Girder System Bridges.....	4-61
4.6.2.7.1—I-Sections.....	4-61
4.6.2.7.2—Box Sections.....	4-63
4.6.2.7.3—Construction.....	4-63
4.6.2.8—Seismic Lateral Load Distribution.....	4-64
4.6.2.8.1—Applicability.....	4-64
4.6.2.8.2—Design Criteria.....	4-64
4.6.2.8.3—Load Distribution.....	4-64
4.6.2.9—Analysis of Segmental Concrete Bridges.....	4-65
4.6.2.9.1—General.....	4-65
4.6.2.9.2—Strut-and-Tie Models.....	4-65
4.6.2.9.3—Effective Flange Width.....	4-66
4.6.2.9.4—Transverse Analysis.....	4-66
4.6.2.9.5—Longitudinal Analysis.....	4-66
4.6.2.9.5a—General.....	4-66
4.6.2.9.5b—Erection Analysis.....	4-67
4.6.2.9.5c—Analysis of the Final Structural System.....	4-67
4.6.2.10—Equivalent Strip Widths for Box Culverts.....	4-67
4.6.2.10.1—General.....	4-67
4.6.2.10.2—Case 1: Traffic Travels Parallel to Span.....	4-67
4.6.2.10.3—Case 2: Traffic Travels Perpendicular to Span.....	4-68
4.6.2.10.4—Precast Box Culverts.....	4-68
4.6.3—Refined Methods of Analysis.....	4-69
4.6.3.1—General.....	4-69
4.6.3.2—Decks.....	4-69
4.6.3.2.1—General.....	4-69
4.6.3.2.2—Isotropic Plate Model.....	4-70
4.6.3.2.3—Orthotropic Plate Model.....	4-70
4.6.3.2.4—Refined Orthotropic Deck Model.....	4-70
4.6.3.3—Beam-Slab Bridges.....	4-71
4.6.3.3.1—General.....	4-71
4.6.3.3.2—2D Grid and Plate and Eccentric Beam Analyses of Curved and/or Skewed Steel I-Girder Bridges.....	4-72
4.6.3.3.3—Curved Steel Bridges.....	4-73
4.6.3.3.4—Cross-Frames and Diaphragms.....	4-73
4.6.3.3.4a—2D Grid and Plate and Eccentric Beam Analyses.....	4-73
4.6.3.3.4b—3D Analyses.....	4-75
4.6.3.3.4c—Equivalent Axial Rigidity of Single-Angle and Tee-Section Cross-Frame Members.....	4-76
4.6.3.4—Cellular and Box Bridges.....	4-76
4.6.3.5—Truss Bridges.....	4-76
4.6.3.6—Arch Bridges.....	4-77

4.6.3.7—Cable-Stayed Bridges	4-77
4.6.3.8—Suspension Bridges	4-78
4.6.4—Redistribution of Negative Moments in Continuous Beam Bridges	4-78
4.6.4.1—General	4-78
4.6.4.2—Refined Method	4-79
4.6.4.3—Approximate Procedure	4-79
4.6.5—Stability	4-79
4.6.6—Analysis for Temperature Gradient	4-79
4.7—DYNAMIC ANALYSIS	4-81
4.7.1—Basic Requirements of Structural Dynamics	4-81
4.7.1.1—General	4-81
4.7.1.2—Distribution of Masses	4-81
4.7.1.3—Stiffness	4-82
4.7.1.4—Damping	4-82
4.7.1.5—Natural Frequencies	4-82
4.7.2—Elastic Dynamic Responses	4-82
4.7.2.1—Vehicle-Induced Vibration	4-82
4.7.2.2—Wind-Induced Vibration	4-83
4.7.2.2.1—Wind Velocities	4-83
4.7.2.2.2—Dynamic Effects	4-83
4.7.2.2.3—Design Considerations	4-83
4.7.3—Inelastic Dynamic Responses	4-83
4.7.3.1—General	4-83
4.7.3.2—Plastic Hinges and Yield Lines	4-84
4.7.4—Analysis for Earthquake Loads	4-84
4.7.4.1—General	4-84
4.7.4.2—Single-Span Bridges	4-84
4.7.4.3—Multispan Bridges	4-84
4.7.4.3.1—Selection of Method	4-84
4.7.4.3.2—Single-Mode Methods of Analysis	4-85
4.7.4.3.2a—General	4-85
4.7.4.3.2b—Single-Mode Spectral Method	4-86
4.7.4.3.2c—Uniform Load Method	4-87
4.7.4.3.3—Multimode Spectral Method	4-88
4.7.4.3.4—Time-History Method	4-89
4.7.4.3.4a—General	4-89
4.7.4.3.4b—Acceleration Time Histories	4-89
4.7.4.4—Minimum Support Length Requirements	4-91
4.7.4.5— P - Δ Requirements	4-92
4.7.5—Analysis for Collision Loads	4-93
4.7.6—Analysis of Blast Effects	4-93
4.8—ANALYSIS BY PHYSICAL MODELS	4-94
4.8.1—Scale Model Testing	4-94
4.8.2—Bridge Testing	4-94
4.9—REFERENCES	4-94
APPENDIX A4—DECK SLAB DESIGN TABLE	4-101

SECTION 5: CONCRETE STRUCTURES

TABLE OF CONTENTS

5.1—SCOPE	5-1
5.2—DEFINITIONS.....	5-1
5.3—NOTATION.....	5-6
5.4—MATERIAL PROPERTIES	5-16
5.4.1—General.....	5-16
5.4.2—Normal Weight and Lightweight Concrete	5-16
5.4.2.1—Compressive Strength.....	5-16
5.4.2.2—Coefficient of Thermal Expansion.....	5-18
5.4.2.3—Creep and Shrinkage.....	5-18
5.4.2.3.1—General	5-18
5.4.2.3.2—Creep	5-19
5.4.2.3.3—Shrinkage.....	5-20
5.4.2.4—Modulus of Elasticity.....	5-21
5.4.2.5—Poisson’s Ratio	5-22
5.4.2.6—Modulus of Rupture.....	5-22
5.4.2.7—Tensile Strength.....	5-22
5.4.2.8—Concrete Density Modification Factor.....	5-23
5.4.3—Reinforcing Steel	5-23
5.4.3.1—General	5-23
5.4.3.2—Modulus of Elasticity.....	5-24
5.4.3.3—Special Applications.....	5-24
5.4.4—Prestressing Steel.....	5-24
5.4.4.1—General	5-24
5.4.4.2—Modulus of Elasticity.....	5-25
5.4.5—Post-Tensioning Anchorages and Couplers	5-25
5.4.6—Post-Tensioning Ducts.....	5-25
5.4.6.1—General	5-25
5.4.6.2—Size of Ducts.....	5-26
5.4.6.3— External Tendons Passing through Deviation Saddles.....	5-26
5.5—LIMIT STATES AND DESIGN METHODOLOGIES.....	5-27
5.5.1—General.....	5-27
5.5.1.1—Limit-State Applicability	5-27
5.5.1.2—Design Methodologies	5-27
5.5.1.2.1—General	5-27
5.5.1.2.2—B-Regions	5-28
5.5.1.2.3—D-Regions.....	5-28
5.5.2—Service Limit State.....	5-29
5.5.3—Fatigue Limit State.....	5-29
5.5.3.1—General	5-29
5.5.3.2—Reinforcing Bars and Welded Wire Reinforcement	5-30
5.5.3.3—Prestressing Steel.....	5-31
5.5.3.4—Welded or Mechanical Splices of Reinforcement.....	5-31
5.5.4—Strength Limit State	5-32
5.5.4.1—General	5-32
5.5.4.2—Resistance Factors	5-32
5.5.4.3—Stability.....	5-34
5.5.5—Extreme Event Limit State.....	5-35
5.5.5.1—General	5-35
5.5.5.2—Special Requirements for Seismic Zones 2, 3, and 4.....	5-35
5.6—DESIGN FOR FLEXURAL AND AXIAL FORCE EFFECTS—B REGIONS	5-35
5.6.1—Assumptions for Service and Fatigue Limit States	5-35
5.6.2—Assumptions for Strength and Extreme Event Limit States.....	5-36
5.6.2.1—General	5-36
5.6.2.2—Rectangular Stress Distribution	5-38
5.6.3—Flexural Members	5-39

5.6.3.1—Stress in Prestressing Steel at Nominal Flexural Resistance	5-39
5.6.3.1.1—Components with Bonded Tendons	5-39
5.6.3.1.2—Components with Unbonded Tendons	5-40
5.6.3.1.3—Components with Both Bonded and Unbonded Tendons	5-41
5.6.3.1.3a—Detailed Analysis	5-41
5.6.3.1.3b—Simplified Analysis	5-41
5.6.3.2—Flexural Resistance	5-42
5.6.3.2.1—Factored Flexural Resistance	5-42
5.6.3.2.2—Flanged Sections	5-42
5.6.3.2.3—Rectangular Sections	5-43
5.6.3.2.4—Other Cross-Sections	5-43
5.6.3.2.5—Strain Compatibility Approach	5-43
5.6.3.2.6—Composite Girder Sections	5-43
5.6.3.3—Minimum Reinforcement	5-44
5.6.3.4—Moment Redistribution	5-45
5.6.3.5—Deformations	5-45
5.6.3.5.1—General	5-45
5.6.3.5.2—Deflection and Camber	5-46
5.6.3.5.2a—Instantaneous Deflections	5-46
5.6.3.5.2b—Time-Dependent Deflections	5-47
5.6.3.5.3—Axial Deformation	5-48
5.6.4—Compression Members	5-48
5.6.4.1—General	5-48
5.6.4.2—Limits for Reinforcement	5-49
5.6.4.3—Approximate Evaluation of Slenderness Effects	5-50
5.6.4.4—Factored Axial Resistance	5-51
5.6.4.5—Biaxial Flexure	5-52
5.6.4.6—Spirals, Hoops, and Ties	5-53
5.6.4.7—Hollow Rectangular Compression Members	5-54
5.6.4.7.1—Wall Slenderness Ratio	5-54
5.6.4.7.2—Limitations on the Use of the Rectangular Stress Block Method	5-55
5.6.4.7.2a—General	5-55
5.6.4.7.2b—Refined Method for Adjusting Maximum Usable Strain Limit	5-55
5.6.4.7.2c—Approximate Method for Adjusting Factored Resistance	5-55
5.6.5—Bearing	5-56
5.6.6—Tension Members	5-58
5.6.6.1—Resistance to Tension	5-58
5.6.6.2—Resistance to Combined Tension and Flexure	5-58
5.6.7—Control of Cracking by Distribution of Reinforcement	5-58
5.7—DESIGN FOR SHEAR AND TORSION—B-REGIONS	5-60
5.7.1—Design Procedures	5-60
5.7.1.1—Flexural Regions	5-60
5.7.1.2—Regions near Discontinuities	5-61
5.7.1.3—Interface Regions	5-61
5.7.1.4—Slabs and Footings	5-61
5.7.1.5—Webs of Curved Post-Tensioned Box Girder Bridges	5-61
5.7.2—General Requirements	5-62
5.7.2.1—General	5-62
5.7.2.2—Transfer and Development Lengths	5-64
5.7.2.3—Regions Requiring Transverse Reinforcement	5-64
5.7.2.4—Types of Transverse Reinforcement	5-65
5.7.2.5—Minimum Transverse Reinforcement	5-65
5.7.2.6—Maximum Spacing of Transverse Reinforcement	5-66
5.7.2.7—Design and Detailing Requirements	5-67
5.7.2.8—Shear Stress on Concrete	5-67
5.7.3—Sectional Design Model	5-69
5.7.3.1—General	5-69

5.7.3.2—Sections Near Supports	5-69
5.7.3.3—Nominal Shear Resistance	5-70
5.7.3.4—Procedures for Determining Shear Resistance Parameters, β and θ	5-73
5.7.3.4.1—Simplified Procedure for Nonprestressed Sections.....	5-73
5.7.3.4.2—General Procedure	5-73
5.7.3.5—Longitudinal Reinforcement	5-78
5.7.3.6—Sections Subjected to Combined Shear and Torsion	5-80
5.7.3.6.1—Transverse Reinforcement.....	5-80
5.7.3.6.2—Torsional Resistance	5-80
5.7.3.6.3—Longitudinal Reinforcement.....	5-81
5.7.4—Interface Shear Transfer—Shear Friction	5-81
5.7.4.1—General	5-81
5.7.4.2—Minimum Area of Interface Shear Reinforcement.....	5-82
5.7.4.3—Interface Shear Resistance.....	5-83
5.7.4.4—Cohesion and Friction Factors	5-84
5.7.4.5—Computation of the Factored Interface Shear Force for Girder/Slab Bridges.....	5-86
5.7.4.6—Interface Shear in Box Girder Bridges.....	5-88
5.8—DESIGN OF D-REGIONS	5-88
5.8.1—General.....	5-88
5.8.2—Strut-and-Tie Method (STM).....	5-88
5.8.2.1—General	5-88
5.8.2.2—Structural Modeling	5-90
5.8.2.3—Factored Resistance	5-97
5.8.2.4—Proportioning of Ties.....	5-97
5.8.2.4.1—Strength of Tie	5-97
5.8.2.4.2—Anchorage of Tie	5-97
5.8.2.5—Proportioning of Node Regions	5-98
5.8.2.5.1—Strength of a Node Face	5-98
5.8.2.5.2—Effective Cross-Sectional Area of the Node Face	5-98
5.8.2.5.3—Limiting Compressive Stress at the Node Face	5-98
5.8.2.5.3a—General	5-98
5.8.2.5.3b—Back Face of a CCT Node.....	5-99
5.8.2.6—Crack Control Reinforcement.....	5-101
5.8.2.7—Application to the Design of the General Zones of Post-Tensioning Anchorages.....	5-102
5.8.2.7.1—General	5-102
5.8.2.7.2—Nodes.....	5-104
5.8.2.7.3—Struts.....	5-104
5.8.2.7.4—Ties	5-105
5.8.2.8—Application to the Design of Pier Diaphragms	5-105
5.8.2.9—Application to the Design of Brackets and Corbels.....	5-106
5.8.3—Elastic Stress Analysis	5-107
5.8.3.1—General	5-107
5.8.3.2—General Zones of Post-Tensioning Anchorages.....	5-107
5.8.4—Approximate Stress Analysis and Design	5-107
5.8.4.1—Deep Components.....	5-107
5.8.4.2—Brackets and Corbels	5-108
5.8.4.2.1—General	5-108
5.8.4.2.2—Alternative to Strut-and-Tie Model	5-109
5.8.4.3—Beam Ledges	5-110
5.8.4.3.1—General	5-110
5.8.4.3.2—Design for Shear	5-111
5.8.4.3.3—Design for Flexure and Horizontal Force	5-112
5.8.4.3.4—Design for Punching Shear	5-112
5.8.4.3.5—Design of Hanger Reinforcement	5-114
5.8.4.3.6—Design for Bearing.....	5-116
5.8.4.4—Local Zones	5-116
5.8.4.4.1—Dimensions of Local Zone	5-116

5.8.4.4.2—Bearing Resistance.....	5-117
5.8.4.4.3—Special Anchorage Devices	5-118
5.8.4.5—General Zone of Post-Tensioning Anchorages	5-119
5.8.4.5.1—Limitations of Application	5-119
5.8.4.5.2—Compressive Stresses.....	5-121
5.8.4.5.3—Bursting Forces	5-122
5.8.4.5.4—Edge Tension Forces.....	5-123
5.8.4.5.5—Multiple Slab Anchorages.....	5-123
5.9—PRESTRESSING	5-124
5.9.1—General Design Considerations	5-124
5.9.1.1—General.....	5-124
5.9.1.2—Design Concrete Strengths.....	5-125
5.9.1.3—Section Properties	5-125
5.9.1.4—Crack Control.....	5-125
5.9.1.5—Buckling.....	5-125
5.9.1.6—Tendons with Angle Points or Curves.....	5-125
5.9.2—Stress Limitations.....	5-126
5.9.2.1—Stresses Due to Imposed Deformation	5-126
5.9.2.2—Stress Limitations for Prestressing Steel	5-126
5.9.2.3—Stress Limits for Concrete.....	5-127
5.9.2.3.1—Temporary Stresses.....	5-127
5.9.2.3.1a—Compressive Stresses	5-127
5.9.2.3.1b—Tensile Stresses.....	5-128
5.9.2.3.2—Stresses at Service Limit State	5-130
5.9.2.3.2a—Compressive Stresses	5-131
5.9.2.3.2b—Tensile Stresses.....	5-132
5.9.2.3.3—Principal Tensile Stresses in Webs	5-133
5.9.3—Prestress Losses.....	5-135
5.9.3.1—Total Prestress Loss	5-135
5.9.3.2—Instantaneous Losses.....	5-135
5.9.3.2.1—Anchorage Set.....	5-135
5.9.3.2.2—Friction.....	5-136
5.9.3.2.2a—Pretensioned Members	5-136
5.9.3.2.2b—Post-Tensioned Members	5-136
5.9.3.2.3—Elastic Shortening	5-138
5.9.3.2.3a—Pretensioned Members.....	5-138
5.9.3.2.3b—Post-Tensioned Members	5-139
5.9.3.2.3c—Combined Pretensioning and Post-Tensioning	5-140
5.9.3.3—Approximate Estimate of Time-Dependent Losses.....	5-140
5.9.3.4—Refined Estimates of Time-Dependent Losses	5-141
5.9.3.4.1—General.....	5-141
5.9.3.4.2—Losses: Time of Transfer to Time of Deck Placement.....	5-143
5.9.3.4.2a—Shrinkage of Girder Concrete	5-143
5.9.3.4.2b—Creep of Girder Concrete.....	5-143
5.9.3.4.2c—Relaxation of Prestressing Strands.....	5-144
5.9.3.4.3—Losses: Time of Deck Placement to Final Time	5-144
5.9.3.4.3a—Shrinkage of Girder Concrete	5-144
5.9.3.4.3b—Creep of Girder Concrete.....	5-145
5.9.3.4.3c—Relaxation of Prestressing Strands.....	5-145
5.9.3.4.3d—Shrinkage of Deck Concrete	5-146
5.9.3.4.4—Precast Pretensioned Girders without Composite Topping.....	5-146
5.9.3.4.5—Post-Tensioned Nonsegmental Girders.....	5-147
5.9.3.5—Losses in Multi-Stage Prestressing	5-147
5.9.3.6—Losses for Deflection Calculations	5-147
5.9.4—Details for Pretensioning.....	5-147
5.9.4.1—Minimum Spacing of Pretensioning Strand	5-147
5.9.4.2—Maximum Spacing of Pretensioning Strand in Slabs.....	5-148

5.9.4.3—Development of Pretensioning Strand	5-148
5.9.4.3.1—General	5-148
5.9.4.3.2—Bonded Strand	5-149
5.9.4.3.3—Debonded Strands	5-150
5.9.4.4—Pretensioned Anchorage Zones	5-152
5.9.4.4.1—Splitting Resistance	5-152
5.9.4.4.2—Confinement Reinforcement	5-153
5.9.4.4.3—Horizontal Transverse Tension Tie Reinforcement	5-153
5.9.4.5—Temporary Strands	5-154
5.9.5—Details for Post-Tensioning	5-155
5.9.5.1—Minimum Spacing of Post-Tensioning Tendons and Ducts	5-155
5.9.5.1.1—Post-Tensioning Ducts—Girders Straight in Plane	5-155
5.9.5.1.2—Post-Tensioning Ducts—Girders Curved in Plan	5-155
5.9.5.2—Maximum Spacing of Post-Tensioning Ducts in Slabs	5-156
5.9.5.3—Couplers in Post-Tensioning Tendons	5-156
5.9.5.4—Tendon Confinement	5-156
5.9.5.4.1—General	5-156
5.9.5.4.2—Wobble Effect in Slabs	5-157
5.9.5.4.3—Effects of Curved Tendons	5-157
5.9.5.4.4—Design for In-Plane Force Effects	5-158
5.9.5.4.4a—In-Plane Force Effects	5-158
5.9.5.4.4b—Shear Resistance to Pullout	5-159
5.9.5.4.4c—Cracking of Cover Concrete	5-160
5.9.5.4.4d—Regional Bending	5-161
5.9.5.4.5—Out-of-Plane Force Effects	5-162
5.9.5.5—External Tendon Supports	5-163
5.9.5.6—Post-Tensioned Anchorage Zones	5-163
5.9.5.6.1—General	5-163
5.9.5.6.2—General Zone	5-165
5.9.5.6.3—Local Zone	5-165
5.9.5.6.4—Responsibilities	5-166
5.9.5.6.5—Design of the General Zone	5-166
5.9.5.6.5a—Design Methods	5-166
5.9.5.6.5b—Design Principles	5-167
5.9.5.6.6—Special Anchorage Devices	5-170
5.9.5.6.7—Intermediate Anchorages	5-170
5.9.5.6.7a—General	5-170
5.9.5.6.7b—Crack Control behind Intermediate Anchors	5-171
5.9.5.6.7c—Blister and Rib Reinforcement	5-173
5.9.5.6.8—Diaphragms	5-173
5.9.5.6.9—Deviation Saddles	5-173
5.10—REINFORCEMENT	5-174
5.10.1—Concrete Cover	5-174
5.10.2—Hooks and Bends	5-176
5.10.2.1—Standard Hooks	5-176
5.10.2.2—Seismic Hooks	5-176
5.10.2.3—Minimum Finished Bend Diameters	5-176
5.10.3—Spacing of Reinforcement	5-177
5.10.3.1—Minimum Spacing of Reinforcing Bars	5-177
5.10.3.1.1—Cast-in-Place Concrete	5-177
5.10.3.1.2—Precast Concrete	5-178
5.10.3.1.3—Multilayers	5-178
5.10.3.1.4—Splices	5-178
5.10.3.1.5—Bundled Bars	5-178
5.10.3.2—Maximum Spacing of Reinforcing Bars	5-178
5.10.4—Transverse Reinforcement for Compression Members	5-179
5.10.4.1—General	5-179

5.10.4.2—Spirals	5-179
5.10.4.3—Ties.....	5-180
5.10.4.4—Hoops	5-181
5.10.5—Transverse Reinforcement for Flexural Members.....	5-182
5.10.6—Shrinkage and Temperature Reinforcement.....	5-182
5.10.7—Reinforcement for Hollow Rectangular Compression Members	5-183
5.10.7.1—General.....	5-183
5.10.7.2—Spacing of Reinforcement.....	5-183
5.10.7.3—Ties and Cross-Ties.....	5-183
5.10.7.4—Splices.....	5-184
5.10.8—Development and Splices of Reinforcement.....	5-184
5.10.8.1—General.....	5-184
5.10.8.1.1—Basic Requirements	5-184
5.10.8.1.2—Flexural Reinforcement	5-185
5.10.8.1.2a—General.....	5-185
5.10.8.1.2b—Positive Moment Reinforcement	5-186
5.10.8.1.2c—Negative Moment Reinforcement.....	5-187
5.10.8.1.2d—Moment Resisting Joints.....	5-188
5.10.8.2—Development of Reinforcement	5-188
5.10.8.2.1—Deformed Bars and Deformed Wire in Tension	5-188
5.10.8.2.1a—Tension Development Length.....	5-189
5.10.8.2.1b—Modification Factors which Increase ℓ_d	5-190
5.10.8.2.1c—Modification Factors which Decrease ℓ_d	5-190
5.10.8.2.2—Deformed Bars in Compression.....	5-192
5.10.8.2.2a—Compressive Development Length	5-192
5.10.8.2.2b—Modification Factors.....	5-193
5.10.8.2.3—Bundled Bars.....	5-193
5.10.8.2.4—Standard Hooks in Tension.....	5-193
5.10.8.2.4a—Hooked Bar Development Length	5-194
5.10.8.2.4b—Hooked-Bar Tie Requirements	5-194
5.10.8.2.5—Welded Wire Reinforcement	5-196
5.10.8.2.6—Shear Reinforcement.....	5-197
5.10.8.2.6a—General.....	5-197
5.10.8.2.6b—Anchorage of Deformed Reinforcement.....	5-197
5.10.8.2.6c—Anchorage of Wire Fabric Reinforcement.....	5-198
5.10.8.2.6d—Closed Stirrups.....	5-198
5.10.8.2.7—Headed Deformed Bar Development Length.....	5-199
5.10.8.3—Development by Mechanical Anchorages.....	5-200
5.10.8.4—Splices of Bar Reinforcement	5-200
5.10.8.4.1—Detailing	5-200
5.10.8.4.2—General Requirements.....	5-200
5.10.8.4.2a—Lap Splices.....	5-200
5.10.8.4.2b—Mechanical Connections.....	5-201
5.10.8.4.2c—Welded Splices.....	5-201
5.10.8.4.3—Splices of Reinforcement in Tension	5-201
5.10.8.4.3a—Lap Splices in Tension	5-202
5.10.8.4.3b—Mechanical Connections or Welded Splices in Tension.....	5-202
5.10.8.4.4—Splices in Tie Members	5-203
5.10.8.4.5—Splices of Bars in Compression	5-203
5.10.8.4.5a—Lap Splices in Compression.....	5-203
5.10.8.4.5b—Mechanical Connections or Welded Splices in Compression.....	5-204
5.10.8.4.5c—End-Bearing Splices.....	5-204
5.10.8.5—Splices of Welded Wire Reinforcement.....	5-204
5.10.8.5.1—Splices of Deformed Welded Wire Reinforcement in Tension.....	5-204
5.10.8.5.2—Splices of Plain Welded Wire Reinforcement in Tension.....	5-204
5.11—SEISMIC DESIGN AND DETAILS	5-205
5.11.1—General.....	5-205
5.11.2—Seismic Zone 1.....	5-206

5.11.3—Seismic Zone 2.....	5-206
5.11.3.1—General.....	5-206
5.11.3.2—Concrete Piles.....	5-207
5.11.3.2.1—General.....	5-207
5.11.3.2.2—Cast-in-Place Piles.....	5-207
5.11.3.2.3—Precast Reinforced Piles.....	5-208
5.11.3.2.4—Precast Prestressed Piles.....	5-208
5.11.4—Seismic Zones 3 and 4.....	5-208
5.11.4.1—Column Requirements.....	5-208
5.11.4.1.1—Longitudinal Reinforcement.....	5-208
5.11.4.1.2—Flexural Resistance.....	5-209
5.11.4.1.3—Column and Pile Bent Transverse Reinforcement for Shear.....	5-209
5.11.4.1.4—Transverse Reinforcement for Confinement in Potential Plastic Hinge Regions.....	5-210
5.11.4.1.5—Spacing of Transverse Reinforcement for Confinement in Potential Plastic Hinge Regions ...	5-212
5.11.4.1.6—Splices.....	5-212
5.11.4.2—Requirements for Wall-Type Piers.....	5-213
5.11.4.3—Column Connections.....	5-214
5.11.4.4—Construction Joints in Piers and Columns.....	5-214
5.11.4.5—Concrete Piles.....	5-214
5.11.4.5.1—General.....	5-214
5.11.4.5.2—Confinement Length.....	5-215
5.11.4.5.3—Volumetric Ratio for Confinement.....	5-215
5.11.4.5.4—Cast-in-Place Piles.....	5-215
5.11.4.5.5—Precast Piles.....	5-215
5.12—PROVISIONS FOR STRUCTURE COMPONENTS AND TYPES.....	5-215
5.12.1—Deck Slabs.....	5-215
5.12.2—Slab Superstructures.....	5-216
5.12.2.1—Cast-in-Place Solid Slab Superstructures.....	5-216
5.12.2.2—Cast-in-Place Voids Slab Superstructures.....	5-216
5.12.2.2.1—Cross-Section Dimensions.....	5-216
5.12.2.2.2—Minimum Number of Bearings.....	5-217
5.12.2.2.3—Solid End Sections.....	5-217
5.12.2.2.4—General Design Requirements.....	5-217
5.12.2.2.5—Compressive Zones in Negative Moment Area.....	5-218
5.12.2.2.6—Drainage of Voids.....	5-218
5.12.2.3—Precast Deck Bridges.....	5-218
5.12.2.3.1—General.....	5-218
5.12.2.3.2—Shear Transfer Joints.....	5-219
5.12.2.3.3—Shear-Flexure Transfer Joints.....	5-219
5.12.2.3.3a—General.....	5-219
5.12.2.3.3b—Design.....	5-219
5.12.2.3.3c—Post-Tensioning.....	5-219
5.12.2.3.3d—Longitudinal Construction Joints.....	5-219
5.12.2.3.3e—Cast-in-Place Closure Joints.....	5-220
5.12.2.3.3f—Structural Overlay.....	5-220
5.12.3—Beams and Girders.....	5-220
5.12.3.1—General.....	5-220
5.12.3.2—Precast Beams.....	5-220
5.12.3.2.1—Preservice Conditions.....	5-220
5.12.3.2.2—Extreme Dimensions.....	5-220
5.12.3.2.3—Lifting Devices.....	5-221
5.12.3.2.4—Detail Design.....	5-221
5.12.3.2.5—Concrete Strength.....	5-221
5.12.3.3—Bridges Composed of Simple Span Precast Girders Made Continuous.....	5-221
5.12.3.3.1—General.....	5-221
5.12.3.3.2—Restraint Force Effects.....	5-222

5.12.3.3.3—Material Properties.....	5-224
5.12.3.3.4—Age of Girder When Continuity Is Established	5-225
5.12.3.3.5—Service Limit State.....	5-225
5.12.3.3.6—Strength Limit State	5-226
5.12.3.3.7—Negative Moment Connections.....	5-226
5.12.3.3.8—Positive Moment Connections	5-227
5.12.3.3.8a—General.....	5-227
5.12.3.3.8b—Positive Moment Connection Using Prestressing Strand.....	5-227
5.12.3.3.8c—Positive Moment Connection Using Nonprestressed Reinforcement	5-228
5.12.3.3.8d—Details of Positive Moment Connection	5-228
5.12.3.3.9—Continuity Diaphragms.....	5-228
5.12.3.4—Spliced Precast Girders	5-229
5.12.3.4.1—General.....	5-229
5.12.3.4.2—Joints Between Spliced Girders	5-230
5.12.3.4.2a—General.....	5-230
5.12.3.4.2b—Details of Closure Joints	5-231
5.12.3.4.2c—Details of Match-Cast Joints	5-231
5.12.3.4.2d—Joint Design	5-231
5.12.3.4.3—Girder Segment Design.....	5-232
5.12.3.4.4—Post-Tensioning	5-232
5.12.3.5—Cast-in-Place Box Girders and T-Beams	5-233
5.12.3.5.1—Flange and Web Thickness	5-233
5.12.3.5.1a—Top Flange	5-233
5.12.3.5.1b—Bottom Flange	5-233
5.12.3.5.1c—Web.....	5-233
5.12.3.5.2—Reinforcement.....	5-233
5.12.3.5.2a—Deck Slab Reinforcement Cast-in-Place in T-Beams and Box Girders	5-233
5.12.3.5.2b—Bottom Slab Reinforcement in Cast-in-Place Box Girders.....	5-234
5.12.4—Diaphragms.....	5-234
5.12.5—Segmental Concrete Bridges	5-234
5.12.5.1—General.....	5-234
5.12.5.2—Analysis of Segmental Bridges	5-235
5.12.5.2.1—General.....	5-235
5.12.5.2.2—Construction Analysis.....	5-235
5.12.5.2.3—Analysis of the Final Structural System.....	5-235
5.12.5.3—Design	5-236
5.12.5.3.1—Loads.....	5-236
5.12.5.3.2—Construction Loads	5-236
5.12.5.3.3—Construction Load Combinations at the Service Limit State	5-237
5.12.5.3.4—Construction Load Combinations at Strength and Extreme Event Limit States	5-240
5.12.5.3.4a—Construction Load Combinations at the Strength Limit State.....	5-240
5.12.5.3.4b—Construction Load Combinations at the Extreme Event Limit State	5-240
5.12.5.3.5—Thermal Effects During Construction.....	5-241
5.12.5.3.6—Creep and Shrinkage	5-241
5.12.5.3.7—Prestress Losses	5-242
5.12.5.3.8—Alternative Shear Design Procedure	5-242
5.12.5.3.8a—General.....	5-242
5.12.5.3.8b—Loading.....	5-243
5.12.5.3.8c—Nominal Shear Resistance	5-243
5.12.5.3.8d—Torsional Reinforcement	5-244
5.12.5.3.8e—Reinforcement Details.....	5-246
5.12.5.3.9—Provisional Post-Tensioning Ducts and Anchorages	5-246
5.12.5.3.9a—General.....	5-246
5.12.5.3.9b—Bridges with Internal Ducts	5-247
5.12.5.3.9c—Provision for Future Load	5-247
5.12.5.3.10—Plan Presentation.....	5-248
5.12.5.3.11—Box Girder Cross-Section Dimensions and Details	5-248

5.12.5.3.11a—Minimum Flange Thickness	5-248
5.12.5.3.11b—Minimum Web Thickness	5-249
5.12.5.3.11c—Overall Cross-Section Dimensions	5-249
5.12.5.3.12—Seismic Design	5-250
5.12.5.4—Types of Segmental Bridges	5-251
5.12.5.4.1—General	5-251
5.12.5.4.2—Details for Precast Construction	5-251
5.12.5.4.3—Details for Cast-in-Place Construction	5-253
5.12.5.4.4—Cantilever Construction	5-253
5.12.5.4.5—Span-by-Span Construction	5-254
5.12.5.4.6—Incrementally Launched Construction	5-254
5.12.5.4.6a—General	5-254
5.12.5.4.6b—Force Effects Due to Construction Tolerances	5-254
5.12.5.4.6c—Design Details	5-255
5.12.5.4.6d—Design of Construction Equipment	5-256
5.12.5.5—Use of Alternative Construction Methods	5-256
5.12.5.6—Segmentally Constructed Bridge Substructures	5-258
5.12.5.6.1—General	5-258
5.12.5.6.2—Construction Load Combinations	5-258
5.12.5.6.3—Longitudinal Reinforcement of Hollow, Rectangular Precast Segmental Piers	5-259
5.12.6—Arches	5-259
5.12.6.1—General	5-259
5.12.6.2—Arch Ribs	5-259
5.12.7—Culverts	5-260
5.12.7.1—General	5-260
5.12.7.2—Design for Flexure	5-260
5.12.7.3—Design for Shear in Slabs of Box Culverts	5-260
5.12.8—Footings	5-260
5.12.8.1—General	5-260
5.12.8.2—Loads and Reactions	5-261
5.12.8.3—Resistance Factors	5-261
5.12.8.4—Moment in Footings	5-261
5.12.8.5—Distribution of Moment Reinforcement	5-261
5.12.8.6—Shear in Slabs and Footings	5-262
5.12.8.6.1—Critical Sections for Shear	5-262
5.12.8.6.2—One-Way Action	5-263
5.12.8.6.3—Two-Way Action	5-263
5.12.8.7—Development of Reinforcement	5-264
5.12.8.8—Transfer of Force at Base of Column	5-264
5.12.9—Concrete Piles	5-264
5.12.9.1—General	5-264
5.12.9.2—Splices	5-265
5.12.9.3—Precast Reinforced Piles	5-265
5.12.9.3.1—Pile Dimensions	5-265
5.12.9.3.2—Reinforcement	5-265
5.12.9.4—Precast Prestressed Piles	5-266
5.12.9.4.1—Pile Dimensions	5-266
5.12.9.4.2—Concrete Quality	5-266
5.12.9.4.3—Reinforcement	5-266
5.12.9.5—Cast-in-Place Piles	5-267
5.12.9.5.1—Pile Dimensions	5-267
5.12.9.5.2—Reinforcement	5-267
5.13—ANCHORS	5-267
5.13.1—General	5-267
5.13.2—General Strength Requirements	5-269
5.13.2.1—Failure Modes to be Considered	5-269
5.13.2.2—Resistance Factors	5-270

5.13.2.3—Determination of Anchor Resistance	5-270
5.13.3—Seismic Design Requirements.....	5-271
5.13.4—Installation.....	5-272
5.14—DURABILITY	5-272
5.14.1—Design Concepts	5-272
5.14.2—Major Chemical and Mechanical Factors Affecting Durability	5-273
5.14.2.1—General.....	5-273
5.14.2.2—Corrosion Resistance.....	5-275
5.14.2.3—Freeze–Thaw Resistance.....	5-275
5.14.2.4—External Sulfate Attack	5-276
5.14.2.5—Delayed Ettringite Formation.....	5-276
5.14.2.6—Alkali–Silica Reactive Aggregates	5-276
5.14.2.7—Alkali–Carbonate Reactive Aggregates	5-276
5.14.3—Concrete Cover	5-277
5.14.4—Corrosion-Resistant Reinforcement	5-277
5.14.5—Deck Protection Systems.....	5-277
5.14.6—Protection for Prestressing Tendons.....	5-277
5.15—REFERENCES.....	5-278
APPENDIX A5—BASIC STEPS FOR CONCRETE BRIDGES	5-292
A5.1—GENERAL	5-292
A5.2—GENERAL CONSIDERATIONS.....	5-292
A5.3—BEAM AND GIRDER SUPERSTRUCTURE DESIGN.....	5-292
A5.4—SLAB BRIDGES.....	5-293
A5.5—SUBSTRUCTURE DESIGN	5-294
APPENDIX B5—GENERAL PROCEDURE FOR SHEAR DESIGN WITH TABLES.....	5-295
B5.1—BACKGROUND	5-295
B5.2—SECTIONAL DESIGN MODEL—GENERAL PROCEDURE	5-295
APPENDIX C5—UPPER LIMITS OF NORMAL WEIGHT CONCRETE FOR ARTICLES AFFECTED BY CONCRETE COMPRESSIVE STRENGTH.....	5-303
APPENDIX D5—ARTICLES MODIFIED TO ALLOW THE USE OF REINFORCEMENT WITH A SPECIFIED MINIMUM YIELD STRENGTH UP TO 100 KSI.....	5-305

SECTION 6: STEEL STRUCTURES

TABLE OF CONTENTS

6.1—SCOPE	6-1
6.2—DEFINITIONS	6-2
6.3—NOTATION	6-13
6.4—MATERIALS	6-34
6.4.1—Structural Steels	6-34
6.4.2—Pins, Rollers, and Rockers	6-36
6.4.3—Bolts, Nuts, and Washers	6-37
6.4.3.1—High-Strength Structural Fasteners	6-37
6.4.3.1.1—High-Strength Bolts	6-37
6.4.3.1.2—Nuts Used with High-Strength Bolts	6-37
6.4.3.1.3—Washers Used with High-Strength Bolts	6-37
6.4.3.1.4—Direct Tension Indicators	6-38
6.4.3.2—Low-Strength Steel Bolts	6-38
6.4.3.3—Fasteners for Structural Anchorage	6-38
6.4.3.3.1—Anchor Rods	6-38
6.4.3.3.2—Nuts Used with Anchor Rods	6-38
6.4.4—Stud Shear Connectors	6-38
6.4.5—Weld Metal	6-39
6.4.6—Cast Metal	6-39
6.4.6.1—Cast Steel and Ductile Iron	6-39
6.4.6.2—Malleable Castings	6-39
6.4.6.3—Cast Iron	6-39
6.4.7—Stainless Steel	6-39
6.4.8—Cables	6-40
6.4.8.1—Bright Wire	6-40
6.4.8.2—Galvanized Wire	6-40
6.4.8.3—Epoxy-Coated Wire	6-40
6.4.8.4—Bridge Strand	6-40
6.4.9—Dissimilar Metals	6-40
6.5—LIMIT STATES	6-40
6.5.1—General	6-40
6.5.2—Service Limit State	6-40
6.5.3—Fatigue and Fracture Limit State	6-41
6.5.4—Strength Limit State	6-41
6.5.4.1—General	6-41
6.5.4.2—Resistance Factors	6-41
6.5.5—Extreme Event Limit State	6-42
6.6—FATIGUE AND FRACTURE CONSIDERATIONS	6-43
6.6.1—Fatigue	6-43
6.6.1.1—General	6-43
6.6.1.2—Load-Induced Fatigue	6-43
6.6.1.2.1—Application	6-43
6.6.1.2.2—Design Criteria	6-44
6.6.1.2.3—Detail Categories	6-45
6.6.1.2.4—Detailing to Reduce Constraint	6-65
6.6.1.2.5—Fatigue Resistance	6-68
6.6.1.3—Distortion-Induced Fatigue	6-71
6.6.1.3.1—Transverse Connection Plates	6-71
6.6.1.3.2—Lateral Connection Plates	6-72
6.6.1.3.3—Orthotropic Decks	6-72
6.6.2—Fracture	6-72
6.6.2.1—Member or Component Designations and Charpy V-Notch Testing Requirements	6-72
6.6.2.2—NSTMs	6-77
6.7—GENERAL DIMENSION AND DETAIL REQUIREMENTS	6-79
6.7.1—Effective Length of Span	6-79

6.7.2—Dead Load Camber and Detailing of Structural Components	6-79
6.7.3—Minimum Thickness of Steel	6-84
6.7.4—Diaphragms and Cross-Frames	6-84
6.7.4.1—General	6-84
6.7.4.2—I-Section Members	6-86
6.7.4.2.1—General	6-86
6.7.4.2.2—Stability Bracing Requirements	6-90
6.7.4.3—Composite Box-Section Members	6-98
6.7.4.4—Noncomposite Box-Section Members	6-101
6.7.4.4.1—General	6-101
6.7.4.4.2—Square and Rectangular Hollow Structural Section Members	6-101
6.7.4.4.3—Welded and Nonwelded Built-Up Noncomposite Box-Section Members	6-101
6.7.4.5—Trusses and Arches	6-102
6.7.5—Lateral Bracing	6-102
6.7.5.1—General	6-102
6.7.5.2—I-Section Members	6-103
6.7.5.3—Tub-Section Members	6-103
6.7.5.4—Trusses	6-106
6.7.6—Pins	6-107
6.7.6.1—Location	6-107
6.7.6.2—Resistance	6-107
6.7.6.2.1—Combined Flexure and Shear	6-107
6.7.6.2.2—Bearing	6-107
6.7.6.3—Minimum Size Pin for Eyebars	6-107
6.7.6.4—Pins and Pin Nuts	6-108
6.7.7—Heat-Curved Rolled Beams and Welded Plate Girders	6-108
6.7.7.1—Scope	6-108
6.7.7.2—Geometric Limitations	6-108
6.7.8—Bent Plates	6-109
6.8—TENSION MEMBERS	6-109
6.8.1—General	6-109
6.8.2—Tensile Resistance	6-110
6.8.2.1—General	6-110
6.8.2.2—Reduction Factor, U	6-110
6.8.2.3—Combined Axial Tension, Flexure, and Flexural and/or Torsional Shear	6-114
6.8.2.3.1—General	6-114
6.8.2.3.2—Interaction with Torsional and/or Flexural Shear	6-116
6.8.2.3.3—Tension Rupture under Axial Tension or Compression Combined with Flexure	6-117
6.8.3—Net Area	6-119
6.8.4—Limiting Slenderness Ratio for Tension Members	6-119
6.8.5—Built-Up Members	6-120
6.8.5.1—General	6-120
6.8.5.2—Perforated Plates	6-120
6.8.6—Eyebars	6-120
6.8.6.1—Factored Resistance	6-120
6.8.6.2—Proportions	6-120
6.8.6.3—Packing	6-121
6.8.7—Pin-Connected Plates	6-121
6.8.7.1—General	6-121
6.8.7.2—Pin Plates	6-121
6.8.7.3—Proportions	6-121
6.8.7.4—Packing	6-122
6.9—COMPRESSION MEMBERS	6-122
6.9.1—General	6-122
6.9.2—Compressive Resistance	6-122
6.9.2.1—Axial Compression	6-122
6.9.2.2—Combined Axial Compression, Flexure, and Flexural and/or Torsional Shear	6-123
6.9.2.2.1—General	6-123

6.9.2.2.2—Interaction with Torsional and/or Flexural Shear	6-126
6.9.3—Limiting Slenderness Ratio for Compression Members	6-132
6.9.4—Noncomposite Members	6-133
6.9.4.1—Nominal Compressive Resistance	6-133
6.9.4.1.1—General	6-133
6.9.4.1.2—Elastic Flexural Buckling Resistance	6-137
6.9.4.1.3—Elastic Torsional Buckling and Flexural–Torsional Buckling Resistance	6-137
6.9.4.2—Effects of Local Buckling on the Nominal Compressive Resistance	6-139
6.9.4.2.1—Classification of Cross-Section Elements	6-139
6.9.4.2.2—Slender Longitudinally Unstiffened Cross-Section Elements	6-141
6.9.4.2.2a—General	6-141
6.9.4.2.2b—Effective Width of Slender Elements	6-143
6.9.4.2.2c—Effective Area of Circular Tubes and Round HSS	6-145
6.9.4.3—Built-Up Members	6-145
6.9.4.3.1—General	6-145
6.9.4.3.2—Perforated Plates	6-146
6.9.4.4—Single-Angle Members	6-147
6.9.4.5—Plate-Buckling under Service and Construction Loads	6-150
6.9.5—Composite Members	6-152
6.9.5.1—Nominal Compressive Resistance	6-152
6.9.5.2—Limitations	6-154
6.9.5.2.1—General	6-154
6.9.5.2.2—Concrete-Filled Tubes	6-154
6.9.5.2.3—Concrete-Encased Shapes	6-154
6.9.6—Composite Concrete-Filled Steel Tubes (CFSTs)	6-154
6.9.6.1—General	6-154
6.9.6.2—Limitations	6-155
6.9.6.3—Combined Axial Compression and Flexure	6-156
6.9.6.3.1—General	6-156
6.9.6.3.2—Axial Compressive Resistance	6-157
6.9.6.3.3—Nominal Flexural Composite Resistance	6-158
6.9.6.3.4—Nominal Stability-Based Interaction Curve	6-158
6.10—I-SECTION FLEXURAL MEMBERS	6-159
6.10.1—General	6-159
6.10.1.1—Composite Sections	6-161
6.10.1.1.1—Stresses	6-161
6.10.1.1.1a—Sequence of Loading	6-161
6.10.1.1.1b—Stresses for Sections in Positive Flexure	6-161
6.10.1.1.1c—Stresses for Sections in Negative Flexure	6-162
6.10.1.1.1d—Concrete Deck Stresses	6-162
6.10.1.1.1e—Effective Width of Concrete Deck	6-162
6.10.1.2—Noncomposite Sections	6-162
6.10.1.3—Hybrid Sections	6-162
6.10.1.4—Variable Web Depth Members	6-163
6.10.1.5—Stiffness	6-165
6.10.1.6—Flange Stresses and Member Bending Moments	6-165
6.10.1.7—Minimum Negative Flexure Concrete Deck Reinforcement	6-169
6.10.1.8—Tension Flanges with Holes	6-170
6.10.1.9—Web Bend-Buckling Resistance	6-171
6.10.1.9.1—Webs without Longitudinal Stiffeners	6-171
6.10.1.9.2—Webs with Longitudinal Stiffeners	6-173
6.10.1.10—Flange-Strength Reduction Factors	6-174
6.10.1.10.1—Hybrid Factor, R_h	6-174
6.10.1.10.2—Web Load-Shedding Factor, R_b	6-175
6.10.2—Cross-Section Proportion Limits	6-181
6.10.2.1—Web Proportions	6-181
6.10.2.1.1—Webs without Longitudinal Stiffeners	6-181
6.10.2.1.2—Webs with Longitudinal Stiffeners	6-182

6.10.2.2—Flange Proportions	6-182
6.10.3—Constructibility.....	6-184
6.10.3.1—General.....	6-184
6.10.3.2—Flexure	6-184
6.10.3.2.1—Discretely Braced Flanges in Compression	6-184
6.10.3.2.2—Discretely Braced Flanges in Tension.....	6-186
6.10.3.2.3—Continuously Braced Flanges in Tension or Compression	6-186
6.10.3.2.4—Concrete Deck.....	6-187
6.10.3.3—Shear	6-187
6.10.3.4—Deck Placement	6-187
6.10.3.4.1—General.....	6-187
6.10.3.4.2—Global Displacement Amplification in Narrow I-Girder Bridge Units.....	6-190
6.10.3.5—Dead Load Deflections.....	6-191
6.10.4—Service Limit State.....	6-191
6.10.4.1—Elastic Deformations.....	6-191
6.10.4.2—Permanent Deformations.....	6-192
6.10.4.2.1—General.....	6-192
6.10.4.2.2—Flexure	6-192
6.10.5—Fatigue and Fracture Limit State	6-195
6.10.5.1—Fatigue	6-195
6.10.5.2—Fracture	6-195
6.10.5.3—Special Fatigue Requirement for Webs.....	6-195
6.10.6—Strength Limit State	6-196
6.10.6.1—General.....	6-196
6.10.6.2—Flexure	6-198
6.10.6.2.1—General.....	6-198
6.10.6.2.2—Composite Sections in Positive Flexure.....	6-198
6.10.6.2.3—Composite Sections in Negative Flexure and Noncomposite Sections.....	6-199
6.10.6.3—Shear	6-202
6.10.6.4—Shear Connectors	6-202
6.10.7—Flexural Resistance—Composite Sections in Positive Flexure.....	6-202
6.10.7.1—Compact Sections.....	6-202
6.10.7.1.1—General.....	6-202
6.10.7.1.2—Nominal Flexural Resistance	6-203
6.10.7.2—Noncompact Sections.....	6-205
6.10.7.2.1—General.....	6-205
6.10.7.2.2—Nominal Flexural Resistance	6-206
6.10.7.3—Ductility Requirement.....	6-206
6.10.8—Flexural Resistance—Composite Sections in Negative Flexure and Noncomposite Sections	6-206
6.10.8.1—General.....	6-206
6.10.8.1.1—Discretely Braced Flanges in Compression	6-206
6.10.8.1.2—Discretely Braced Flanges in Tension.....	6-207
6.10.8.1.3—Continuously Braced Flanges in Tension or Compression	6-207
6.10.8.2 Compression Flange Flexural Resistance	6-207
6.10.8.2.1—General.....	6-207
6.10.8.2.2—Local Buckling Resistance.....	6-209
6.10.8.2.3—LTB Resistance.....	6-209
6.10.8.2.3a—General.....	6-209
6.10.8.2.3b—LTB Parameters for Prismatic Unbraced Lengths	6-212
6.10.8.2.3c—LTB Parameters for Nonprismatic Unbraced Lengths	6-216
6.10.8.3—Flexural Resistance Based on Tension-Flange Yielding.....	6-218
6.10.9—Shear Resistance	6-218
6.10.9.1—General.....	6-218
6.10.9.2—Nominal Resistance of Unstiffened Webs	6-220
6.10.9.3—Nominal Resistance of Stiffened Webs.....	6-220
6.10.9.3.1—General.....	6-220
6.10.9.3.2—Interior Panels.....	6-220
6.10.9.3.3—End Panels.....	6-222

6.10.10—Shear Connectors	6-222
6.10.10.1—General.....	6-222
6.10.10.1.1—Types	6-223
6.10.10.1.2—Pitch.....	6-223
6.10.10.1.3—Transverse Spacing.....	6-225
6.10.10.1.4—Cover and Penetration	6-225
6.10.10.2—Fatigue Resistance	6-226
6.10.10.3—Special Requirements for Points of Permanent Load Contraflexure	6-226
6.10.10.4—Strength Limit State	6-227
6.10.10.4.1—General.....	6-227
6.10.10.4.2—Nominal Shear Force	6-227
6.10.10.4.3—Nominal Shear Resistance	6-229
6.10.11—Web Stiffeners	6-230
6.10.11.1—Web Transverse Stiffeners.....	6-230
6.10.11.1.1—General	6-230
6.10.11.1.2—Projecting Width.....	6-230
6.10.11.1.3—Moment of Inertia.....	6-231
6.10.11.2—Bearing Stiffeners	6-233
6.10.11.2.1—General	6-233
6.10.11.2.2—Minimum Thickness.....	6-234
6.10.11.2.3—Bearing Resistance	6-234
6.10.11.2.4—Axial Resistance of Bearing Stiffeners	6-235
6.10.11.2.4a—General.....	6-235
6.10.11.2.4b—Effective Section	6-235
6.10.11.3—Web Longitudinal Stiffeners.....	6-236
6.10.11.3.1—General	6-236
6.10.11.3.2—Projecting Width.....	6-238
6.10.11.3.3—Moment of Inertia and Radius of Gyration.....	6-239
6.10.12—Cover Plates	6-240
6.10.12.1—General.....	6-240
6.10.12.2—End Requirements.....	6-240
6.10.12.2.1—General	6-240
6.10.12.2.2—Welded Ends.....	6-241
6.10.12.2.3—Bolted Ends	6-241
6.11—COMPOSITE BOX-SECTION FLEXURAL MEMBERS	6-241
6.11.1—General.....	6-241
6.11.1.1—Stress Determinations	6-243
6.11.1.2—Bearings.....	6-246
6.11.1.3—Flange-to-Web Connections	6-247
6.11.1.4—Access and Drainage.....	6-247
6.11.2—Cross-Section Proportion Limits.....	6-248
6.11.2.1—Web Proportions	6-248
6.11.2.1.1—General	6-248
6.11.2.1.2—Webs without Longitudinal Stiffeners.....	6-249
6.11.2.1.3—Webs with Longitudinal Stiffeners.....	6-249
6.11.2.2—Flange Proportions.....	6-249
6.11.2.3—Special Restrictions on Use of Live Load Distribution Factor for Multiple Box Sections	6-250
6.11.3—Constructibility	6-251
6.11.3.1—General.....	6-251
6.11.3.2—Flexure.....	6-252
6.11.3.3—Shear.....	6-255
6.11.4—Service Limit State.....	6-256
6.11.5—Fatigue and Fracture Limit State.....	6-257
6.11.6—Strength Limit State	6-259
6.11.6.1—General.....	6-259
6.11.6.2—Flexure	6-259
6.11.6.2.1—General	6-259
6.11.6.2.2—Sections in Positive Flexure.....	6-259

6.11.6.2.3—Sections in Negative Flexure	6-260
6.11.6.3—Shear	6-260
6.11.6.4—Shear Connectors	6-260
6.11.7—Flexural Resistance—Sections in Positive Flexure	6-261
6.11.7.1—Compact Sections	6-261
6.11.7.1.1—General	6-261
6.11.7.1.2—Nominal Flexural Resistance	6-261
6.11.7.2—Noncompact Sections	6-261
6.11.7.2.1—General	6-261
6.11.7.2.2—Nominal Flexural Resistance	6-262
6.11.8—Flexural Resistance—Sections in Negative Flexure	6-264
6.11.8.1—General	6-264
6.11.8.1.1—Box Flanges in Compression	6-264
6.11.8.1.2—Continuously Braced Flanges in Tension	6-266
6.11.8.2—Flexural Resistance of Noncomposite Box Flanges in Compression	6-267
6.11.8.2.1—General	6-267
6.11.8.2.2—Longitudinally Unstiffened Flanges	6-267
6.11.8.2.2a—Classification of Longitudinally Unstiffened Flanges	6-267
6.11.8.2.2b—General Yielding and Compression FLB	6-268
6.11.8.2.3—Longitudinally Stiffened Flanges	6-270
6.11.8.3—Flexural Resistance Based on Tension-Flange Yielding	6-272
6.11.9—Shear Resistance	6-273
6.11.10—Shear Connectors	6-273
6.11.11—Web Stiffeners	6-275
6.12—MISCELLANEOUS FLEXURAL MEMBERS	6-275
6.12.1—General	6-275
6.12.1.1—Scope	6-275
6.12.1.2—Strength Limit State	6-275
6.12.1.2.1—Flexure	6-275
6.12.1.2.2—Combined Flexure, Axial Load, and Flexural and/or Torsional Shear	6-276
6.12.1.2.3—Flexural Shear and/or Torsion	6-276
6.12.1.2.3a—General	6-276
6.12.1.2.3b—Circular Tubes and Round HSS	6-278
6.12.1.2.4—Special Provisions for Hollow Structural Section Members	6-279
6.12.2—Nominal Flexural Resistance	6-279
6.12.2.1—General	6-279
6.12.2.2—Noncomposite Members	6-280
6.12.2.2.1—I- and H-Shaped Members	6-280
6.12.2.2.1a—General	6-280
6.12.2.2.1b—Yielding	6-280
6.12.2.2.1c—FLB	6-280
6.12.2.2.2—Rectangular Box-Section Members	6-281
6.12.2.2.2a—General	6-281
6.12.2.2.2b—Cross-Section Proportion Limits	6-283
6.12.2.2.2c—Classification of Sections with a Longitudinally Unstiffened Compression Flange	6-285
6.12.2.2.2d—Classification of Sections with a Longitudinally Stiffened Compression Flange	6-293
6.12.2.2.2e—General Yielding, Compression FLB and LTB	6-295
6.12.2.2.2f—Service and Fatigue Limit States and Constructibility	6-297
6.12.2.2.2g—Flange Effective Width or Area Accounting for Shear Lag Effects	6-298
6.12.2.2.3—Circular Tubes and Round HSS	6-299
6.12.2.2.4—Tees and Double Angles	6-300
6.12.2.2.4a—General	6-300
6.12.2.2.4b—Yielding	6-301
6.12.2.2.4c—LTB	6-301
6.12.2.2.4d—FLB	6-303
6.12.2.2.4e—Local Buckling of Tee Stems and Double-Angle Web Legs	6-304
6.12.2.2.5—Channels	6-306

6.12.2.2.6—Single Angles.....	6-308
6.12.2.2.7—Rectangular Bars and Solid Rounds	6-308
6.12.2.3—Composite Members.....	6-309
6.12.2.3.1—Concrete-Encased Shapes.....	6-309
6.12.2.3.2—Concrete-Filled Tubes	6-310
6.12.2.3.3—CFSTs.....	6-311
6.12.3—Nominal Shear Resistance of Composite Members	6-314
6.12.3.1—Concrete-Encased Shapes	6-314
6.12.3.2—Concrete-Filled Tubes	6-315
6.12.3.2.1—Rectangular Tubes	6-315
6.12.3.2.2—CFSTs.....	6-315
6.13—CONNECTIONS AND SPLICES	6-316
6.13.1—General.....	6-316
6.13.2—Bolted Connections.....	6-317
6.13.2.1—General.....	6-317
6.13.2.1.1—Slip-Critical Connections.....	6-317
6.13.2.1.2—Bearing-Type Connections	6-319
6.13.2.2—Factored Resistance	6-319
6.13.2.3—Bolts, Nuts, and Washers.....	6-320
6.13.2.3.1—Bolts and Nuts	6-320
6.13.2.3.2—Washers	6-320
6.13.2.4—Holes.....	6-320
6.13.2.4.1—Type.....	6-320
6.13.2.4.1a—General.....	6-320
6.13.2.4.1b—Oversize Holes	6-320
6.13.2.4.1c—Short-Slotted Holes.....	6-320
6.13.2.4.1d—Long-Slotted Holes.....	6-320
6.13.2.4.2—Size	6-321
6.13.2.5—Size of Bolts.....	6-321
6.13.2.6—Spacing of Bolts.....	6-321
6.13.2.6.1—Minimum Spacing and Clear Distance	6-321
6.13.2.6.2—Maximum Spacing for Sealing Bolts.....	6-321
6.13.2.6.3—Maximum Pitch for Stitch Bolts	6-322
6.13.2.6.4—Maximum Pitch for Stitch Bolts at the End of Compression Members.....	6-322
6.13.2.6.5—End Distance.....	6-322
6.13.2.6.6—Edge Distances	6-323
6.13.2.7—Shear Resistance	6-323
6.13.2.8—Slip Resistance.....	6-325
6.13.2.9—Bearing Resistance at Bolt Holes.....	6-329
6.13.2.10—Tensile Resistance	6-330
6.13.2.10.1—General	6-330
6.13.2.10.2—Nominal Tensile Resistance	6-331
6.13.2.10.3—Fatigue Resistance	6-331
6.13.2.10.4—Prying Action.....	6-331
6.13.2.11—Combined Tension and Shear	6-331
6.13.2.12—Shear Resistance of Anchor Rods.....	6-332
6.13.3—Welded Connections	6-333
6.13.3.1—General.....	6-333
6.13.3.2—Factored Resistance	6-333
6.13.3.2.1—General	6-333
6.13.3.2.2—Complete Joint Penetration Groove-Welded Connections	6-333
6.13.3.2.2a—Tension and Compression.....	6-333
6.13.3.2.2b—Shear.....	6-333
6.13.3.2.3—Partial Joint Penetration Groove-Welded Connections	6-334
6.13.3.2.3a—Tension or Compression	6-334
6.13.3.2.3b—Shear.....	6-334
6.13.3.2.4—Fillet-Welded Connections	6-334
6.13.3.3—Effective Area.....	6-335

6.13.3.4—Size of Fillet Welds	6-335
6.13.3.5—Minimum Effective Length of Fillet Welds	6-336
6.13.3.6—Fillet Weld End Returns	6-336
6.13.3.7—Fillet Welds for Sealing	6-336
6.13.4—Block Shear Rupture Resistance	6-336
6.13.5—Connection Elements	6-338
6.13.5.1—General	6-338
6.13.5.2—Tension	6-338
6.13.5.3—Shear	6-338
6.13.6—Splices	6-339
6.13.6.1—Bolted Splices	6-339
6.13.6.1.1—Tension Members	6-339
6.13.6.1.2—Compression Members	6-339
6.13.6.1.3—Flexural Members	6-339
6.13.6.1.3a—General	6-339
6.13.6.1.3b—Flange Splices	6-340
6.13.6.1.3c—Web Splices	6-344
6.13.6.1.4—Fillers	6-347
6.13.6.2—Welded Splices	6-348
6.13.7—Rigid-Frame Connections	6-349
6.13.7.1—General	6-349
6.13.7.2—Webs	6-349
6.14—PROVISIONS FOR STRUCTURE TYPES	6-350
6.14.1—Through-Girder Spans	6-350
6.14.2—Trusses	6-350
6.14.2.1—General	6-350
6.14.2.2—Truss Members	6-351
6.14.2.3—Secondary Stresses	6-351
6.14.2.4—Diaphragms	6-351
6.14.2.5—Camber	6-351
6.14.2.6—Working Lines and Gravity Axes	6-351
6.14.2.7—Portal and Sway Bracing	6-352
6.14.2.7.1—General	6-352
6.14.2.7.2—Through-Truss Spans	6-352
6.14.2.7.3—Deck Truss Spans	6-352
6.14.2.8—Gusset Plates	6-352
6.14.2.8.1—General	6-352
6.14.2.8.2—Multilayered Gusset and Splice Plates	6-353
6.14.2.8.3—Shear Resistance	6-353
6.14.2.8.4—Compressive Resistance	6-355
6.14.2.8.5—Tensile Resistance	6-356
6.14.2.8.6—Chord Splices	6-356
6.14.2.8.7—Edge Slenderness	6-358
6.14.2.9—Half Through-Trusses	6-358
6.14.2.10—Factored Resistance	6-359
6.14.3—Orthotropic Deck Superstructures	6-359
6.14.3.1—General	6-359
6.14.3.2—Decks in Global Compression	6-359
6.14.3.2.1—General	6-359
6.14.3.2.2—Local Buckling	6-359
6.14.3.2.3—Panel Buckling	6-360
6.14.3.3—Effective Width of Deck	6-360
6.14.3.4—Superposition of Global and Local Effects	6-360
6.14.4—Solid Web Arches	6-361
6.14.4.1—General	6-361
6.14.4.2—Web Slenderness	6-362
6.14.4.3—Moment Amplification	6-362
6.14.4.4—Nominal Compressive Resistance	6-363

6.14.4.5—Nominal Flexural Resistance	6-363
6.14.4.6—Combined Axial Compression or Tension with Flexure and Torsion.....	6-363
6.15—PILES.....	6-363
6.15.1—General.....	6-363
6.15.2—Structural Resistance.....	6-364
6.15.3—Compressive Resistance.....	6-365
6.15.3.1—Axial Compression	6-365
6.15.3.2—Combined Axial Compression and Flexure	6-365
6.15.3.3—Buckling.....	6-365
6.15.4—Maximum Permissible Driving Stresses	6-366
6.16—PROVISIONS FOR SEISMIC DESIGN	6-366
6.16.1—General.....	6-366
6.16.2—Materials	6-367
6.16.3—Design Requirements for Seismic Zone 1.....	6-368
6.16.4—Design Requirements for Seismic Zones 2, 3, or 4.....	6-368
6.16.4.1—General.....	6-368
6.16.4.2—Deck.....	6-369
6.16.4.3—Shear Connectors	6-370
6.16.4.4—Elastic Superstructures.....	6-372
6.17—REFERENCES	6-373
APPENDIX A6—FLEXURAL RESISTANCE OF COMPOSITE I-SECTIONS IN NEGATIVE FLEXURE AND NONCOMPOSITE I-SECTIONS WITH COMPACT OR NONCOMPACT WEBS IN STRAIGHT BRIDGES ..	6-393
A6.1—GENERAL	6-393
A6.1.1—Sections with Discretely Braced Compression Flanges	6-394
A6.1.2—Sections with Discretely Braced Tension Flanges	6-395
A6.1.3—Sections with Continuously Braced Compression Flanges	6-396
A6.1.4—Sections with Continuously Braced Tension Flanges	6-396
A6.2—WEB PLASTIFICATION FACTORS	6-396
A6.2.1—Compact Web Sections	6-396
A6.2.2—Noncompact Web Sections	6-398
A6.3—FLEXURAL RESISTANCE BASED ON THE COMPRESSION FLANGE	6-400
A6.3.1—General	6-400
A6.3.2—Local Buckling Resistance.....	6-401
A6.3.3—LTB Resistance.....	6-402
A6.3.3.1—General.....	6-402
A6.3.3.2—LTB Parameters for Prismatic Unbraced Lengths	6-404
A6.3.3.3—LTB Parameters for Nonprismatic Unbraced Lengths.....	6-407
A6.4—FLEXURAL RESISTANCE BASED ON TENSION-FLANGE YIELDING	6-409
APPENDIX B6—MOMENT REDISTRIBUTION FROM INTERIOR-PIER I-SECTIONS IN STRAIGHT CONTINUOUS-SPAN BRIDGES	6-411
B6.1—GENERAL	6-411
B6.2—SCOPE	6-411
B6.2.1—Web Proportions.....	6-412
B6.2.2—Compression Flange Proportions	6-412
B6.2.3—Section Transitions.....	6-413
B6.2.4—Compression Flange Bracing	6-413
B6.2.5—Shear	6-413
B6.2.6—Bearing Stiffeners.....	6-413
B6.3—SERVICE LIMIT STATE	6-414
B6.3.1—General	6-414
B6.3.2—Flexure	6-414
B6.3.2.1—Adjacent to Interior-Pier Sections	6-414
B6.3.2.2—At All Other Locations	6-414
B6.3.3—Redistribution Moments	6-415
B6.3.3.1—At Interior-Pier Sections	6-415
B6.3.3.2—At All Other Locations	6-415
B6.4—STRENGTH LIMIT STATE	6-416

B6.4.1—Flexural Resistance.....	6-416
B6.4.1.1—Adjacent to Interior-Pier Sections	6-416
B6.4.1.2—At All Other Locations	6-416
B6.4.2—Redistribution Moments	6-416
B6.4.2.1—At Interior-Pier Sections.....	6-416
B6.4.2.2—At All Other Sections	6-417
B6.5—EFFECTIVE PLASTIC MOMENT	6-417
B6.5.1—Interior-Pier Sections with Enhanced Moment-Rotation Characteristics	6-417
B6.5.2—All Other Interior-Pier Sections.....	6-418
B6.6—REFINED METHOD	6-418
B6.6.1—General	6-418
B6.6.2—Nominal Moment-Rotation Curves	6-420
APPENDIX C6—BASIC STEPS FOR STEEL BRIDGE SUPERSTRUCTURES	6-423
C6.1—GENERAL	6-423
C6.2—GENERAL CONSIDERATIONS	6-423
C6.3—SUPERSTRUCTURE DESIGN	6-423
C6.4—FLOWCHARTS FOR FLEXURAL DESIGN OF I-SECTION MEMBERS	6-426
C6.4.1—Flowchart for LRFD Article 6.10.3	6-426
C6.4.2—Flowchart for LRFD Article 6.10.4	6-427
C6.4.3—Flowchart for LRFD Article 6.10.5	6-428
C6.4.4—Flowchart for LRFD Article 6.10.6	6-428
C6.4.5—Flowchart for LRFD Article 6.10.7	6-430
C6.4.6—Flowchart for LRFD Article 6.10.8	6-431
C6.4.7—Flowchart for Appendix A6.....	6-433
C6.4.8—Flowchart for Article D6.4.1	6-435
C6.4.9—Flowchart for Article D6.4.2	6-436
C6.5—FLOWCHARTS FOR LRFD ARTICLES 6.9.4 AND 6.12.2.2.2	6-437
C6.5.1—Flowchart for LRFD Article 6.9.4 ^(a)	6-437
C6.5.2—Flowchart for LRFD Article 6.12.2.2.2 ^(a, b)	6-439
APPENDIX D6—FUNDAMENTAL CALCULATIONS FOR FLEXURAL MEMBERS.....	6-443
D6.1—PLASTIC MOMENT	6-443
D6.2—YIELD MOMENT	6-446
D6.2.1—Noncomposite Sections	6-446
D6.2.2—Composite Sections in Positive Flexure	6-447
D6.2.3—Composite Sections in Negative Flexure	6-448
D6.2.4—Sections with Cover Plates.....	6-448
D6.3—DEPTH OF THE WEB IN COMPRESSION	6-448
D6.3.1—In the Elastic Range, D_e	6-448
D6.3.2—At Plastic Moment, D_{cp}	6-449
D6.4—LTB EQUATIONS FOR $C_B > 1.0$, WITH EMPHASIS ON UNBRACED LENGTH REQUIREMENTS FOR DEVELOPMENT OF THE MAXIMUM FLEXURAL RESISTANCE	6-450
D6.4.1—By the Provisions of Article 6.10.8.2.3	6-450
D6.4.2—By the Provisions of Article A6.3.3	6-451
D6.5—CONCENTRATED LOADS APPLIED TO WEBS WITHOUT BEARING STIFFENERS.....	6-452
D6.5.1—General	6-452
D6.5.2—Web Local Yielding	6-452
D6.5.3—Web Crippling.....	6-453
D6.6—ELASTIC LTB LOAD RATIO, γ_E , FOR NONPRISMATIC UNBRACED LENGTHS OF I-SECTION MEMBERS	6-454
D6.6.1—General	6-454
D6.6.2—Calculation of the Elastic LTB Load Ratio, γ_e —Method A	6-454
D6.6.2.1—Nonprismatic Geometry Modification Factor, χ , for I-Section Members with Prismatic Flanges and a Linear or a Concave Curved Variation of the Web Depth within the Unbraced Length under Consideration	6-456
D6.6.2.2—Calculation of γ_e for I-Section Members with Cross-Sections Transitions within the Unbraced Length under Consideration.....	6-457
D6.6.3—Calculation of the Elastic LTB Load Ratio, γ_e —Method B	6-458
D6.6.4—Calculation of the Elastic LTB Load Ratio, γ_e —Method C	6-462

APPENDIX E6—NOMINAL COMPRESSIVE RESISTANCE OF NONCOMPOSITE MEMBERS CONTAINING LONGITUDINALLY STIFFENED PLATES.....	6-465
E6.1—NOMINAL COMPRESSIVE RESISTANCE.....	6-465
E6.1.1—General	6-465
E6.1.2—Classification of Longitudinally Stiffened Plate Panels	6-467
E6.1.3—Nominal Compressive Resistance and Effective Area of Plates with Equally Spaced Equal-Size Longitudinal Stiffeners	6-467
E6.1.4—Longitudinal Stiffeners.....	6-471
E6.1.5—Transverse Stiffeners	6-473
E6.1.5.1—General	6-473
E6.1.5.2—Moment of Inertia.....	6-475

SECTION 7: ALUMINUM STRUCTURES

TABLE OF CONTENTS

7.1—SCOPE	7-1
7.2—DEFINITIONS.....	7-1
7.3—NOTATION.....	7-1
7.4—MATERIALS.....	7-5
7.4.1—Aluminum Alloys	7-5
7.4.2—Pins, Rollers, and Rockers	7-6
7.4.3—Bolts, Nuts, and Washers	7-7
7.4.3.1—Bolts.....	7-7
7.4.3.2—Nuts Used with ASTM F3125 Bolts.....	7-7
7.4.3.3—Washers Used with ASTM F3125 Bolts.....	7-7
7.4.3.4—Direct Tension Indicators.....	7-7
7.4.4—Shear Connectors	7-7
7.4.5—Weld Metal	7-7
7.5—LIMIT STATES.....	7-8
7.5.1—General.....	7-8
7.5.2—Service Limit State.....	7-8
7.5.3—Fatigue Limit State.....	7-8
7.5.4—Strength Limit State	7-8
7.5.4.1—General	7-8
7.5.4.2—Resistance Factors	7-8
7.5.4.3—Buckling Constants.....	7-9
7.5.4.4—Nominal Resistance of Elements in Uniform Compression	7-10
7.5.4.4.1—General	7-10
7.5.4.4.2—Flat Elements Supported on One Edge.....	7-11
7.5.4.4.3—Flat Elements Supported on Both Edges	7-11
7.5.4.4.4—Flat Elements Supported on One Edge and with a Stiffener on the Other Edge.....	7-12
7.5.4.4.5—Flat Elements Supported on Both Edges and with an Intermediate Stiffener.....	7-13
7.5.4.4.6—Round Hollow Elements and Curved Elements Supported on Both Edges.....	7-14
7.5.4.4.7—Alternative Method for Flat Elements	7-15
7.5.4.5—Nominal Resistance of Elements in Flexural Compression.....	7-15
7.5.4.5.1—General	7-15
7.5.4.5.2—Flat Elements Supported on Both Edges	7-16
7.5.4.5.3—Flat Elements Supported on Tension Edge, Compression Edge Free.....	7-17
7.5.4.5.4—Flat Elements Supported on Both Edges and with a Longitudinal Stiffener	7-17
7.5.4.5.5—Pipes and Round Tubes	7-18
7.5.4.5.6—Alternative Method for Flat Elements	7-18
7.5.4.6—Nominal Resistance of Elements in Shear.....	7-19
7.5.4.6.1—General	7-19
7.5.4.6.2—Flat Elements Supported on Both Edges	7-19
7.5.4.6.3—Flat Elements Supported on One Edge.....	7-21
7.5.4.6.4—Pipes and Round or Oval Tubes	7-22
7.5.4.7—Elastic Buckling Stress of Elements	7-23
7.5.5—Extreme Event Limit State.....	7-23
7.6—FATIGUE	7-24
7.6.1—General.....	7-24
7.6.2—Load-Induced Fatigue	7-24
7.6.2.1—Application	7-24
7.6.2.2—Design Criteria.....	7-24
7.6.2.3—Detail Categories	7-24
7.6.2.4—Detailing to Reduce Constraint.....	7-30
7.6.2.5—Fatigue Resistance	7-30
7.6.3—Distortion-Induced Fatigue	7-31
7.6.3.1—Transverse Connection Plates.....	7-31
7.6.3.2—Lateral Connection Plates	7-31
7.7—GENERAL DIMENSION AND DETAIL REQUIREMENTS.....	7-31

7.7.1—Effective Length of Span	7-31
7.7.2—Dead Load Camber	7-31
7.7.3—Minimum Thickness.....	7-31
7.7.4—Diaphragms and Cross-Frames	7-32
7.7.5—Lateral Bracing.....	7-32
7.8—TENSION MEMBERS	7-32
7.8.1—General	7-32
7.8.2—Tensile Resistance.....	7-32
7.8.2.1—General.....	7-32
7.8.2.2—Effective Net Area	7-33
7.8.2.3—Combined Tension and Flexure	7-33
7.8.3—Net Area.....	7-34
7.8.4—Limiting Slenderness Ratio	7-34
7.8.5—Built-Up Members	7-34
7.9—COMPRESSION MEMBERS	7-35
7.9.1—General	7-35
7.9.2—Axial Compression Resistance.....	7-35
7.9.2.1—Member Buckling	7-35
7.9.2.1.1—General.....	7-35
7.9.2.1.2—Flexural Buckling	7-36
7.9.2.1.3—Torsional and Flexural–Torsional Buckling	7-36
7.9.2.2—Local Buckling.....	7-38
7.9.2.2.1—General.....	7-38
7.9.2.2.2—Weighted Average Local Buckling Resistance.....	7-38
7.9.2.2.3—Alternative Local Buckling Resistance.....	7-38
7.9.2.3—Interaction between Member Buckling and Local Buckling.....	7-38
7.9.3—Limiting Slenderness Ratio	7-39
7.9.4—Combined Axial Compression and Flexure	7-39
7.10—FLEXURAL MEMBERS	7-40
7.10.1—General.....	7-40
7.10.2—Yielding and Rupture	7-40
7.10.3—Local Buckling.....	7-41
7.10.3.1—Weighted Average Method	7-41
7.10.3.2—Direct Strength Method.....	7-42
7.10.3.3—Limiting Element Method.....	7-42
7.10.4—Lateral–Torsional Buckling	7-42
7.10.4.1—Bending Coefficient, C_b	7-43
7.10.4.1.1—Doubly Symmetric Shapes.....	7-43
7.10.4.1.2—Singly Symmetric Shapes	7-44
7.10.4.2—Slenderness for Lateral–Torsional Buckling.....	7-44
7.10.4.2.1—Shapes Symmetric about the Bending Axis.....	7-44
7.10.4.2.2—Singly Symmetric Open Shapes Asymmetric about the Bending Axis.....	7-45
7.10.4.2.3—Closed Shapes.....	7-45
7.10.4.2.4—Rectangular Bars.....	7-45
7.10.4.2.5—Any Shape.....	7-45
7.10.4.3—Interaction between Local Buckling and Lateral–Torsional Buckling.....	7-46
7.11—MEMBERS IN SHEAR	7-47
7.11.1—General.....	7-47
7.11.2—Stiffeners	7-47
7.11.2.1—Crippling of Flat Webs.....	7-47
7.11.2.2—Bearing Stiffeners	7-48
7.11.2.3—Combined Crippling and Bending of Flat Webs	7-48
7.12—CONNECTIONS AND SPLICES.....	7-49
7.12.1—General.....	7-49
7.12.2—Bolted Connections	7-49
7.12.2.1—General.....	7-49
7.12.2.2—Factored Resistance.....	7-49

7.12.2.3—Washers	7-50
7.12.2.4—Holes	7-50
7.12.2.5—Size of Bolts	7-50
7.12.2.6—Spacing of Bolts	7-50
7.12.2.6.1—Minimum Spacing and Clear Distance	7-50
7.12.2.6.2—Minimum Edge Distance	7-51
7.12.2.7—Shear Resistance	7-51
7.12.2.8—Slip Resistance	7-51
7.12.2.9—Bearing Resistance at Holes and Slots	7-51
7.12.2.10—Tensile Resistance	7-52
7.12.2.11—Combined Tension and Shear	7-52
7.12.2.12—Shear Resistance of Anchor Bolts	7-52
7.12.3—Welded Connections	7-52
7.12.3.1—General	7-52
7.12.3.2—Factored Resistance	7-52
7.12.3.2.1—General	7-52
7.12.3.2.2—Complete Penetration Groove-Welded Connections	7-52
7.12.3.2.2a—Tension and Compression	7-52
7.12.3.2.2b—Shear	7-53
7.12.3.2.3—Partial Penetration Groove-Welded Connections	7-53
7.12.3.2.3a—Tension and Compression	7-53
7.12.3.2.3b—Shear	7-54
7.12.3.2.4—Fillet-Welded Connections	7-54
7.12.3.3—Effective Area	7-55
7.12.3.4—Size of Fillet Welds	7-55
7.12.3.5—Fillet Weld End Returns	7-56
7.12.4—Block Shear Rupture Resistance	7-56
7.12.5—Connection Elements	7-57
7.12.5.1—General	7-57
7.12.5.2—Tension	7-57
7.12.5.3—Shear	7-57
7.12.6—Splices	7-57
7.12.7—Pins	7-58
7.12.7.1—Factored Resistance	7-58
7.12.7.2—Minimum Edge Distance	7-58
7.12.7.3—Holes	7-59
7.12.7.4—Shear Resistance	7-59
7.12.7.5—Flexural Resistance	7-59
7.12.7.6—Bearing Resistance	7-60
7.12.7.7—Combined Shear and Flexure	7-60
7.13—PROVISIONS FOR STRUCTURE TYPES	7-60
7.13.1—Deck Superstructures	7-60
7.13.1.1—General	7-60
7.13.1.2—Equivalent Strips	7-61
7.14—REFERENCES	7-61

SECTION 8: WOOD STRUCTURES

TABLE OF CONTENTS

8.1—SCOPE	8-1
8.2—DEFINITIONS.....	8-1
8.3—NOTATION.....	8-4
8.4—MATERIALS.....	8-5
8.4.1—Wood Products.....	8-5
8.4.1.1—Sawn Lumber.....	8-6
8.4.1.1.1—General	8-6
8.4.1.1.2—Dimensions	8-6
8.4.1.1.3—Moisture Content	8-6
8.4.1.1.4—Reference Design Values.....	8-6
8.4.1.2—Structural Glued Laminated Timber (Glulam).....	8-12
8.4.1.2.1—General	8-12
8.4.1.2.2—Dimensions	8-13
8.4.1.2.3—Reference Design Values.....	8-14
8.4.1.3—Tension-Reinforced Glulams	8-18
8.4.1.3.1—General	8-18
8.4.1.3.2—Dimensions	8-18
8.4.1.3.3—Fatigue	8-19
8.4.1.3.4—Reference Design Values for Tension-Reinforced Glulams	8-19
8.4.1.3.5—Volume Effect	8-20
8.4.1.3.6—Preservative Treatment.....	8-21
8.4.1.4—Piles	8-21
8.4.2—Metal Fasteners and Hardware.....	8-21
8.4.2.1—General	8-21
8.4.2.2—Minimum Requirements	8-21
8.4.2.2.1—Fasteners	8-21
8.4.2.2.2—Prestressing Bars.....	8-22
8.4.2.2.3—Split Ring Connectors.....	8-22
8.4.2.2.4—Shear Plate Connectors.....	8-22
8.4.2.2.5—Nails and Spikes	8-22
8.4.2.2.6—Drift Pins and Bolts	8-22
8.4.2.2.7—Spike Grids	8-22
8.4.2.2.8—Toothed Metal Plate Connectors	8-22
8.4.2.3—Corrosion Protection.....	8-23
8.4.2.3.1—Metallic Coating	8-23
8.4.2.3.2—Alternative Coating.....	8-23
8.4.3—Preservative Treatment	8-23
8.4.3.1—Requirement for Treatment.....	8-23
8.4.3.2—Treatment Chemicals	8-23
8.4.3.3—Inspection and Marking	8-24
8.4.3.4—Fire Retardant Treatment.....	8-24
8.4.4—Adjustment Factors for Reference Design Values	8-24
8.4.4.1—General	8-24
8.4.4.2—Format Conversion Factor, C_{KF}	8-25
8.4.4.3—Wet Service Factor, C_M	8-26
8.4.4.4—Size Factor, C_F , for Sawn Lumber.....	8-26
8.4.4.5—Volume Factor, C_V , (Glulam)	8-27
8.4.4.6—Flat-Use Factor, C_{fu}	8-28
8.4.4.7—Incising Factor, C_i	8-29
8.4.4.8—Deck Factor, C_d	8-29
8.4.4.9—Time Effect Factor, C_λ	8-30
8.5—LIMIT STATES.....	8-30
8.5.1—Service Limit State.....	8-30
8.5.2—Strength Limit State	8-30
8.5.2.1—General	8-30
8.5.2.2—Resistance Factors	8-30

8.5.2.3—Stability	8-31
8.5.3—Extreme Event Limit State	8-31
8.6—COMPONENTS IN FLEXURE.....	8-31
8.6.1—General	8-31
8.6.2—Rectangular Section	8-31
8.6.3—Circular Section.....	8-32
8.7—COMPONENTS UNDER SHEAR	8-32
8.8—COMPONENTS IN COMPRESSION.....	8-33
8.8.1—General	8-33
8.8.2—Compression Parallel to Grain	8-33
8.8.3—Compression Perpendicular to Grain	8-34
8.9—COMPONENTS IN TENSION PARALLEL TO GRAIN	8-34
8.10—COMPONENTS IN COMBINED FLEXURE AND AXIAL LOADING.....	8-35
8.10.1—Components in Combined Flexure and Tension	8-35
8.10.2—Components in Combined Flexure and Compression Parallel to Grain	8-35
8.11—BRACING REQUIREMENTS	8-36
8.11.1—General.....	8-36
8.11.2—Sawn Wood Beams	8-36
8.11.3—Glued Laminated Timber Girders	8-36
8.11.4—Bracing of Trusses.....	8-36
8.12—CAMBER REQUIREMENTS	8-36
8.12.1—Glued Laminated Timber Girders	8-36
8.12.2—Trusses	8-37
8.12.3—Stress Laminated Timber Deck Bridge	8-37
8.13—CONNECTION DESIGN	8-37
8.14—REFERENCES.....	8-37

SECTION 9: DECKS AND DECK SYSTEMS

TABLE OF CONTENTS

9.1—SCOPE	9-1
9.2—DEFINITIONS	9-1
9.3—NOTATION	9-4
9.4—GENERAL DESIGN REQUIREMENTS	9-4
9.4.1—Interface Action	9-4
9.4.2—Deck Drainage	9-4
9.4.3—Concrete Appurtenances	9-5
9.4.4—Edge Supports	9-5
9.4.5—Stay-in-Place Formwork for Overhangs	9-5
9.5—LIMIT STATES	9-5
9.5.1—General	9-5
9.5.2—Service Limit States	9-5
9.5.3—Fatigue and Fracture Limit State	9-6
9.5.4—Strength Limit States	9-6
9.5.5—Extreme Event Limit States	9-6
9.6—ANALYSIS	9-6
9.6.1—Methods of Analysis	9-6
9.6.2—Loading	9-6
9.7—CONCRETE DECK SLABS	9-7
9.7.1—General	9-7
9.7.1.1—Minimum Depth and Cover	9-7
9.7.1.2—Composite Action	9-7
9.7.1.3—Skewed Decks	9-7
9.7.1.4—Edge Support	9-8
9.7.1.5—Design of Cantilever Slabs	9-8
9.7.1.6—Minimum Deck Reinforcement in Negative Moment Region	9-8
9.7.2—Empirical Design	9-8
9.7.2.1—General	9-8
9.7.2.2—Application	9-9
9.7.2.3—Effective Length	9-10
9.7.2.4—Design Conditions	9-10
9.7.2.5—Reinforcement Requirements	9-12
9.7.2.6—Deck with Stay-in-Place Formwork	9-12
9.7.3—Traditional Design	9-12
9.7.3.1—General	9-12
9.7.3.2—Distribution Reinforcement	9-13
9.7.4—Stay-in-Place Formwork	9-13
9.7.4.1—General	9-13
9.7.4.2—Steel Formwork	9-13
9.7.4.3—Concrete Formwork	9-14
9.7.4.3.1—Depth	9-14
9.7.4.3.2—Reinforcement	9-14
9.7.4.3.3—Creep and Shrinkage Control	9-14
9.7.4.3.4—Bedding of Panels	9-14
9.7.5—Precast Deck Slabs on Girders	9-15
9.7.5.1—General	9-15
9.7.5.2—Transversely Joined Precast Decks	9-15
9.7.5.3—Longitudinally Post-Tensioned Precast Decks	9-15
9.7.6—Deck Slabs in Segmental Construction	9-15
9.7.6.1—General	9-15
9.7.6.2—Joints in Decks	9-15
9.8—METAL DECKS	9-16
9.8.1—General	9-16
9.8.2—Metal Grid Decks	9-16
9.8.2.1—General	9-16
9.8.2.2—Open Grid Floors	9-17

9.8.2.3—Filled and Partially Filled Grid Decks.....	9-17
9.8.2.3.1—General.....	9-17
9.8.2.3.2—Design Requirements.....	9-18
9.8.2.3.3—Fatigue and Fracture Limit State.....	9-18
9.8.2.4—Unfilled Grid Decks Composite with Reinforced Concrete Slabs.....	9-19
9.8.2.4.1—General.....	9-19
9.8.2.4.2—Design.....	9-19
9.8.2.4.3—Fatigue Limit State.....	9-20
9.8.3—Orthotropic Steel Decks.....	9-20
9.8.3.1—General.....	9-20
9.8.3.2—Wheel Load Distribution.....	9-20
9.8.3.3—Wearing Surface.....	9-20
9.8.3.4—Analysis of Orthotropic Decks.....	9-21
9.8.3.4.1—General.....	9-21
9.8.3.4.2—Level 1 Design.....	9-23
9.8.3.4.3—Level 2 Design.....	9-24
9.8.3.4.3a—General.....	9-24
9.8.3.4.3b—Decks with Open Ribs.....	9-24
9.8.3.4.3c—Decks with Closed Ribs.....	9-24
9.8.3.4.4—Level 3 Design.....	9-24
9.8.3.5—Design.....	9-25
9.8.3.5.1—Superposition of Local and Global Effects.....	9-25
9.8.3.5.2—Limit States.....	9-26
9.8.3.5.2a—General.....	9-26
9.8.3.5.2b—Service Limit State.....	9-26
9.8.3.5.2c—Strength Limit State.....	9-26
9.8.3.5.2d—Fatigue Limit State.....	9-26
9.8.3.6—Detailing Requirements.....	9-27
9.8.3.6.1—Minimum Plate Thickness.....	9-27
9.8.3.6.2—Closed Ribs.....	9-27
9.8.3.6.3—Welding to Orthotropic Decks.....	9-27
9.8.3.6.4—Deck and Rib Details.....	9-27
9.8.4—Orthotropic Aluminum Decks.....	9-28
9.8.4.1—General.....	9-28
9.8.4.2—Approximate Analysis.....	9-28
9.8.4.3—Limit States.....	9-29
9.8.5—Corrugated Metal Decks.....	9-29
9.8.5.1—General.....	9-29
9.8.5.2—Distribution of Wheel Loads.....	9-29
9.8.5.3—Composite Action.....	9-29
9.9—WOOD DECKS AND DECK SYSTEMS.....	9-30
9.9.1—Scope.....	9-30
9.9.2—General.....	9-30
9.9.3—Design Requirements.....	9-30
9.9.3.1—Load Distribution.....	9-30
9.9.3.2—Shear Design.....	9-30
9.9.3.3—Deformation.....	9-31
9.9.3.4—Thermal Expansion.....	9-31
9.9.3.5—Wearing Surfaces.....	9-31
9.9.3.6—Skewed Decks.....	9-31
9.9.4—Glued Laminated Decks.....	9-31
9.9.4.1—General.....	9-31
9.9.4.2—Deck Tie-Downs.....	9-31
9.9.4.3—Interconnected Decks.....	9-32
9.9.4.3.1—Panels Parallel to Traffic.....	9-32
9.9.4.3.2—Panels Perpendicular to Traffic.....	9-32
9.9.4.4—Noninterconnected Decks.....	9-32
9.9.5—Stress-Laminated Decks.....	9-32
9.9.5.1—General.....	9-32

9.9.5.2—Nailing	9-33
9.9.5.3—Staggered Butt Joints	9-33
9.9.5.4—Holes in Laminations	9-33
9.9.5.5—Deck Tie-Downs	9-34
9.9.5.6—Stressing	9-34
9.9.5.6.1—Prestressing System	9-34
9.9.5.6.2—Prestressing Materials	9-36
9.9.5.6.3—Design Requirements	9-36
9.9.5.6.4—Corrosion Protection	9-37
9.9.5.6.5—Railings	9-37
9.9.6—Spike-Laminated Decks	9-38
9.9.6.1—General	9-38
9.9.6.2—Deck Tie-Downs	9-38
9.9.6.3—Panel Decks	9-39
9.9.7—Plank Decks	9-39
9.9.7.1—General	9-39
9.9.7.2—Deck Tie-Downs	9-39
9.9.8—Wearing Surfaces for Wood Decks	9-39
9.9.8.1—General	9-39
9.9.8.2—Plant Mix Asphalt	9-40
9.9.8.3—Chip Seal	9-40
9.10—REFERENCES	9-40

TABLE OF CONTENTS

10.1—SCOPE	10-1
10.2—DEFINITIONS.....	10-1
10.3—NOTATION.....	10-3
10.4—SOIL AND ROCK PROPERTIES.....	10-8
10.4.1—Informational Needs	10-8
10.4.2—Subsurface Exploration.....	10-8
10.4.3—Laboratory Tests	10-11
10.4.3.1—Soil Tests	10-11
10.4.3.2—Rock Tests	10-11
10.4.4—In-Situ Tests.....	10-11
10.4.5—Geophysical Tests.....	10-12
10.4.6—Selection of Design Properties.....	10-13
10.4.6.1—General.....	10-13
10.4.6.2—Soil Strength	10-15
10.4.6.2.1—General	10-15
10.4.6.2.2—Undrained Strength of Cohesive Soils.....	10-15
10.4.6.2.3—Drained Strength of Cohesive Soils.....	10-16
10.4.6.2.4—Drained Strength of Granular Soils	10-16
10.4.6.3—Soil Deformation	10-18
10.4.6.4—Rock Mass Strength.....	10-21
10.4.6.5—Rock Mass Deformation	10-26
10.4.6.6—Erodibility of Rock	10-28
10.5—LIMIT STATES AND RESISTANCE FACTORS	10-28
10.5.1—General.....	10-28
10.5.2—Service Limit States	10-28
10.5.2.1—General.....	10-28
10.5.2.2—Tolerable Movements and Movement Criteria	10-29
10.5.2.2.1—General	10-29
10.5.2.2.2—Assessment of Differential Movement and Its Effects	10-31
10.5.2.3—Abutment Transitions	10-31
10.5.3—Strength Limit States	10-31
10.5.3.1—General.....	10-31
10.5.3.2—Spread Footings	10-32
10.5.3.3—Driven Piles	10-32
10.5.3.4—Drilled Shafts.....	10-32
10.5.3.5—Micropiles.....	10-32
10.5.4—Extreme Events Limit States.....	10-33
10.5.4.1—Extreme Events Design.....	10-33
10.5.4.2—Liquefaction Design Requirements.....	10-33
10.5.5—Resistance Factors.....	10-40
10.5.5.1—Service Limit States	10-40
10.5.5.2—Strength Limit States	10-40
10.5.5.2.1—General	10-40
10.5.5.2.2—Spread Footings	10-41
10.5.5.2.3—Driven Piles	10-42
10.5.5.2.4—Drilled Shafts.....	10-48
10.5.5.2.5—Micropiles.....	10-50
10.5.5.3—Extreme Event Limit States	10-51
10.5.5.3.1—General	10-51
10.5.5.3.2—Scour.....	10-51
10.5.5.3.3—Other Extreme Limit States	10-51
10.6—SPREAD FOOTINGS	10-52
10.6.1—General Considerations.....	10-52
10.6.1.1—General.....	10-52

10.6.1.2—Bearing Depth	10-52
10.6.1.3—Effective Footing Dimensions.....	10-53
10.6.1.4—Bearing Stress Distributions.....	10-53
10.6.1.5—Anchorage of Inclined Footings.....	10-54
10.6.1.6—Groundwater	10-54
10.6.1.7—Uplift.....	10-54
10.6.1.8—Nearby Structures.....	10-54
10.6.2—Service Limit State Design.....	10-54
10.6.2.1—General	10-54
10.6.2.2—Tolerable Movements	10-54
10.6.2.3—Loads.....	10-54
10.6.2.4—Settlement Analyses.....	10-55
10.6.2.4.1—General.....	10-55
10.6.2.4.2—Settlement of Footings on Cohesionless Soils	10-56
10.6.2.4.2a—General.....	10-56
10.6.2.4.2b—Hough Method	10-58
10.6.2.4.2c—Schmertmann Method.....	10-59
10.6.2.4.3—Settlement of Footings on Cohesive Soils	10-62
10.6.2.4.4—Settlement of Footings on Rock.....	10-66
10.6.2.5—Bearing Resistance at the Service Limit State.....	10-67
10.6.2.5.1—Presumptive Values for Bearing Resistance	10-67
10.6.2.5.2—Semiempirical Procedures for Bearing Resistance	10-68
10.6.3—Strength Limit State Design.....	10-69
10.6.3.1—Bearing Resistance of Soil	10-69
10.6.3.1.1—General.....	10-69
10.6.3.1.2—Theoretical Estimation	10-70
10.6.3.1.2a—Basic Formulation	10-70
10.6.3.1.2b—Considerations for Punching Shear.....	10-73
10.6.3.1.2c—Considerations for Footings on Slopes.....	10-74
10.6.3.1.2d—Considerations for Two-Layer Soil Systems—Critical Depth.....	10-79
10.6.3.1.2e—Two-Layered Soil System in Undrained Loading.....	10-79
10.6.3.1.2f—Two-Layered Soil System in Drained Loading	10-81
10.6.3.1.3—Semiempirical Procedures	10-81
10.6.3.1.4—Plate Load Tests.....	10-82
10.6.3.2—Bearing Resistance of Rock	10-83
10.6.3.2.1—General.....	10-83
10.6.3.2.2—Semiempirical Procedures	10-83
10.6.3.2.3—Analytic Method	10-83
10.6.3.2.4—Load Test	10-83
10.6.3.3—Eccentric Load Limitations	10-84
10.6.3.4—Failure by Sliding.....	10-84
10.6.3.5—Overall Stability	10-86
10.6.4—Extreme Event Limit State Design.....	10-86
10.6.4.1—General	10-86
10.6.4.2—Eccentric Load Limitations	10-86
10.6.5—Structural Design.....	10-86
10.7—DRIVEN PILES	10-86
10.7.1—General.....	10-86
10.7.1.1—Application.....	10-86
10.7.1.2—Minimum Pile Spacing, Clearance, and Embedment into Cap	10-87
10.7.1.3—Piles through Embankment Fill.....	10-87
10.7.1.4—Batter Piles	10-87
10.7.1.5—Pile Design Requirements	10-88
10.7.1.6—Determination of Pile Loads	10-88
10.7.1.6.1—General.....	10-88
10.7.1.6.2—Drag Load	10-88
10.7.1.6.3—Uplift Due to Expansive Soils.....	10-89
10.7.1.6.4—Nearby Structures	10-89

10.7.2—Service Limit State Design	10-89
10.7.2.1—General.....	10-89
10.7.2.2—Tolerable Movements	10-90
10.7.2.3—Settlement	10-90
10.7.2.3.1—Equivalent Footing Analogy.....	10-90
10.7.2.3.2—Pile Groups in Cohesive Soil.....	10-92
10.7.2.4—Horizontal Pile Foundation Movement.....	10-93
10.7.2.5—Downdrag	10-94
10.7.2.6—Lateral Squeeze.....	10-95
10.7.3—Strength Limit State Design.....	10-95
10.7.3.1—General.....	10-95
10.7.3.2—Point Bearing Piles on Rock	10-96
10.7.3.2.1—General	10-96
10.7.3.2.2—Piles Driven to Soft Rock	10-96
10.7.3.2.3—Piles Driven to Hard Rock.....	10-96
10.7.3.3—Pile Length Estimates for Contract Documents.....	10-97
10.7.3.4—Nominal Axial Resistance Change after Pile Driving.....	10-98
10.7.3.4.1—General	10-98
10.7.3.4.2—Relaxation.....	10-99
10.7.3.4.3—Setup.....	10-99
10.7.3.5—Groundwater Effects and Buoyancy	10-100
10.7.3.6—Scour.....	10-100
10.7.3.7—Drag Load	10-101
10.7.3.8—Determination of Nominal Bearing Resistance for Piles	10-102
10.7.3.8.1—General	10-102
10.7.3.8.2—Static Load Test.....	10-102
10.7.3.8.3—Dynamic Testing.....	10-103
10.7.3.8.4—Wave Equation Analysis.....	10-104
10.7.3.8.5—Dynamic Formula.....	10-104
10.7.3.8.6—Static Analysis	10-105
10.7.3.8.6a—General.....	10-105
10.7.3.8.6b— α -Method.....	10-106
10.7.3.8.6c— β -Method	10-107
10.7.3.8.6d— λ -Method	10-108
10.7.3.8.6e—Tip Resistance in Cohesive Soils.....	10-109
10.7.3.8.6f—Nordlund/Thurman Method in Cohesionless Soils	10-109
10.7.3.8.6g—Using SPT or CPT in Cohesionless Soils	10-114
10.7.3.9—Resistance of Pile Groups in Compression	10-117
10.7.3.10—Uplift Resistance of Single Piles.....	10-118
10.7.3.11—Uplift Resistance of Pile Groups.....	10-119
10.7.3.12—Nominal Lateral Resistance of Pile Foundations	10-121
10.7.3.13—Pile Structural Resistance	10-122
10.7.3.13.1—Steel Piles	10-122
10.7.3.13.2—Concrete Piles	10-122
10.7.3.13.3—Timber Piles.....	10-122
10.7.3.13.4—Buckling and Lateral Stability	10-122
10.7.4—Extreme Event Limit State	10-123
10.7.5—Corrosion and Deterioration	10-124
10.7.6—Determination of Minimum Pile Penetration	10-125
10.7.7—Determination of R_{ndr} Used to Establish Contract Driving Criteria for Nominal Bearing Resistance.....	10-125
10.7.8—Drivability Analysis	10-126
10.7.9—Probe Piles	10-127
10.8—DRILLED SHAFTS.....	10-127
10.8.1—General.....	10-127
10.8.1.1—Scope	10-127
10.8.1.2—Shaft Spacing, Clearance, and Embedment into Cap.....	10-128
10.8.1.3—Shaft Diameter and Enlarged Bases.....	10-128

10.8.1.4—Battered Shafts	10-129
10.8.1.5—Drilled Shaft Resistance	10-129
10.8.1.6—Determination of Shaft Loads	10-130
10.8.1.6.1—General	10-130
10.8.1.6.2—Drag Load	10-130
10.8.1.6.3—Uplift	10-131
10.8.2—Service Limit State Design	10-131
10.8.2.1—Tolerable Movements	10-131
10.8.2.2—Settlement	10-131
10.8.2.2.1—General	10-131
10.8.2.2.2—Settlement of Single-Drilled Shaft	10-131
10.8.2.2.3—IGMs	10-134
10.8.2.2.4—Group Settlement	10-134
10.8.2.3—Horizontal Movement of Shafts and Shaft Groups	10-134
10.8.2.4—Downdrag	10-135
10.8.2.5—Lateral Squeeze	10-135
10.8.3—Strength Limit State Design	10-135
10.8.3.1—General	10-135
10.8.3.2—Groundwater Table and Buoyancy	10-135
10.8.3.3—Scour	10-135
10.8.3.4—Drag Load	10-135
10.8.3.5—Nominal Axial Compression Resistance of Single Drilled Shafts	10-136
10.8.3.5.1—Estimation of Drilled Shaft Resistance in Cohesive Soils	10-137
10.8.3.5.1a—General	10-137
10.8.3.5.1b—Side Resistance	10-137
10.8.3.5.1c—Tip Resistance	10-139
10.8.3.5.2—Estimation of Drilled Shaft Resistance in Cohesionless Soils	10-139
10.8.3.5.2a—General	10-139
10.8.3.5.2b—Side Resistance	10-140
10.8.3.5.2c—Tip Resistance	10-141
10.8.3.5.3—Shafts in Strong Soil Overlying Weaker Compressible Soil	10-141
10.8.3.5.4—Estimation of Drilled Shaft Resistance in Rock	10-142
10.8.3.5.4a—General	10-142
10.8.3.5.4b—Side Resistance	10-143
10.8.3.5.4c—Tip Resistance	10-144
10.8.3.5.4d—Combined Side and Tip Resistance	10-144
10.8.3.5.5—Estimation of Drilled Shaft Resistance in IGMs	10-145
10.8.3.5.6—Shaft Load Test	10-146
10.8.3.6—Shaft Group Resistance	10-146
10.8.3.6.1—General	10-146
10.8.3.6.2—Cohesive Soil	10-147
10.8.3.6.3—Cohesionless Soil	10-147
10.8.3.6.4—Shaft Groups in Strong Soil Overlying Weak Soil	10-148
10.8.3.7—Uplift Resistance	10-148
10.8.3.7.1—General	10-148
10.8.3.7.2—Uplift Resistance of Single Drilled Shaft	10-148
10.8.3.7.3—Group Uplift Resistance	10-149
10.8.3.7.4—Uplift Load Test	10-149
10.8.3.8—Nominal Horizontal Resistance of Shaft and Shaft Groups	10-149
10.8.3.9—Shaft Structural Resistance	10-149
10.8.3.9.1—General	10-149
10.8.3.9.2—Buckling and Lateral Stability	10-149
10.8.3.9.3—Reinforcement	10-149
10.8.3.9.4—Transverse Reinforcement	10-150
10.8.3.9.5—Concrete	10-150
10.8.3.9.6—Reinforcement into Superstructure	10-150
10.8.3.9.7—Enlarged Bases	10-150
10.8.4—Extreme Event Limit State	10-150

10.9—MICROPILES	10-151
10.9.1—General	10-151
10.9.1.1—Scope	10-151
10.9.1.2—Minimum Micropile Spacing, Clearance, and Embedment into Cap.....	10-152
10.9.1.3—Micropiles through Embankment Fill.....	10-152
10.9.1.4—Battered Micropiles	10-152
10.9.1.5—Micropile Design Requirements	10-152
10.9.1.6—Determination of Micropile Loads.....	10-152
10.9.1.6.1—Drag Load.....	10-152
10.9.1.6.2—Uplift Due to Expansive Soils	10-152
10.9.1.6.3—Nearby Structures	10-153
10.9.2—Service Limit State Design	10-153
10.9.2.1—General.....	10-153
10.9.2.2—Tolerable Movements	10-153
10.9.2.3—Settlement	10-153
10.9.2.3.1—Micropile Groups in Cohesive Soil	10-153
10.9.2.3.2—Micropile Groups in Cohesionless Soil	10-153
10.9.2.4—Horizontal Micropile Foundation Movement	10-153
10.9.2.5—Downdrag	10-153
10.9.2.6—Lateral Squeeze.....	10-153
10.9.3—Strength Limit State Design.....	10-153
10.9.3.1—General.....	10-153
10.9.3.2—Groundwater Effects and Bouyancy	10-154
10.9.3.3—Scour.....	10-154
10.9.3.4—Drag Load	10-154
10.9.3.5—Nominal Axial Compression Resistance of a Single Micropile.....	10-154
10.9.3.5.1—General	10-154
10.9.3.5.2—Estimation of Grout-to-Ground Bond Resistance.....	10-155
10.9.3.5.3—Estimation of Micropile Tip Resistance in Rock.....	10-156
10.9.3.5.4—Micropile Load Test	10-157
10.9.3.6—Resistance of Micropile Groups in Compression	10-157
10.9.3.7—Nominal Uplift Resistance of a Single Micropile.....	10-157
10.9.3.8—Nominal Uplift Resistance of Micropile Groups	10-157
10.9.3.9—Nominal Horizontal Resistance of Micropiles and Micropile Groups.....	10-158
10.9.3.10—Structural Resistance	10-158
10.9.3.10.1—General	10-158
10.9.3.10.2—Axial Compressive Resistance	10-158
10.9.3.10.2a—Cased Length	10-159
10.9.3.10.2b—Uncased Length.....	10-159
10.9.3.10.3—Axial Tension Resistance	10-160
10.9.3.10.3a—Cased Length	10-160
10.9.3.10.3b—Uncased Length.....	10-160
10.9.3.10.4—Plunge Length Transfer Load	10-161
10.9.3.10.5—Grout-to-Steel Bond	10-161
10.9.3.10.6—Buckling and Lateral Stability	10-162
10.9.3.10.7—Reinforcement into Superstructure	10-162
10.9.4—Extreme Event Limit State.....	10-162
10.9.5—Corrosion and Deterioration	10-162
10.10—REFERENCES	10-162
APPENDIX A10—SEISMIC ANALYSIS AND DESIGN OF FOUNDATIONS	10-171
A10.1—INVESTIGATION.....	10-171
A10.2—FOUNDATION DESIGN.....	10-171
A10.3—SPECIAL PILE REQUIREMENTS	10-175

TABLE OF CONTENTS

11.1—SCOPE	11-1
11.2—DEFINITIONS	11-1
11.3—NOTATION	11-2
11.4—SOIL PROPERTIES AND MATERIALS	11-7
11.4.1—General	11-7
11.4.2—Determination of Soil Properties	11-7
11.5—LIMIT STATES AND RESISTANCE FACTORS	11-7
11.5.1—General	11-7
11.5.2—Service Limit State	11-8
11.5.3—Strength Limit State	11-8
11.5.4—Extreme Event Limit State	11-9
11.5.4.1—General Requirements	11-9
11.5.4.2—Extreme Event I, No Analysis	11-9
11.5.5—Resistance Requirement	11-11
11.5.6—Load Combinations and Load Factors	11-11
11.5.7—Resistance Factors—Service and Strength	11-14
11.5.8—Resistance Factors—Extreme Event Limit State	11-16
11.6—ABUTMENTS AND CONVENTIONAL RETAINING WALLS	11-16
11.6.1—General Considerations	11-16
11.6.1.1—General	11-16
11.6.1.2—Loading	11-17
11.6.1.3—Integral Abutments	11-18
11.6.1.4—Wingwalls	11-18
11.6.1.5—Reinforcement	11-18
11.6.1.5.1—Conventional Walls and Abutments	11-18
11.6.1.5.2—Wingwalls	11-18
11.6.1.6—Expansion and Contraction Joints	11-18
11.6.2—Movement at the Service Limit State	11-19
11.6.2.1—Abutments	11-19
11.6.2.2—Conventional Retaining Walls	11-19
11.6.3—Bearing Resistance and Stability at the Strength Limit State	11-19
11.6.3.1—General	11-19
11.6.3.2—Bearing Resistance	11-19
11.6.3.3—Eccentricity Limits	11-21
11.6.3.4—Subsurface Erosion	11-21
11.6.3.5—Passive Resistance	11-22
11.6.3.6—Sliding	11-22
11.6.3.7—Overall Stability	11-22
11.6.4—Safety Against Structural Failure	11-23
11.6.5—Seismic Design for Abutments and Conventional Retaining Walls	11-23
11.6.5.1—General	11-23
11.6.5.2—Calculation of Seismic Acceleration Coefficients for Wall Design	11-25
11.6.5.2.1—Characterization of Acceleration at Wall Base	11-25
11.6.5.2.2—Estimation of Acceleration Acting on Wall Mass	11-25
11.6.5.3—Calculation of Seismic Active Earth Pressures	11-26
11.6.5.4—Calculation of Seismic Earth Pressure for Nonyielding Abutments and Walls	11-29
11.6.5.5—Calculation of Seismic Passive Earth Pressure	11-30
11.6.5.6—Wall Details for Improved Seismic Performance	11-31
11.6.6—Drainage	11-32
11.7—PIERS	11-33
11.7.1—Load Effects in Piers	11-33
11.7.2—Pier Protection	11-33
11.7.2.1—Collision	11-33
11.7.2.2—Collision Walls	11-33
11.7.2.3—Scour	11-33
11.7.2.4—Facing	11-33

11.8—NONGRAVITY CANTILEVERED WALLS	11-33
11.8.1—General	11-33
11.8.2—Loading	11-34
11.8.3—Movement at the Service Limit State	11-34
11.8.3.1—Movement	11-34
11.8.4—Safety against Soil Failure at the Strength Limit State	11-34
11.8.4.1—Overall Stability	11-34
11.8.5—Safety against Structural Failure	11-35
11.8.5.1—Vertical Wall Elements	11-35
11.8.5.2—Facing	11-36
11.8.6—Seismic Design of Nongravity Cantilever Walls	11-37
11.8.6.1—General	11-37
11.8.6.2—Seismic Active Lateral Earth Pressure	11-37
11.8.6.3—Seismic Passive Lateral Earth Pressure	11-39
11.8.6.4—Wall Displacement Analyses to Determine Earth Pressures	11-40
11.8.7—Corrosion Protection	11-41
11.8.8—Drainage	11-41
11.9—ANCHORED WALLS	11-42
11.9.1—General	11-42
11.9.2—Loading	11-42
11.9.3—Movement at the Service Limit State	11-42
11.9.3.1—Movement	11-42
11.9.4—Safety against Soil Failure	11-44
11.9.4.1—Bearing Resistance	11-44
11.9.4.2—Anchor Pullout Capacity	11-44
11.9.4.3—Passive Resistance	11-47
11.9.4.4—Overall Stability	11-47
11.9.5—Safety against Structural Failure	11-47
11.9.5.1—Anchors	11-47
11.9.5.2—Vertical Wall Elements	11-49
11.9.5.3—Facing	11-49
11.9.6—Seismic Design	11-50
11.9.7—Corrosion Protection	11-51
11.9.8—Construction and Installation	11-51
11.9.8.1—Anchor Stressing and Testing	11-51
11.9.9—Drainage	11-52
11.10—MECHANICALLY STABILIZED EARTH WALLS	11-52
11.10.1—General	11-52
11.10.2—Structure Dimensions	11-54
11.10.2.1—Minimum Length of Soil Reinforcement	11-55
11.10.2.2—Minimum Front Face Embedment	11-56
11.10.2.3—Facing	11-57
11.10.2.3.1—Stiff or Rigid Concrete, Steel, and Timber Facings	11-57
11.10.2.3.2—Flexible Wall Facings	11-58
11.10.2.3.3—Corrosion Issues for MSE Facing	11-58
11.10.3—Loading	11-58
11.10.4—Movement at the Service Limit State	11-58
11.10.4.1—Settlement	11-58
11.10.4.2—Lateral Displacement	11-59
11.10.4.3—Soil Failure (Internal Stability)	11-60
11.10.5—Safety against Soil Failure (External Stability)	11-61
11.10.5.1—General	11-61
11.10.5.2—Loading	11-62
11.10.5.3—Sliding	11-62
11.10.5.4—Bearing Resistance	11-63
11.10.5.5—Overturning	11-63
11.10.5.6—Overall and Compound Stability	11-63
11.10.6—Safety against Structural Failure (Internal Stability)	11-65
11.10.6.1—General	11-65

11.10.6.2—Loading (Internal Stability)	11-65
11.10.6.2.1—Maximum Reinforcement Loads	11-66
11.10.6.2.1a—Special Loading Conditions	11-68
11.10.6.2.1b—Reinforcement Spacing for Calculation of T_{max}	11-69
11.10.6.2.1c—Calculation of Lateral Earth Pressure Coefficients for Determination of T_{max}	11-70
11.10.6.2.1d—Coherent Gravity Method	11-71
11.10.6.2.1e—Stiffness Method	11-73
11.10.6.2.2—Reinforcement Loads at Connection to Wall Face	11-76
11.10.6.3—Reinforcement Pullout	11-76
11.10.6.3.1—Boundary between Active and Resistant Zones	11-76
11.10.6.3.2—Reinforcement Pullout Design	11-78
11.10.6.4—Reinforcement Strength	11-81
11.10.6.4.1—General	11-81
11.10.6.4.2—Design Life Considerations	11-85
11.10.6.4.2a—Steel Reinforcements	11-85
11.10.6.4.2b—Geosynthetic Reinforcements	11-87
11.10.6.4.3—Design Tensile Resistance	11-90
11.10.6.4.3a—Steel Reinforcements	11-90
11.10.6.4.3b—Geosynthetic Reinforcements	11-91
11.10.6.4.4—Reinforcement/Facing Connection Design Strength	11-91
11.10.6.4.4a—Steel Reinforcements	11-91
11.10.6.4.4b—Geosynthetic Reinforcements	11-92
11.10.7—Seismic Design of MSE Walls	11-94
11.10.7.1—External Stability	11-94
11.10.7.2—Internal Stability	11-96
11.10.7.3—Facing Reinforcement Connections	11-99
11.10.7.4—Wall Details for Improved Seismic Performance	11-101
11.10.8—Drainage	11-103
11.10.9—Subsurface Erosion	11-103
11.10.10—Special Loading Conditions	11-103
11.10.10.1—Concentrated Dead Loads	11-103
11.10.10.2—Traffic Loads and Barriers	11-106
11.10.10.3—Hydrostatic Pressures	11-107
11.10.10.4—Obstructions in the Reinforced Soil Zone	11-107
11.10.11—MSE Abutments	11-109
11.11—PREFABRICATED MODULAR WALLS	11-110
11.11.1—General	11-110
11.11.2—Loading	11-111
11.11.3—Movement at the Service Limit State	11-111
11.11.4—Safety against Soil Failure	11-112
11.11.4.1—General	11-112
11.11.4.2—Sliding	11-112
11.11.4.3—Bearing Resistance	11-112
11.11.4.4—Overturning	11-112
11.11.4.5—Subsurface Erosion	11-113
11.11.4.6—Overall Stability	11-113
11.11.4.7—Passive Resistance and Sliding	11-113
11.11.5—Safety against Structural Failure	11-113
11.11.5.1—Module Members	11-113
11.11.6—Seismic Design for Prefabricated Modular Walls	11-114
11.11.7—Abutments	11-114
11.11.8—Drainage	11-115
11.12—SOIL NAIL WALLS	11-115
11.12.1—General Considerations	11-115
11.12.2—Loading	11-117
11.12.3—Movement at the Service Limit State	11-119
11.12.4—Safety against Soil Failure (External and Overall Stability—Strength Limit State)	11-119
11.12.4.1—Sliding	11-119
11.12.4.2—Overall Stability	11-119

11.12.5—Safety against Soil Failure (Internal and Compound Stability—Strength Limit State).....	11-120
11.12.5.1—Soil Shear Strength.....	11-120
11.12.5.2—Soil Nail Pullout.....	11-120
11.12.6—Safety against Structural Failure (Internal and Compound Stability—Strength Limit State)	11-122
11.12.6.1—Soil Nail in Tension	11-122
11.12.6.2—Soil Nail Wall Facing—Strength Limit State.....	11-123
11.12.6.2.1—General.....	11-123
11.12.6.2.2—Facing Flexure	11-124
11.12.6.2.3—Facing Punching Shear Resistance	11-127
11.12.6.2.4—Headed Stud in Tension	11-129
11.12.7—Seismic Design of Soil Nail Walls	11-130
11.12.7.1—External and Global Stability	11-130
11.12.7.2—Internal Stability.....	11-131
11.12.8—Corrosion Protection	11-131
11.12.9—Soil Nail Testing	11-132
11.12.10—Drainage.....	11-133
11.13—REFERENCES.....	11-134
APPENDIX A11—SEISMIC DESIGN OF RETAINING STRUCTURES	11-140
A11.1—GENERAL	11-140
A11.2—PERFORMANCE OF WALLS IN PAST EARTHQUAKES.....	11-140
A11.3—CALCULATION OF SEISMIC ACTIVE PRESSURE.....	11-141
A11.3.1—M–O Method.....	11-141
A11.3.2—Modification of M–O Method to Consider Cohesion	11-143
A11.3.3—GLE Method.....	11-146
A11.4—SEISMIC PASSIVE PRESSURE	11-146
A11.5—ESTIMATING WALL SEISMIC ACCELERATION CONSIDERING WAVE SCATTERING AND WALL DISPLACEMENT	11-151
A11.5.1—Kavazanjian et al. (1997).....	11-152
A11.5.2—NCHRP Report 611—Anderson et al. (2008).....	11-152
A11.5.3—Bray et al. (2010) and Bray and Travasarou (2009).....	11-155
A11.6—APPENDIX REFERENCES	11-155
APPENDIX B11—DETERMINATION OF T_{MAX} FOR MSE WALLS USING THE SIMPLIFIED METHOD...	11-158
B11.1—GENERAL	11-158
B11.2—DETERMINATION OF T_{MAX}	11-158
B11.3—APPENDIX REFERENCE.....	11-159

TABLE OF CONTENTS

12.1—SCOPE	12-1
12.2—DEFINITIONS.....	12-1
12.3—NOTATION.....	12-2
12.3.1—Abbreviations.....	12-6
12.4—SOIL AND MATERIAL PROPERTIES	12-6
12.4.1—Determination of Soil Properties.....	12-6
12.4.1.1—General.....	12-6
12.4.1.2—Foundation Soils	12-7
12.4.1.3—Envelope Backfill Soils	12-7
12.4.2—Materials	12-8
12.4.2.1—Aluminum Pipe and Structural Plate Structures	12-8
12.4.2.2—Concrete.....	12-8
12.4.2.3—Precast Concrete Pipe	12-8
12.4.2.4—Precast Concrete Structures	12-8
12.4.2.5—Steel Pipe and Structural Plate Structures	12-8
12.4.2.6—Deep Corrugated Structures.....	12-8
12.4.2.7—Steel Reinforcement.....	12-8
12.4.2.8—Thermoplastic Pipe	12-9
12.4.2.9—Fiberglass Pipe.....	12-9
12.4.2.10—Steel-Reinforced Thermoplastic Culverts.....	12-9
12.5—LIMIT STATES AND RESISTANCE FACTORS	12-9
12.5.1—General.....	12-9
12.5.2—Service Limit State.....	12-10
12.5.3—Strength Limit State	12-10
12.5.4—Load Modifiers and Load Factors.....	12-11
12.5.5—Resistance Factors.....	12-11
12.5.6—Flexibility Limits and Construction Stiffness	12-13
12.5.6.1—Corrugated Metal Pipe and Structural Plate Structures.....	12-13
12.5.6.2—Spiral Rib Metal Pipe and Pipe Arches.....	12-13
12.5.6.3—Thermoplastic and Fiberglass Pipe	12-14
12.5.6.4—Steel Tunnel Liner Plate	12-14
12.6—GENERAL DESIGN FEATURES	12-14
12.6.1—Loading	12-14
12.6.2—Service Limit State.....	12-15
12.6.2.1—Tolerable Movement.....	12-15
12.6.2.2—Settlement	12-15
12.6.2.2.1—General	12-15
12.6.2.2.2—Longitudinal Differential Settlement.....	12-15
12.6.2.2.3—Differential Settlement between Structure and Backfill	12-15
12.6.2.2.4—Footing Settlement.....	12-15
12.6.2.2.5—Unbalanced Loading.....	12-16
12.6.2.3—Uplift.....	12-19
12.6.3—Safety Against Soil Failure	12-19
12.6.3.1—Bearing Resistance and Stability	12-19
12.6.3.2—Corner Backfill for Metal Pipe Arches	12-20
12.6.4—Hydraulic Design	12-20
12.6.5—Scour.....	12-20
12.6.6—Soil Envelope.....	12-20
12.6.6.1—Trench Installations	12-20
12.6.6.2—Embankment Installations.....	12-20
12.6.6.3—Minimum Cover.....	12-21
12.6.7—Minimum Spacing between Multiple Lines of Pipe.....	12-22
12.6.8—End Treatment.....	12-23
12.6.8.1—General.....	12-23
12.6.8.2—Flexible Culverts Constructed on Skew.....	12-23

12.6.9—Corrosive and Abrasive Conditions	12-24
12.7—METAL PIPE, PIPE ARCH, ARCH STRUCTURES, AND STEEL-REINFORCED THERMOPLASTIC CULVERTS	12-24
12.7.1—General	12-24
12.7.2—Safety Against Structural Failure	12-25
12.7.2.1—Section Properties	12-25
12.7.2.2—Thrust	12-25
12.7.2.3—Wall Resistance	12-26
12.7.2.4—Resistance to Buckling	12-26
12.7.2.4.1—Critical Compressive Stress	12-26
12.7.2.5—Seam Resistance	12-27
12.7.2.6—Handling and Installation Requirements	12-27
12.7.2.7—Profile Evaluation for Steel-Reinforced Thermoplastic Culverts	12-27
12.7.3—Smooth Lined Pipe	12-27
12.7.4—Stiffening Elements for Structural Plate Structures	12-28
12.7.5—Construction and Installation	12-28
12.8—LONG-SPAN STRUCTURAL PLATE STRUCTURES	12-28
12.8.1—General	12-28
12.8.2—Service Limit State	12-29
12.8.3—Safety Against Structural Failure	12-29
12.8.3.1—Section Properties	12-29
12.8.3.1.1—Cross-Section	12-29
12.8.3.1.2—Shape Control	12-30
12.8.3.1.3—Mechanical and Chemical Requirements	12-30
12.8.3.2—Thrust	12-31
12.8.3.3—Wall Area	12-31
12.8.3.4—Seam Strength	12-31
12.8.3.5—Acceptable Special Features	12-31
12.8.3.5.1—Continuous Longitudinal Stiffeners	12-31
12.8.3.5.2—Reinforcing Ribs	12-31
12.8.4—Safety Against Structural Failure—Foundation Design	12-31
12.8.4.1—Settlement Limits	12-31
12.8.4.2—Footing Reactions in Arch Structures	12-32
12.8.4.3—Footing Design	12-33
12.8.5—Safety Against Structural Failure—Soil Envelope Design	12-33
12.8.5.1—General	12-33
12.8.5.2—Construction Requirements	12-33
12.8.5.3—Service Requirements	12-34
12.8.6—Safety Against Structural Failure—End Treatment Design	12-35
12.8.6.1—General	12-35
12.8.6.2—Standard Shell End Types	12-35
12.8.6.3—Balanced Support	12-37
12.8.6.4—Hydraulic Protection	12-37
12.8.6.4.1—General	12-37
12.8.6.4.2—Backfill Protection	12-38
12.8.6.4.3—Cut-Off (Toe) Walls	12-38
12.8.6.4.4—Hydraulic Uplift	12-38
12.8.6.4.5—Scour	12-38
12.8.7—Concrete Relieving Slabs	12-38
12.8.8—Construction and Installation	12-39
12.8.9—Deep Corrugated Structural Plate Structures	12-39
12.8.9.1—General	12-39
12.8.9.2—Width of Structural Backfill	12-39
12.8.9.2.1—Deep Corrugated Structures with Ratio of Crown Radius to Haunch Radius ≤ 5	12-39
12.8.9.2.2—Deep Corrugated Structures with Ratio of Crown Radius to Haunch Radius > 5	12-39
12.8.9.3—Safety Against Structural Failure	12-40
12.8.9.3.1—Structural Plate Requirements	12-40

12.8.9.3.2—Structural Analysis	12-40
12.8.9.4—Minimum Height of Fill.....	12-40
12.8.9.5—Combined Thrust and Moment	12-41
12.8.9.6—Global Buckling.....	12-42
12.8.9.7—Connections	12-42
12.9—STRUCTURAL PLATE BOX STRUCTURES	12-42
12.9.1—General.....	12-42
12.9.2—Loading	12-43
12.9.3—Service Limit State.....	12-43
12.9.4—Safety Against Structural Failure.....	12-43
12.9.4.1—General.....	12-43
12.9.4.2—Moments Due to Factored Loads.....	12-44
12.9.4.3—Plastic Moment Resistance	12-46
12.9.4.4—Crown Soil Cover Factor, C_H	12-47
12.9.4.5—Footing Reactions	12-47
12.9.4.6—Concrete Relieving Slabs.....	12-48
12.9.5—Construction and Installation	12-49
12.10—REINFORCED CONCRETE PIPE	12-49
12.10.1—General.....	12-49
12.10.2—Loading	12-50
12.10.2.1—Standard Installations.....	12-50
12.10.2.2—Pipe Fluid Weight	12-54
12.10.2.3—Live Loads	12-54
12.10.3—Service Limit State.....	12-54
12.10.4—Safety Against Structural Failure.....	12-55
12.10.4.1—General.....	12-55
12.10.4.2—Direct Design Method.....	12-55
12.10.4.2.1—Loads and Pressure Distribution	12-55
12.10.4.2.2—Analysis for Force Effects with the Pipe Ring.....	12-57
12.10.4.2.3—Process and Material Factors	12-57
12.10.4.2.4—Flexural Resistance at the Strength Limit State	12-57
12.10.4.2.4a—Circumferential Reinforcement	12-57
12.10.4.2.4b—Minimum Reinforcement	12-58
12.10.4.2.4c—Maximum Flexural Reinforcement without Stirrups	12-58
12.10.4.2.4d—Reinforcement for Crack Width Control	12-59
12.10.4.2.4e—Minimum Concrete Cover	12-61
12.10.4.2.5—Shear Resistance without Stirrups	12-61
12.10.4.2.6—Shear Resistance with Radial Stirrups	12-62
12.10.4.2.7—Stirrup Reinforcement Anchorage.....	12-63
12.10.4.2.7a—Radial Tension Stirrup Anchorage	12-63
12.10.4.2.7b—Shear Stirrup Anchorage	12-63
12.10.4.2.7c—Stirrup Embedment.....	12-64
12.10.4.3—Indirect Design Method	12-64
12.10.4.3.1—Bearing Resistance	12-64
12.10.4.3.2—Bedding Factor	12-64
12.10.4.3.2a—Earth Load Bedding Factor for Circular Pipe	12-65
12.10.4.3.2b—Earth Load Bedding Factor for Arch and Elliptical Pipe.....	12-65
12.10.4.3.2c—Live Load Bedding Factors.....	12-66
12.10.4.4—Development of Quadrant Mat Reinforcement.....	12-66
12.10.4.4.1—Minimum Cage Reinforcement	12-66
12.10.4.4.2—Development Length of Welded Wire Fabric.....	12-67
12.10.4.4.3—Development of Quadrant Mat Reinforcement Consisting of Welded Plain Wire Fabric	12-67
12.10.4.4.4—Development of Quadrant Mat Reinforcement Consisting of Deformed Bars, Deformed Wire, or Deformed Wire Fabric	12-67
12.10.5—Construction and Installation	12-68
12.11—REINFORCED CONCRETE CAST-IN-PLACE AND PRECAST BOX CULVERTS AND REINFORCED CAST-IN-PLACE ARCHES	12-68

12.11.1—General	12-68
12.11.2—Loads and Live Load Distribution	12-68
12.11.2.1—General	12-68
12.11.2.2—Modification of Earth Loads for Soil–Structure Interaction	12-69
12.11.2.2.1—Embankment and Trench Conditions	12-69
12.11.2.2.2—Other Installations	12-71
12.11.2.3—Distribution of Concentrated Loads to Bottom Slab of Box Culvert	12-71
12.11.2.4—Distribution of Concentrated Loads in Skewed Box Culverts	12-72
12.11.3—Strength Limit State	12-72
12.11.4—Service Limit State	12-72
12.11.5—Safety Against Structural Failure	12-73
12.11.5.1—General	12-73
12.11.5.2—Design Moment for Box Culverts	12-73
12.11.5.3—Minimum Reinforcement	12-73
12.11.5.3.1—Cast-in-Place Structures	12-73
12.11.5.3.2—Precast Box Structures	12-73
12.11.5.4—Minimum Cover for Precast Box Structures	12-74
12.11.6—Construction and Installation	12-74
12.12—THERMOPLASTIC PIPES	12-74
12.12.1—General	12-74
12.12.2—Service Limit States	12-74
12.12.2.1—General	12-74
12.12.2.2—Deflection Requirement	12-74
12.12.3—Safety Against Structural Failure	12-75
12.12.3.1—General	12-75
12.12.3.2—Section Properties	12-75
12.12.3.3—Chemical and Mechanical Requirements	12-76
12.12.3.4—Thrust	12-77
12.12.3.5—Factored and Service Loads	12-77
12.12.3.6—Handling and Installation Requirements	12-82
12.12.3.7—Soil Prism	12-82
12.12.3.8—Hydrostatic Pressure	12-83
12.12.3.9—Live Load	12-84
12.12.3.10—Wall Resistance	12-84
12.12.3.10.1—Resistance to Axial Thrust	12-84
12.12.3.10.1a—General	12-84
12.12.3.10.1b—Local Buckling Effective Area	12-84
12.12.3.10.1c—Compression Strain	12-86
12.12.3.10.1d—Thrust Strain Limits	12-86
12.12.3.10.1e—General Buckling Strain Limits	12-86
12.12.3.10.2—Bending and Thrust Strain Limits	12-87
12.12.3.10.2a—General	12-87
12.12.3.10.2b—Combined Strain	12-87
12.12.4—Construction and Installation	12-89
12.13—STEEL TUNNEL LINER PLATE	12-89
12.13.1—General	12-89
12.13.2—Loading	12-90
12.13.2.1—Earth Loads	12-90
12.13.2.2—Live Loads	12-91
12.13.2.3—Grouting Pressure	12-91
12.13.3—Safety Against Structural Failure	12-91
12.13.3.1—Section Properties	12-91
12.13.3.2—Wall Area	12-91
12.13.3.3—Buckling	12-91
12.13.3.4—Seam Strength	12-91
12.13.3.5—Construction Stiffness	12-91
12.14—PRECAST REINFORCED CONCRETE THREE-SIDED STRUCTURES	12-93

12.14.1—General.....	12-93
12.14.2—Materials	12-93
12.14.2.1—Concrete.....	12-93
12.14.2.2—Reinforcement.....	12-93
12.14.3—Concrete Cover for Reinforcement.....	12-93
12.14.4—Geometric Properties	12-93
12.14.5—Design.....	12-93
12.14.5.1—General.....	12-93
12.14.5.2—Distribution of Concentrated Load Effects in Top Slab and Sides	12-94
12.14.5.3—Distribution of Concentrated Loads in Skewed Culverts.....	12-94
12.14.5.4—Shear Transfer in Transverse Joints between Culvert Sections	12-94
12.14.5.5—Span Length	12-94
12.14.5.6—Resistance Factors	12-95
12.14.5.7—Crack Control.....	12-95
12.14.5.8—Minimum Reinforcement.....	12-95
12.14.5.9—Deflection Control at the Service Limit State	12-95
12.14.5.10—Footing Design.....	12-95
12.14.5.11—Structural Backfill.....	12-95
12.14.5.12—Scour Protection and Waterway Considerations.....	12-95
12.15—FIBERGLASS PIPE	12-95
12.15.1—General.....	12-95
12.15.2—Section Properties	12-96
12.15.3—Mechanical Requirements.....	12-96
12.15.3.1—Circumferential Flexural Modulus.....	12-96
12.15.3.2—Long-Term Ring-Bending Strain.....	12-96
12.15.4—Total Allowable Deflection.....	12-96
12.15.5—Service Limit States	12-97
12.15.5.1—General.....	12-97
12.15.5.2—Deflection Requirement.....	12-97
12.15.6—Safety Against Structural Failure.....	12-97
12.15.6.1—General.....	12-97
12.15.6.2—Flexure.....	12-98
12.15.6.3—Global Buckling.....	12-98
12.15.6.4—Flexibility Limit.....	12-99
12.15.7—Construction and Installation	12-99
12.16—REFERENCES	12-99
APPENDIX A12—PLATE, PIPE, AND PIPE ARCH PROPERTIES	12-103

SECTION 13: RAILINGS

TABLE OF CONTENTS

13.1—SCOPE	13-1
13.2—DEFINITIONS.....	13-1
13.3—NOTATION.....	13-2
13.4—GENERAL.....	13-3
13.5—MATERIALS.....	13-4
13.6—LIMIT STATES AND RESISTANCE FACTORS	13-5
13.6.1—Strength Limit State	13-5
13.6.2—Extreme Event Limit State.....	13-5
13.7—TRAFFIC RAILINGS	13-5
13.7.1—Railing System.....	13-5
13.7.1.1—General.....	13-5
13.7.1.2—Approach Railings	13-6
13.7.1.3—End Treatment	13-6
13.7.2—Test Level Selection Criteria	13-6
13.7.3—Railing Design	13-8
13.7.3.1—General.....	13-8
13.7.3.1.1—Application of Previously Tested Systems	13-8
13.7.3.1.2—New Systems	13-9
13.7.3.2—Height of Traffic Parapet or Railing.....	13-9
13.8—PEDESTRIAN RAILINGS.....	13-9
13.8.1—Geometry	13-9
13.8.2—Design Loads	13-10
13.9—BICYCLE RAILINGS.....	13-11
13.9.1—General.....	13-11
13.9.2—Geometry	13-11
13.9.3—Design Live Loads	13-11
13.10—COMBINATION RAILINGS.....	13-12
13.10.1—General.....	13-12
13.10.2—Geometry	13-12
13.10.3—Design Live Loads	13-12
13.11—CURBS AND SIDEWALKS.....	13-12
13.11.1—General.....	13-12
13.11.2—Sidewalks.....	13-13
13.11.3—End Treatment of Separation Railing.....	13-13
13.12—REFERENCES	13-13
APPENDIX A13.....	13-15
A13.1—GEOMETRY AND ANCHORAGES.....	13-15
A13.1.1—Separation of Rail Elements.....	13-15
A13.1.2—Anchorage	13-17
A13.2—TRAFFIC RAILING DESIGN FORCES	13-17
A13.3—DESIGN PROCEDURE FOR RAILING TEST SPECIMENS	13-19
A13.3.1—Concrete Railings.....	13-19
A13.3.2—Post-and-Beam Railings.....	13-21
A13.3.3—Concrete Parapet and Metal Rail.....	13-22
A13.3.4—Wood Barriers.....	13-24
A13.4—DECK OVERHANG DESIGN.....	13-24
A13.4.1—Design Cases.....	13-24
A13.4.2—Decks Supporting Concrete Parapet Railings	13-25
A13.4.3—Decks Supporting Post-and-Beam Railings	13-25
A13.4.3.1—Overhang Design	13-25
A13.4.3.2—Resistance to Punching Shear	13-26

SECTION 14: JOINTS AND BEARINGS

TABLE OF CONTENTS

14.1—SCOPE	14-1
14.2—DEFINITIONS.....	14-1
14.3—NOTATION.....	14-3
14.4—MOVEMENTS AND LOADS	14-6
14.4.1—General.....	14-6
14.4.2—Design Requirements	14-10
14.4.2.1—Elastomeric Pads and Steel-Reinforced Elastomeric Bearings	14-11
14.4.2.2—High-Load Multi-Rotational (HLMR) Bearings.....	14-12
14.4.2.2.1—Pot Bearings and Curved Sliding Surface Bearings.....	14-12
14.4.2.2.2—Disc Bearings.....	14-12
14.5—BRIDGE JOINTS	14-12
14.5.1—Requirements	14-12
14.5.1.1—General.....	14-12
14.5.1.2—Structural Design	14-13
14.5.1.3—Geometry	14-14
14.5.1.4—Materials	14-14
14.5.1.5—Maintenance.....	14-14
14.5.2—Selection	14-15
14.5.2.1—Number of Joints.....	14-15
14.5.2.2—Location of Joints	14-15
14.5.3—Design Requirements	14-16
14.5.3.1—Movements during Construction	14-16
14.5.3.2—Design Movements	14-16
14.5.3.3—Protection.....	14-17
14.5.3.4—Bridging Plates	14-17
14.5.3.5—Armor	14-17
14.5.3.6—Anchors.....	14-18
14.5.3.7—Bolts.....	14-18
14.5.4—Fabrication	14-18
14.5.5—Installation	14-18
14.5.5.1—Adjustment.....	14-18
14.5.5.2—Temporary Supports	14-19
14.5.5.3—Field Splices	14-19
14.5.6—Considerations for Specific Joint Types	14-19
14.5.6.1—Open Joints	14-19
14.5.6.2—Closed Joints.....	14-20
14.5.6.3—Waterproofed Joints.....	14-20
14.5.6.4—Joint Seals	14-21
14.5.6.5—Poured Seals	14-21
14.5.6.6—Compression and Cellular Seals	14-21
14.5.6.7—Sheet and Strip Seals	14-22
14.5.6.8—Plank Seals.....	14-22
14.5.6.9—Modular Bridge Joint Systems (MBJSes).....	14-22
14.5.6.9.1—General	14-22
14.5.6.9.2—Performance Requirements.....	14-24
14.5.6.9.3—Testing and Calculation Requirements	14-24
14.5.6.9.4—Loads and Load Factors.....	14-24
14.5.6.9.5—Distribution of Wheel Loads	14-26
14.5.6.9.6—Strength Limit State Design Requirements.....	14-28
14.5.6.9.7—Fatigue Limit State Design Requirements	14-29
14.5.6.9.7a—General.....	14-29
14.5.6.9.7b—Design Stress Range.....	14-31
14.6—REQUIREMENTS FOR BEARINGS	14-35
14.6.1—General.....	14-35
14.6.2—Characteristics.....	14-36

14.6.3—Force Effects Resulting from Restraint of Movement at the Bearing	14-37
14.6.3.1—Horizontal Force and Movement	14-37
14.6.3.2—Moment	14-38
14.6.4—Fabrication, Installation, Testing, and Shipping	14-40
14.6.5—Seismic and Other Extreme Event Provisions for Bearings	14-40
14.6.5.1—General	14-40
14.6.5.2—Applicability	14-40
14.6.5.3—Design Criteria	14-40
14.7—SPECIAL DESIGN PROVISIONS FOR BEARINGS	14-42
14.7.1—Metal Rocker and Roller Bearings	14-42
14.7.1.1—General	14-42
14.7.1.2—Materials	14-43
14.7.1.3—Geometric Requirements	14-43
14.7.1.4—Contact Stresses	14-43
14.7.2—PTFE Sliding Surfaces	14-44
14.7.2.1—PTFE Surface	14-44
14.7.2.2—Mating Surface	14-45
14.7.2.3—Minimum Thickness	14-45
14.7.2.3.1—PTFE	14-45
14.7.2.3.2—Stainless Steel Mating Surfaces	14-46
14.7.2.4—Contact Pressure	14-46
14.7.2.5—Coefficient of Friction	14-47
14.7.2.6—Attachment	14-48
14.7.2.6.1—PTFE	14-48
14.7.2.6.2—Mating Surface	14-48
14.7.3—Bearings with Curved Sliding Surfaces	14-49
14.7.3.1—General	14-49
14.7.3.2—Bearing Resistance	14-49
14.7.3.3—Resistance to Lateral Load	14-50
14.7.4—Pot Bearings	14-51
14.7.4.1—General	14-51
14.7.4.2—Materials	14-51
14.7.4.3—Geometric Requirements	14-51
14.7.4.4—Elastomeric Disc	14-53
14.7.4.5—Sealing Rings	14-53
14.7.4.5.1—General	14-53
14.7.4.5.2—Rings with Rectangular Cross-Sections	14-54
14.7.4.5.3—Rings with Circular Cross-Sections	14-54
14.7.4.6—Pot	14-54
14.7.4.7—Piston	14-55
14.7.5—Steel-Reinforced Elastomeric Bearings—Method B	14-56
14.7.5.1—General	14-56
14.7.5.2—Material Properties	14-57
14.7.5.3—Design Requirements	14-59
14.7.5.3.1—Scope	14-59
14.7.5.3.2—Shear Deformations	14-59
14.7.5.3.3—Combined Compression, Rotation, and Shear	14-60
14.7.5.3.4—Stability of Elastomeric Bearings	14-63
14.7.5.3.5—Reinforcement	14-64
14.7.5.3.6—Compressive Deflection	14-65
14.7.5.3.7—Seismic and Other Extreme Event Provisions	14-66
14.7.5.4—Anchorage for Bearings without Bonded External Plates	14-66
14.7.6—Elastomeric Pads and Steel-Reinforced Elastomeric Bearings—Method A	14-67
14.7.6.1—General	14-67
14.7.6.2—Material Properties	14-68
14.7.6.3—Design Requirements	14-70
14.7.6.3.1—Scope	14-70

14.7.6.3.2—Compressive Stress	14-70
14.7.6.3.3—Compressive Deflection.....	14-71
14.7.6.3.4—Shear.....	14-73
14.7.6.3.5—Rotation	14-73
14.7.6.3.5a—General.....	14-73
14.7.6.3.5b—Rotation of CDP	14-74
14.7.6.3.6—Stability.....	14-75
14.7.6.3.7—Reinforcement	14-75
14.7.6.3.8—Seismic and Other Extreme Event Provisions	14-75
14.7.7—Bronze or Copper-Alloy Sliding Surfaces	14-76
14.7.7.1—Materials	14-76
14.7.7.2—Coefficient of Friction	14-77
14.7.7.3—Limit on Load	14-77
14.7.7.4—Clearances and Mating Surfaces.....	14-77
14.7.8—Disc Bearings.....	14-77
14.7.8.1—General.....	14-77
14.7.8.2—Materials	14-78
14.7.8.3—Elastomeric Disc.....	14-78
14.7.8.4—Shear Resisting Mechanism.....	14-79
14.7.8.5—Steel Plates.....	14-79
14.7.9—Guides and Restraints	14-79
14.7.9.1—General.....	14-79
14.7.9.2—Design Loads	14-80
14.7.9.3—Materials	14-80
14.7.9.4—Geometric Requirements	14-80
14.7.9.5—Design Basis	14-80
14.7.9.5.1—Load Location.....	14-80
14.7.9.5.2—Contact Stress	14-81
14.7.9.6—Attachment of Low-Friction Material.....	14-81
14.7.10—Other Bearing Systems	14-81
14.8—LOAD PLATES AND ANCHORAGE FOR BEARINGS.....	14-82
14.8.1—Plates for Load Distribution.....	14-82
14.8.2—Tapered Plates.....	14-83
14.8.3—Anchorage and Anchor Bolts.....	14-83
14.8.3.1—General.....	14-83
14.8.3.2—Seismic and Other Extreme Event Design and Detailing Requirements	14-84
14.9—CORROSION PROTECTION.....	14-84
14.10—REFERENCES	14-85

TABLE OF CONTENTS

15.1—SCOPE	15-1
15.2—DEFINITIONS.....	15-1
15.3—NOTATION.....	15-1
15.4—GENERAL FEATURES.....	15-2
15.4.1—Functional Requirements	15-2
15.4.1.1—General.....	15-2
15.4.1.2—Lateral Clearance	15-2
15.4.2—Drainage.....	15-2
15.4.3—Emergency Responders and Maintenance Access	15-2
15.4.4—Differential Settlement of Foundations.....	15-3
15.5—LIMIT STATES AND RESISTANCE FACTORS	15-3
15.5.1—General.....	15-3
15.5.2—Service Limit State.....	15-3
15.5.3—Strength Limit State	15-3
15.5.4—Extreme Event Limit State.....	15-4
15.6—EXPANSION DEVICES	15-4
15.6.1—General.....	15-4
15.6.2—Structure-Mounted Sound Barriers	15-4
15.6.3—Ground-Mounted Sound Barriers.....	15-4
15.7—SOUND BARRIERS INSTALLED ON EXISTING BRIDGES	15-5
15.8—LOADS.....	15-5
15.8.1—General.....	15-5
15.8.2—Wind Load	15-5
15.8.3—Earth Load	15-5
15.8.4—Vehicular Collision Forces	15-6
15.9—FOUNDATION DESIGN.....	15-8
15.9.1—General.....	15-8
15.9.2—Determination of Soil and Rock Properties	15-9
15.9.3—Limit States.....	15-9
15.9.4—Resistance Requirements	15-9
15.9.5—Resistance Factors.....	15-9
15.9.6—Loading	15-10
15.9.7—Movement at the Service Limit State.....	15-10
15.9.8—Safety against Geotechnical Failure at the Strength Limit State.....	15-10
15.9.9—Seismic Design	15-10
15.9.10—Corrosion Protection	15-10
15.9.11—Drainage.....	15-10
15.10—REFERENCES	15-10

INDEX

- Abutment Transitions..... 10-32
- Abutments and retaining walls..... 11-16
 - backfill 11-7
 - bearing resistance..... 11-19
 - conventional walls and abutments..... 11-18
 - drainage..... 11-32
 - dynamic load allowance..... 3-33
 - expansion and contraction joints 11-18
 - general considerations..... 11-16
 - integral abutments 11-18
 - loading..... 11-17
 - movement and stability 11-19
 - overturning..... 11-21
 - passive resistance 11-22
 - reinforcement 11-18
 - safety against structural failure 11-23
 - seismic design 11-23
 - sliding..... 11-22
 - subsurface erosion..... 11-21
 - wingwalls 11-18
- Aeroelastic instability
 - aeroelastic phenomena 3-57
 - control of dynamic responses..... 3-57
 - wind tunnel tests..... 3-58
- Alkali–silica reactive aggregates 5-276
- Aluminum
 - coefficient of thermal expansion..... 7-6
 - minimum thickness 7-34
 - orthotropic decks.....
 -*See* Orthotropic aluminum decks
 - unit weight 3-21
- Anchor bolts
 - bearings 14-83
 - deck joints 14-18
 - seismic design 14-84
- Anchorage
 - anchored walls 11-42
 - bearings 14-83
 - deck joints 14-18
 - elastomeric bearings..... 3-78
 - footings 10-55
 - parapets 13-15
 - post-tensioning 5-25
 - railings..... 13-15
 - seismic design 14-84
 - tension tie 5-97
- Anchored walls 11-42
 - anchor pullout capacity 11-44
 - anchor stressing and testing 11-51
 - anchors 11-44, 11-47
 - bearing resistance..... 11-44
 - construction and installation 11-51
 - corrosion protection 11-51
 - drainage..... 11-52
 - dynamic load allowance..... 3-33
 - earth pressure 3-100
 - facing..... 11-49
 - loading 11-42
 - movement and stability..... 11-42
 - passive resistance..... 11-47
 - safety against soil failure 11-44
 - safety against structural failure 11-47
 - seismic design..... 11-50
 - vertical wall elements 11-49
- Anchors 5-267
- Angles
 - floorbeam/stringer end connection 6-317
 - shelf 6-317
 - thickness of metal 6-317
- Annual frequency of collapse
 - geometric probability..... 3-133
 - probability of aberrancy..... 3-130
 - probability of collapse 3-134
 - vessel frequency distribution 3-129
- Approximate methods of analysis
 - beam-slab bridges 4-31
 - decks 4-24
 - effective flange width 4-57
 - effective length factor 4-52
 - equivalent strip widths for slab-type bridges 4-51
 - moment magnification 4-15, 4-17
 - seismic lateral load distribution 4-67
 - truss and arch bridges 4-52
- Arches
 - arch ribs 5-259
 - effective length factor 4-17
 - minimum reinforcement 5-259
 - moment magnification 4-17
 - splices..... 6-339
 - steel, diaphragms 6-102
- Backfill.....*See* Abutments and retaining walls
- Barriers.....*See* Railing
- Basic requirements of structural dynamics
 - damping 4-86
 - distribution of masses 4-85
 - natural frequencies..... 4-86
 - stiffness..... 4-86
- Beam ledges
 - design for bearing 5-116
 - design for flexure and horizontal force..... 5-112
 - design for punching shear..... 5-112
 - design for shear..... 5-111
 - design of hanger reinforcement 5-114
- Beam-slab bridges
 - distribution factors: moment and shear..... 4-37
 - special loads with other traffic..... 4-50
- Bearing area
 - brackets..... 5-109
 - concrete..... 5-57
 - fasteners 6-329
 - post-tensioning anchorage 5-117
- Bearing resistance
 - concrete..... 5-33, 5-56, 5-264
 - rock 10-86

semiempirical procedures.....	10-71	slip-critical connections	6-317, 6-320
spread footings	10-72, 10-73	washers.....	6-108, 6-320
Bearing stiffeners	6-233	Bolted splices	
axial resistance	6-235	compression members.....	6-339
bearing resistance	6-234	fillers	6-347
effective section.....	6-235	flange splices.....	6-344
projecting width.....	6-234	flexural members	6-339
steel	6-413	tension members	6-339
Bearing-type connections.....	6-319	web splices	6-340
Bearings <i>See</i> Disc bearings, Elastomeric bearings,		Bolts	
and Pot bearings		bearing resistance.....	6-319, 6-329
anchor bolts	14-83	combined tension and shear	6-331
anchorage	3-78, 14-83	effective bearing area.....	6-329
applicability	14-40	fatigue resistance.....	6-331
bearing plates.....	5-70	gauge.....	6-119, 6-321
bronze or copper alloy sliding surfaces	14-76	materials.....	8-21
characteristics	14-36	minimum number in a connection.....	6-316
curved sliding surfaces	14-49	prying action	6-331
design criteria	14-40	shear resistance	6-319, 6-323, 6-338
disc bearings.....	14-77	size	6-321
elastomeric bearings	14-56, 14-67	slip resistance.....	6-325
fabrication, installation, testing and shipping	14-40	tensile resistance	6-319, 6-330, 6-338
force effects resulting from restraint of movement		Box girders	
at the bearing	14-37	analysis.....	4-38
guides and res	14-79	effective flange width.....	4-63
horizontal force and movement.....	14-37	live load distribution factors	4-38
load plates.....	14-82	wind bracing	4-66
metal rocker and roller bearings	14-42	wind load distribution	4-66
moment.....	14-38	Bracing	
movements and loads	14-6	box sections.....	4-66
other bearing systems	14-81	connections	6-72
pot bearings	14-51	glued laminated timber girders	8-36
PTFE sliding surfaces.....	14-44	portal bracing.....	8-36
seismic forces	3-78	sawn wood beams	8-36
seismic provisions for bearings	14-40	slenderness ratio.....	6-119, 6-132
special design provisions.....	14-42	sway bracing	8-36
suitability	14-36	temporary	4-66, 5-220, 6-85
tapered plates.....	14-83	timber trusses	8-36
Bicycle railing.....	13-11	trusses.....	6-106
design live loads	13-11	Brackets and corbels	
geometry.....	13-11	alternative to strut-and-tie model	5-109
Bicycles		Braking force	3-34
deck joint provisions	14-17	Bridge site arrangement	
railing	13-9	traffic safety	2-4
Bolted connections	6-317	Bronze or copper alloy sliding surfaces	
bearing-type connections.....	6-319, 6-320	clearances and mating surfaces	14-77
eccentric	6-316	coefficient of friction	14-77
edge distance	6-323	limit on load	14-77
end distance	6-322	materials.....	14-76
holes	6-320	Built-up members	
maximum pitch for stitch bolts.....	6-322	perforated plates.....	6-120, 6-146
maximum spacing for sealing bolts	6-321	Bundled reinforcement	
minimum number of bolts	6-316	development length.....	5-193
minimum spacing and clear distance.....	6-321	number of bars in a bundle.....	5-178
minimum weld.....	6-316	splices.....	5-200
nuts	6-108	termination	5-178
		ties.....	5-180

- Buoyancy 3-43
- Buried structures
 - bearing resistance and stability 12-19
 - corner backfill for metal pipe arches 12-20
 - corrosive and abrasive conditions 12-24
 - differential settlement of backfill 12-15
 - embankment installations 12-20
 - end treatment 12-23
 - flexibility limits and construction stiffness . 12-13
 - flexible culverts constructed on skew 12-23
 - footing settlement 12-15
 - hydraulic design 12-20
 - loading 12-14
 - minimum soil cover 12-21
 - minimum spacing of pipe 12-22
 - safety against soil failure 12-19
 - scour 12-20
 - service limit state 12-15
 - settlement 12-15
 - soil envelope 12-20
 - tolerable movement 12-15
 - trench installations 12-20
 - unbalanced loading 12-16
 - uplift 12-19
- Cables
 - modulus of elasticity 4-81
- Caissons *See* Drilled shafts
- Camber
 - aluminum structures 7-31
 - concrete structures 5-46, 5-125, 5-147, 5-253
 - glued laminated timber girders 8-36
 - steel structures 6-79
 - stress laminated decks 8-37
 - wood structures 8-12
 - wood trusses 8-37
- Cantilever retaining walls 11-33
 - corrosion protection 11-41
 - drainage 11-41
 - earth pressure 3-95
 - facing 11-36
 - loading 11-34
 - movement 11-34
 - overall stability 11-34
 - safety against structural failure 11-35
 - seismic design 11-37
 - soil failure 11-34
 - vertical wall elements 11-35
- Cantilever slabs
 - cantilever length 3-28
 - design 3-28, 4-25, 9-9, 13-4, 13-5
 - reinforcement, concrete boxes 5-233
 - strip width 4-26
 - thickness 13-9
 - wheel load position 3-28
- Cast-in-place box culverts and arches
 - cast-in-place structures 12-73
 - concentrated loads 12-71
 - construction and installation 12-74
 - design moment for box culverts 12-73
 - distribution of concentrated loads in skewed box culverts 12-72
 - embankment and trench conditions 12-69
 - loads and live load distribution 12-68
 - minimum cover for precast box structures... 12-74
 - minimum reinforcement 12-73
 - other installations 12-71
 - precast box structures 12-73
 - safety against structural failure 12-73
 - service limit state 12-72
 - soil structure interaction 12-69
- Cast-in-place girders and box and T-beams
 - bottom flange 5-233
 - bottom slab reinforcement in box girders 5-234
 - deck slab reinforcement in T-beams/box girders .. 5-233
 - effective flange width 4-59
 - flange and web thickness 5-233
 - reinforcement 5-233
 - top flange 5-233
 - web 5-233
- Cast-in-place piles *See* Concrete piles
- Cast-in-place voided slab superstructures
 - compressive zones in negative moment area 5-218
 - cross-section dimensions 5-216
 - drainage of voids 5-218
 - general design requirements 5-217
 - minimum number of bearings 5-217
 - solid end sections 5-217
- Centrifugal forces 3-34
- Charpy V-notch test
 - temperature zones 6-77
- Clearances 2-6
 - drilled shafts 10-132
 - highway horizontal 2-6
 - highway vertical 2-6
 - navigational 2-6
 - pedestrian bridges 2-6
 - piles 10-90
 - railroad overpass 2-6
- Coefficient of thermal expansion
 - aluminum 7-6
 - concrete 5-18
 - wood 9-31
- Combination railing 13-12
 - design live loads 13-12
 - geometry 13-12
- Combined force effects
 - concrete 5-52, 5-58
 - steel 6-123, 6-153, 6-276
 - wood 8-35
- Compact sections
 - nominal flexural resistance 6-203, 6-261
- Composite box girders, *see also* Box girders 4-38
 - design conditions 6-241
 - diaphragms 6-98
 - fatigue 6-241
 - live load distribution factors 4-38
 - wind effects 4-66

Composite sections		depth.....	9-14
concrete deck stresses.....	6-162	reinforcement.....	9-14
concrete-encased shapes.....	6-154, 6-309	Concrete piles	
concrete-filled tubes.....	6-154, 6-310	anchorage.....	5-207, 5-265
modular ratio.....	6-162	cast-in-place piles.....	5-267
sequence of loading.....	6-161	embedment.....	5-207, 5-265
steel.....	6-152	pile dimensions.....	5-267
Compression chords		precast prestressed piles.....	5-266
continuity.....	6-351	precast reinforced piles.....	5-265
lateral bracing.....	6-106	reinforcement.....	5-207, 5-215
splices.....	6-339	reinforcing steel.....	5-267
Compression flange flexural resistance.....	6-207	seismic requirements.....	5-215
local buckling resistance.....	6-209, 6-401	shells for cast-in-place piles.....	5-267
Compression flange proportions.....	6-412	spacing of transverse reinforcement.....	5-267
Compression members		splices.....	5-265
concrete.....	5-48, 5-51	structural resistance.....	10-126
hollow rectangular compression members.....	5-54	tensile stresses, precast piles.....	5-130
steel.....	6-122	tolerance.....	5-261
steel composite members.....	6-152	uplift.....	5-207
steel noncomposite members.....	6-133	Concrete slabs.....	9-7
wood.....	8-33	abrasion.....	5-174
Compressive resistance		application of empirical design.....	9-9
concrete.....	5-51	composite action.....	9-7
steel.....	6-122	concrete cover.....	5-174
steel composite members.....	6-152	design conditions.....	9-10
steel noncomposite members.....	6-133	design of cantilever slabs.....	9-8
wood.....	8-33	distribution reinforcement.....	5-216
Concrete		edge support.....	5-216, 9-8
air-entrained.....	5-272, 5-275	effective length.....	9-10
coefficient of thermal expansion.....	5-18	effective width.....	6-162
compressive strength.....	5-16	empirical design.....	9-8
cover.....	5-174, 5-277, 9-14	minimum depth and cover.....	9-7
creep.....	5-19	precast deck slabs on girders.....	9-15
modulus of elasticity.....	5-21, 5-303	reinforcement.....	5-216, 9-12
modulus of rupture.....	5-22	segmental construction.....	9-15
poisson's ratio.....	5-22	shear.....	5-61
properties.....	5-16	skewed bridges.....	4-52
shrinkage.....	5-20	skewed decks.....	9-7, 9-12
strut-and-tie method.....	5-88	slab bridges.....	5-216
tensile strength.....	5-22	stay-in-place formwork.....	9-12, 9-13
Concrete box girders		top slab, box girders.....	9-15
bottom slab.....	5-221	traditional design.....	9-12
confinement reinforcement.....	5-153	uplift and slip of deck slabs.....	7-32
dimensions, minimum.....	5-221	Concrete stress limits	
effective flange width.....	4-63	service stresses.....	5-130
effective flange width.....	4-59	stress limits for concrete.....	5-127, 5-303
live load distribution factors.....	4-38	temporary stresses before losses.....	5-127
top slab.....	5-221	Concrete T-beams	
web thickness.....	5-221	negative moment reinforcement.....	5-60
Concrete culverts		Concrete-filled tubes	
distribution reinforcement.....	5-216	circular tubes.....	6-315
dynamic load allowance.....	3-33	rectangular tubes.....	6-315
seismic effects.....	3-66	Connections <i>See also</i> Bolted connections, Splices, and Welded connections.....	6-315
Concrete deck slabs.....	<i>See</i> Concrete slabs	block shear rupture resistance.....	6-336
Concrete formwork.....	<i>See</i> Stay-in-place formwork	bolted connections.....	6-317
bedding of panels.....	9-14	rigid frame connections.....	6-349
creep and shrinkage control.....	9-14		

- splices 6-339
- welded connections 6-333
- Connectors
 - lacing bars 6-120, 6-154
 - tie plates 6-120, 6-154
- Constructibility
 - dead load deflections 6-191
 - deck placement 6-187
 - design objectives 2-16
 - flexure 6-184, 6-252
 - shear 6-255
- Continuously braced compression flanges 6-396
- Continuously braced tension flanges 6-396
- Corrosion
 - bearings 14-48
 - MSE facing 11-58
 - piles 10-128
 - prestressing systems, concrete 5-277
 - steel structures 6-84
- Corrosion protection 14-84
 - alternative coating 8-23
 - metallic coating 8-23
- Corrugated metal decks
 - composite action 9-29
 - distribution of wheel loads 9-29
- Cover plates 6-240
 - end requirements 6-240
- CPT
 - cohesionless soils 10-118
- Creep effect 5-19, 5-126
- Cross-section proportion limits
 - flange proportions 6-249
 - web proportions 6-248
- Culverts
 - additional provisions for culverts 5-260
 - aluminum 12-8
 - design for flexure 5-260
 - design for shear in slabs of box culverts 5-260
 - location, length, and waterway area 2-29
 - seismic effects 3-66
- Curbs and sidewalks 13-12, *See* Sidewalks
 - end treatment of separation railing 13-13
 - sidewalks 13-13
- Curved structures
 - deck joints 14-15
 - deflections 2-14
 - single girder superstructures 4-19
- Curved tendons
 - effects of curved tendons 5-157
 - in-plane force effects 5-158
 - out-of-plane force effects 5-162
- Dead loads
 - load factors 3-16, 5-239
 - unit weight of materials 3-21
- Deck analysis
 - loading 9-6
 - methods of analysis 9-6
- Deck joints
 - adjustment 14-18
 - anchors 14-18
 - armor 14-17
 - bolts 14-18
 - bridging plates 14-17
 - closed joints 14-20
 - compression and cellular seals 14-21
 - design requirements 14-16
 - fabrication 14-18
 - field splices 14-19
 - geometry 14-14
 - installation 14-18
 - joint seals 14-21
 - location of joints 14-15
 - maintenance 14-14
 - materials 14-14
 - modular bridge joint systems 14-22
 - movements during construction 14-16
 - number of joints 14-14
 - open joints 14-19
 - plank seals 14-22
 - poured seals 14-21
 - protection 14-17
 - requirements 14-12
 - selection 14-14
 - sheet and strip seals 14-22
 - structural design 14-13
 - temporary supports 14-19
 - waterproofed joints 14-20
- Deck overhang design 9-9, 13-24
 - decks supporting concrete parapet railings 13-25
 - decks supporting post-and-beam railings 13-25
 - design cases 13-24
 - resistance to punching shear 13-26
 - stay-in-place formwork 9-5
- Decks *See* Deck joints, and Deck overhang design
 - applicability 4-25
 - concrete appurtenances 9-5
 - deck drainage 9-4
 - distribution of wheel loads 4-28
 - edge supports 9-5
 - empirical design 9-8
 - inelastic analysis 4-31
 - interface action 9-4
 - isotropic plate model 4-73
 - live loads 3-28
 - live load effects on 4-29
 - longitudinal edges 4-27
 - orthotropic plate model 4-74
 - stay-in-place formwork 9-5
 - traditional design 9-12
 - transverse edges 4-27
 - unfilled composite grids 9-19
- Deep beams 5-234
- Deflection
 - concrete 5-46
 - criteria 2-13
 - span-to-depth ratios 2-15
- Deformations
 - axial deformation 5-48

concrete	5-45	orthotropic decks.....	6-72, 9-29
steel	6-192	Distribution of load	
Deformed bars and deformed wire in tension		cantilever slabs.....	4-26
tension development length.....	5-189	concrete slabs.....	4-26
Deformed bars in compression		exterior beams.....	4-42
compressive development length.....	5-192	interior beams.....	4-37, 4-38, 4-45
modification factors.....	5-193	skewed bridges.....	4-43, 4-49
Depth of the web in compression		steel grid flooring.....	4-26
at plastic moment.....	6-449	timber flooring	4-25
in the elastic range.....	6-448	transverse floorbeams	4-44
Design lane load.....	3-24	trusses.....	4-52
Design lanes		wheel loads through earth fills	3-25
width.....	3-21	Dowels	
Design objectives		concrete columns	5-264
bridge aesthetics	2-17	concrete interface	5-214
constructibility.....	2-16	pile anchorage	5-207, 5-265
economy	2-17	timber decks.....	9-32, 9-39
safety	2-8	Downdrag	10-105, 10-134, 10-139
serviceability	2-9	determination of pile loads.....	10-91
Design philosophy.....	1-3	settlement due to	10-97
ductility.....	1-5	Drainage	
limit states	1-3	sound barrier	15-2, 15-10
operational importance	1-7	spandrel fill	5-259
redundancy	1-6	Drilled shafts.....	10-131
Design tandem.....	3-24	battered shafts	10-133
Design truck	3-24	buckling	10-153
Development of reinforcement		clearance	10-132
basic requirements.....	5-184	combined side and tip resistance.....	10-148
bonded strand	5-149	definition.....	10-2
bundled bars	5-193	design of.....	10-33
deformed bars and deformed wire in tension	5-189, 5-303	diameter	10-132
development by mechanical anchorages	5-200	embedment into cap	10-132
flexural reinforcement	5-185	enlarged bases	10-132, 10-155
modification factors.....	5-190, 5-193, 5-194	estimation of resistance in IGMs.....	10-149
prestressing strand	5-148	estimation of resistance in rock.....	10-146
shear reinforcement	5-197	group resistance	10-151
standard hooks in tension	5-193	group resistance in cohesionless soil.....	10-151
welded wire fabric	5-197	group resistance in cohesive soil.....	10-151
Diaphragms and cross-frames		group resistance in strong soil overlying weak soil	10-152
aluminum structures	7-34	horizontal movement	10-138
concrete structures.....	5-255	horizontal resistance.....	10-153
steel arches	6-102	lateral stability.....	10-153
steel box girders.....	6-98	reinforcement.....	10-154
steel I-girders.....	6-90	resistance in cohesive soils.....	10-141
steel structures.....	6-84, 6-85	service limit state design.....	10-135
steel trusses.....	6-102, 6-352	settlement.....	10-135
Disc bearings.....	See Bearings	shaft resistance	10-133
elastomeric disc	14-78	side resistance	10-147
materials	14-78	spacing	10-132
shear resisting me.....	14-79	strength limit state.....	10-49
steel	14-79	structural resistance.....	10-153
suitability.....	14-36	tip resistance	10-143, 10-145, 10-148
Discretely braced compression flanges	6-394	transverse reinforcement.....	10-154
Discretely braced tension flanges.....	6-395	Driven piles	
Distortion-induced fatigue		design of.....	10-33
lateral connection plates	6-72	Ductility	1-5

- Ducts
 - bundling 5-155
 - grouting 5-156
 - size of ducts 5-26
 - spacing 5-155
- Durability
 - concrete cover 5-174, 5-277
 - materials 2-9
 - self-protecting measures 2-9
- Dynamic analysis 4-85
 - analysis for collision loads 4-97
 - analysis for earthquake loads 4-88
 - basic requirements 4-85
 - inelastic dynamic responses 4-88
- Dynamic load allowance 3-32
 - buried components 3-33
 - deck joints 3-32
 - wood components 3-33
- Earth loads
 - sound barrier 15-5
- Earth pressure 3-84
 - active 3-88
 - anchored walls 3-100
 - at-rest 3-87
 - buried structures 12-14
 - cantilevered walls 3-95
 - compaction 3-85
 - downdrag 3-118
 - effect of earthquake 3-86
 - equivalent-fluid method 3-93
 - lateral earth pressure 3-86
 - modular walls 3-105
 - MSE walls 3-103
 - passive 3-90
 - presence of water 3-85
 - reduction due to earth pressure 3-118
 - surcharge loads 3-109
- Earthquake effects *See* Seismic loads
- Economy
 - alternative plans 2-17
- Edge distance 6-323
- Edge supports, slabs 5-216, 9-5, 9-8, 9-17
- Effective area
 - aluminum 7-39
 - perforated plates 6-351
 - welds 6-335
- Effective flange width
 - box girders 4-63
 - cast-in-place multicell superstructures 4-63
 - orthotropic steel decks 4-63
 - segmental box beams and CIP box beams 4-59
- Effective length
 - slabs 9-11
 - span 7-32
- Effective plastic moment 6-417
 - all other interior-pier sections 6-418
 - interior-pier sections 6-417
- Effective width
 - concrete slabs 6-162
 - orthotropic decks 9-28
- Elastic dynamic responses
 - wind-induced vibration 4-87
- Elastomeric bearings *See* Bearings
 - anchorage 3-78
 - combined compression and rotation 14-64
 - compressive deflection 14-60, 14-71
 - compressive stress 14-59, 14-70
 - design method A 14-67
 - design method B 14-56
 - movements and loads 14-11
 - reinforcement 14-75
 - rotation 14-73
 - seismic provisions 14-66
 - shape factor 14-56, 14-70, 14-71
 - shear deformation 14-63, 14-73
 - shear modulus 14-57, 14-68
 - stability 14-65, 14-75
 - suitability 14-36
- Elastomeric pads *See* Elastomeric bearings
- Emergency responder access to sound barriers .. 15-2
- End distance 6-322
- End requirements
 - bolted ends 6-241
 - welded ends 6-241
- Engineering News formula 10-108
- Erosion control 11-18
- Expansion *See* Coefficient of thermal expansion
- Expansion devices for sound barriers 15-4
- Exterior stringers
 - capacity 4-34
 - distribution factors 4-42, 4-47
- Extreme event limit states 1-5, 9-6, 10-34, 10-52
 - abutments, piers, and walls 11-16
 - concrete structures 5-35, 5-36, 5-303
 - drilled shafts 10-127
 - liquefaction design requirements 10-34
 - load combinations 3-9, 3-16
 - prestressing steel 5-127
 - railing 13-5
 - sound barrier 15-4
 - wood structures 8-31
- Eyebars
 - factored resistance 6-120
 - packing 6-121
 - proportions 6-120
- Fasteners *See* Bolts, and Connectors
 - countersunk 6-329
- Fatigue and fracture limit state 1-4
 - aluminum structures 7-8
 - concrete structures 5-35
 - decks 9-20, 9-29
 - elastomeric bearings 14-64, 9-6
 - load combinations 3-16
 - modular bridge joint systems 14-29
 - prestressing steel 5-31
 - reinforcing bars 5-30
 - welded or mechanical rebar splices 5-31
- Fatigue

distortion-induced.....	6-71	coefficient	14-47, 14-77
Fatigue design		friction angle for dissimilar materials	3-90
deck joints	14-6	Friction forces	3-125
elastomeric bearings	14-64	forces.....	5-254
metal grid decks.....	9-20	post-tensioning tendons.....	5-138
orthotropic decks	9-29	General zone	5-165
steel webs	6-241	blister and rib reinforcement.....	5-173
Fatigue load.....	3-30	design methods.....	5-166
approximate methods	3-31	design principles	5-167
frequency	3-30	deviation saddles.....	5-173
load distribution for fatigue	3-31	diaphragms.....	5-173
refined methods	3-31	intermediate anchorages.....	5-170
FHWA Gates Formula	10-108	multiple slab anchorages.....	5-123
Filled and partially filled grid decks		responsibilities	5-166
design requirements.....	9-18	special anchorage devices	5-170
fatigue and fracture limit state.....	9-18	tie-backs	5-171
Fillet-welded connections		Geometry	
effective throat.....	6-335	large deflection theory	4-14
size of weld.....	6-335	small deflection theory.....	4-13
Flange-strength reduction factors		Geophysical tests	
hybrid factor.....	6-174	soil and rock.....	10-12
web load-shedding factor	6-175	Glued laminated decks	
Flexibility limits and construction stiffness		deck tie-downs	9-31
corrugated metal pipe and structural plate		interconnected decks	9-32
structures.....	12-13	noninterconnected decks	9-32
spiral rib metal pipe and pipe arches	12-13	thermal expansion	9-31
steel tunnel liner plate.....	12-14	Glued laminated timber	<i>See</i> Wood
thermoplastic pipe	12-14	bracing	8-36
Flexural members		camber.....	8-36
concrete	5-39, 5-42	dimensions	8-13
steel	6-259, 6-260, 6-414	marking	8-12
wood.....	8-31	Gravel	
Flexural resistance		unit weight	3-21
composite members.....	6-309	Gravity loads	
noncomposite steel members.....	6-280	design vehicular live load	3-23
steel	6-275, 6-416	fatigue load	3-30
wood.....	8-31	pedestrian loads.....	3-32
Footings.....	5-260	rail transit load	3-32
critical section for flexure.....	5-261	Groove-welded connections	
development of reinforcement.....	5-264	complete penetration	6-333
distribution of moment reinforcement.....	5-261	partial penetration	6-334
loads and reactions	5-261	Ground-Mounted Sound Barriers	15-4
moment in footings.....	5-261	Groundwater	
resistance factors	5-261	effects and buoyance.....	10-103
shear in slabs and footings.....	5-61, 5-262	Grout	
stepped.....	5-260	joints.....	5-219, 9-15
transfer of force at base of column	5-264	prestressing ducts	5-156
Foundation design		Guides and restraints	
seismic design forces.....	3-79	attachment of low-friction material.....	14-81
Foundation investigation		contact stress	14-81
topographic studies.....	2-7	design	14-80
Fracture		design basis	14-80
aluminum.....	7-24	geometric requirements.....	14-80
steel	6-170	load location.....	14-80
Free-standing abutments	11-141	materials.....	14-80
design for displacement.....	11-143	Gusset plates	6-338, 6-350
Friction		High-load multirotational (HLMR) bearings.....	14-12

- curved sliding surface bearings 14-12
- disc bearings..... 14-12
- pot bearings..... 14-12
- Holes 6-320
 - chains 6-119
 - long-slotted holes 6-320
 - oversize holes..... 6-320
 - pin holes..... 6-120, 6-121
 - short-slotted holes 6-320
 - size 6-321
 - type..... 6-320
- Hollow rectangular compression members
 - rectangular stress block limitations 5-55
 - spacing of reinforcement..... 5-183
 - splices..... 5-184
 - ties 5-183
 - wall slenderness ratio 5-54
- Hooks and bends
 - basic hook development length 5-194
 - minimum bend diameters 5-176
 - modification factors 5-194
 - seismic hooks 5-176
 - standard hooks..... 5-176
- Horizontal wind pressure
 - wind pressure on structures 3-50
 - wind pressure on vehicles 3-55
- Hydraulic analysis
 - approaches..... 2-28
 - bridge foundations..... 2-22
 - bridge waterway..... 2-22
 - stream stability 2-21
- Hydrology and hydraulics..... 2-19
 - drainage..... 2-29
 - hydraulic analysis..... 2-21
 - hydrologic analysis 2-20
 - site data 2-20
- Ice loads 3-58
 - adhesion 3-64
 - combination of forces..... 3-62
 - crushing and flexing..... 3-60
 - dynamic ice forces on piers..... 3-59
 - effective ice strength 3-59
 - hanging dams and ice jams 3-64
 - ice and snow load..... 3-65
 - slender and flexible piers 3-63
 - small streams..... 3-62
 - static ice loads on piers 3-63
- Idealization *See* Mathematical modeling
- IGMs..... 10-138
- Impact *See* Dynamic load allowance
- Inelastic dynamic responses
 - plastic hinges and yield lines..... 4-88
- Influence of plan geometry
 - curved structures 4-18
 - plan aspect ratio 4-18
- Instantaneous losses
 - anchorage set..... 5-135
 - elastic shortening..... 5-140
 - friction..... 5-136
 - posttensioned members..... 5-136, 5-139
 - pretensioned members 5-136, 5-138
- Interaction systems *See* Culverts
- Interior beams
 - distribution factors..... 4-37, 4-38, 4-41, 4-45
- Interconnected decks
 - panels parallel to traffic 9-32
 - panels perpendicular to traffic 9-32
- Keys
 - construction joints..... 5-219
 - precast decks..... 5-219, 9-15
- Laboratory tests
 - geophysical tests 10-12
 - in-situ tests..... 10-11
 - rock tests..... 10-11
 - soil tests 10-11
- Lacing bars 6-120, 6-154
- Lap splices..... 5-200
 - bundled bars 5-200
 - non-contact splices..... 5-200
 - spiral reinforcement..... 5-179
- Large deflection theory
 - approximate methods..... 4-15
 - moment magnification 4-15
 - refined methods 4-17
- Lateral bracing *See* Bracing, and Diaphragms and cross-frames
 - steel..... 6-413
 - straight I-sections..... 6-103
 - trusses 6-106
- Lateral clearance
 - sound barrier 15-2
- Lateral torsional buckling (LTB)..... 6-450
- Lightweight concrete *See* Concrete
 - resistance factors..... 5-33
 - shear resistance 5-214
 - shear resistance 5-109
 - unit weight 3-21
- Limit states *See* Extreme event limit state, Fatigue and fracture limit state, Service limit state, and Strength limit state
- Limit states and resistance factors 10-29
 - sound barriers 15-3
- Live loads *See* Distribution of load
 - application 3-28
 - bicycle loads 3-32
 - braking force..... 3-34
 - centrifugal forces 3-34
 - deck overhang load..... 3-30
 - decks and box culverts..... 3-29
 - design lane load 3-24
 - design tandem 3-24
 - design truck..... 3-24
 - dynamic load allowance 3-32
 - gravity loads 3-21
 - live load deflection 3-28
 - multiple presence..... 3-22
 - tire contact area..... 3-24
 - vehicular collision force 3-36

Load factors.....	3-8	creep losses	5-144
abutments, piers, and walls.....	11-11	instantaneous losses	5-135
buried structures	12-11	losses for deflection calculations	5-147
combinations	3-8, 3-16	refined estimate	5-141
construction loads.....	3-18, 5-239	relaxation losses	5-146
definition	1-4	shrinkage losses	5-143
jacking.....	3-19	total prestress loss	5-135
posttensioning.....	3-19	Maintenance access to sound barriers	<i>See</i>
Load-induced fatigue		Emergency responder and maintenance access to	
application	7-10, 7-11, 7-12	sound barriers	
Loads.....	10-56	Materials	
Local buckling		aluminum sheet, plate, and shapes	7-6
aluminum.....	7-48	aluminum and plate structures	12-8
Local zone	5-165	bronze or copper alloy sliding surfaces.....	14-76
bearing resistance	5-117	Materials	
dimensions of local zone	5-116	cement.....	5-17
responsibilities.....	5-166	concrete.....	5-16, 12-8
special anchorage devices.....	5-118	disc bearings	14-78
Location features		elastomer.....	14-57, 14-68
bridge site arrangement	2-4	glued laminated timber.....	8-12
environment.....	2-7	metal fasteners and hardware.....	8-21
route location.....	2-3	pot bearings.....	14-51
Long-slotted holes.....	6-320	precast concrete pipe.....	12-8
Long-span structural plate structures	12-28	precast concrete structures	12-8
acceptable special features	12-31	preservative treatment.....	8-23
backfill protection.....	12-38	prestressing steel.....	5-24
balanced support.....	12-37	PTFE sliding surface.....	14-44
construction and installation.....	12-33, 12-39	reinforcing steel	5-23
continuous longitudinal stiffeners	12-31	sawn lumber.....	8-6
cross-section	12-29	steel pipe and structural plate structures	12-8
cut-off (toe) walls	12-38	steel reinforcement.....	12-8
end treatment design.....	12-35	thermoplastic pipe.....	12-9
footing design.....	12-33	Mathematical modeling	4-11
footing reactions in arch structures.....	12-32	equivalent members	4-18
foundation design	12-31	geometry	4-13
hydraulic protection.....	12-37	modeling boundary conditions.....	4-17
hydraulic uplift	12-38	structural material behavior	4-12
mechanical and chemical requirements.....	12-30	Mechanically stabilized earth walls... <i>See</i> MSE walls	
reinforcing ribs	12-30, 12-31	Metal decks.....	9-16
relieving slabs.....	12-38	analysis.....	4-29
safety against structural failure.....	12-29	corrugated metal decks.....	9-29
scour	12-38	limit states	9-26
seam strength.....	12-31	metal grid decks	9-16, 9-17, 9-19
section properties.....	12-29	orthotropic aluminum decks.....	9-28
service limit state.....	12-29	orthotropic steel decks	9-20
service requirements.....	12-34	superposition of local and global effects.....	9-25
settlement limits	12-31	Metal fasteners and hardware	
shape control	12-30	corrosion protection	8-23
soil envelope design	12-33	drift pins and bolts	8-22
standard shell end types.....	12-35	fasteners	8-21
thrust.....	12-31	minimum requirements	8-21
wall area	12-31	nails and spikes	8-22
Longitudinal stiffeners		prestressing bars.....	8-22
moment of inertia and radius of gyration	6-239	shear plate connectors	8-22
projecting width.....	6-238	spike grids.....	8-22
Loss of prestress		split ring connectors.....	8-22
approximate lump sum estimate	5-140	toothed metal plate connectors.....	8-22

- Metal pipe, pipe arch, and arch structures
 - construction and installation 12-28
 - handling and installation 12-27
 - resistance to buckling 12-26
 - safety against structural failure 12-25
 - seam resistance 12-27
 - section properties 12-25
 - smooth lined pipe 12-27
 - stiffeners 12-28
 - thrust 12-25
 - wall resistance 12-26
- Methods of analysis *See* Dynamic analysis, Mathematical modeling, and static analysis
- Micropiles 10-155
 - axial compressive res 10-165
 - axial tension resistance 10-167
 - battered 10-157
 - corrosion and deterioration 10-169
 - definition 10-2
 - design of 10-33
 - design requirements 10-157
 - determination of loads 10-157
 - downdrag 10-157, 10-159
 - estimation of grout-to-ground bond resistance 10-161
 - estimation of tip resistance in rock 10-162
 - extreme event limit state 10-169
 - groundwater table buoyancy 10-159
 - groups in cohesionless soil 10-158
 - groups in cohesive soil 10-158
 - grout-to-steel bond 10-168
 - horizontal foundation movement 10-158
 - lateral squeeze 10-158
 - load test 10-163
 - nearby structures 10-158
 - nominal axial compression resistance of single 10-159
 - nominal horizontal resistance of single and groups 10-164
 - nominal uplift resistance of a single micropile 10-163
 - nominal uplift resistance of groups 10-163
 - plunge length transfer load 10-168
 - resistance of groups in compression 10-163
 - scour 10-159
 - service limit state 10-158
 - settlement 10-158
 - settlement due to downdrag 10-158
 - spacing, clearance, embedment 10-156
 - strength limit state design 10-158
 - strength limit states 10-51
 - structural resistance 10-164
 - through embankment fill 10-157
 - tolerable moments 10-158
 - types 10-155
 - uplift due to expansive soils 10-157
- Modular bridge joint systems (MBJS)
 - design stress range 14-31
 - distribution of wheel loads 14-26
 - fatigue limit state design requirements 14-29
 - loads and load factors 14-24
 - performance requirements 14-24
 - strength limit state design requirements 14-28
 - testing and calculation requirements 14-24
- Modular ratio
 - long-term 6-161
 - short-term 6-161
- Modulus of elasticity
 - cables 4-81
 - concrete 5-21, 5-303
 - prestressing steel 5-25
 - reinforcing steel 5-24
 - wood piles 8-21
- Mononobe-Okabe analysis 11-141
- Moment redistribution
 - approximate procedure 4-83
 - concrete 5-45
 - refined method 4-83
 - steel 6-415, 6-416, 6-417
- MSE walls 11-52
 - abutments 11-109
 - bearing resistance 11-63
 - boundary between active and resistant zones 11-76
 - concentrated dead loads 11-103
 - corrosion issues for MSE facing 11-58
 - design life considerations 11-85
 - design tensile resistance 11-90
 - drainage 11-103
 - dynamic load allowance 3-33
 - earth pressure 3-103
 - external stability 11-94
 - facing 11-57
 - facing reinforcement connections 11-99
 - geosynthetic reinforcements 11-87, 11-91, 11-92
 - hydrostatic pressures 11-107
 - internal stability 3-104, 11-96
 - lateral displacement 11-59
 - loading 11-58, 11-62, 11-65
 - minimum front face embedment 11-56
 - minimum length of soil reinforcement 11-55
 - obstructions in the reinforced soil zone 11-107
 - overall stability 11-63
 - overturning 11-63
 - reinforcement/facing connection design 11-91
 - reinforcement pullout 11-76, 11-78
 - reinforcement strength 11-81
 - safety against soil failure 11-61
 - safety against structural failure 11-65
 - seismic design 11-94
 - settlement 11-58
 - sliding 11-62
 - special loading conditions 11-103
 - steel reinforcements 11-85, 11-90, 11-91
 - structure dimensions 11-54
 - subsurface erosion 11-103
 - traffic loads and barriers 11-106
- Multiple presence of live load 3-22
- Multispan bridges

general	4-90	ship collision force	3-137
multimode spectral method	4-93	Pile bents	<i>See</i> Piles
selection of method	4-89	pile tolerance	5-261
single-mode methods of analysis	4-90	Pile foundations	
single-mode spectral method	4-90	nominal lateral resistance	10-125
uniform load method	4-91	Pile structural resistance	
Net section		buckling	10-127
aluminum	7-39	lateral stability	10-127
steel	6-109	Piles	
Noncompact sections		batter	10-91
nominal flexural resistance	6-206, 6-262	definition	10-2
Noncomposite sections		design requirements	10-91
builtup members	6-145	determination of loads	10-91
channels, angles, tees, and bars	6-300	determination of nominal bearing resistance	10-105
<i>circular tubes</i>	6-285	downdrag	10-91
I- and H-shaped members	6-280	drivability analysis	10-130
Nondestructive testing		driven	10-89
aluminum	7-32	driven to hard rock	10-99
Nordlund/Thurman Method	10-113	driven to soft rock	10-99
Operational importance	1-7	dynamic testing	10-107
Orthotropic aluminum decks		embedment into cap	10-90
approximate analysis	9-28	groups in cohesive soil	10-95
limit states	9-29	horizontal foundation movement	10-96
Orthotropic deck superstructures	6-359	lateral squeeze	10-98
effective width of deck	6-360	length estimates for contract documents	10-100
superposition of global and local effects	6-360	minimum penetration	10-129
Orthotropic decks		nearby structures	10-93
<i>See</i> Orthotropic aluminum decks, and Orthotropic steel decks		nominal axial resistance change after driving	10-102
Orthotropic steel decks		nominal bearing resistance	10-129
design	9-25	Nordlund/Thurman Method in cohesionless soils	10-113
detailing requirements	9-27	probe	10-131
wearing surface	9-20	resistance of groups in compression	10-121
wheel load distribution	9-20	service limit state design	10-93
Oversize holes	6-320	settlement	10-93
Painting		settlement due to downdrag	10-97
box sections	6-241	spacing	10-90
slip-critical joints	6-327	static analysis	10-109
Parapets	<i>See</i> Railing	static load test	10-106
Pedestrian loads	3-32	strength limit state design	10-98
Pedestrian railing	8-23, 13-9	structural resistance	10-126
design live loads	13-10	tip resistance in cohesive soils	10-113
geometry	13-9	tolerable movements	10-93
Perforated plates		uplift due to expansive soils	10-92
effective area	6-351	uplift resistance of groups	10-123
Permanent loads	3-20	uplift resistance of single	10-122
dead loads	3-20	wave equation analysis	10-107
earth loads	3-21	α -Method	10-110
Piers	11-33	β -Method	10-111
barge collision force	3-140	λ -Method	10-112
collision walls	11-33	Pin-connected plates	
facing	11-33	packing	6-122
load effects in piers	11-33	pin plates	6-121
protection	2-5, 3-143, 11-33	proportions	6-121
reinforcement spacings	5-213	Pins	
scour	11-33		
seismic design	3-76, 5-208		

- holes 6-120, 6-121
- length..... 6-108
- location..... 6-107
- minimum size pin for eyebars 6-107
- resistance 6-107
- Pipes
 - flexibility factor..... 12-13
- Plank decks *See* Wood decks and deck systems
- Plastic
 - polyethylene pipes (PE) 12-9
 - polyvinyl chloride (PVC)..... 12-9
- Plastic moment..... 6-443
- Point bearing piles
 - on rock 10-99
- Poisson's Ratio
 - intact rock..... 10-29
- Polytetrafluorethylene sliding surfaces..... *See* PTFE sliding surfaces
- Portal and sway bracing
 - deck truss spans..... 6-352
 - through-truss spans..... 6-352
- Post-tensioned anchorage zones
 - anchorage and couplers 5-25
 - bursting forces..... 5-122
 - compressive stresses..... 5-121
 - design of local zones 5-116
 - design of the general zone..... 5-166
 - edge tension forces..... 5-123
 - limitations of application..... 5-119
- Pot bearings *See* Bearings
 - elastomeric disc..... 14-53
 - geometric requirements..... 14-51
 - materials..... 14-51
 - piston..... 14-55
 - pot 14-54
 - sealing rings 14-53
 - suitability..... 14-36
- Precast beams
 - concrete strength 5-221
 - detail design 5-221
 - extreme dimensions..... 5-220
 - lifting devices..... 5-221
 - preservice conditions..... 5-220
- Precast deck bridges
- Precast deck bridges
 - cast-in-place closure joints 5-220
 - design 5-219
 - longitudinal construction joints 5-219
 - longitudinally post-tensioned precast decks.. 9-15
 - post-tensioning 5-219
 - shear transfer joints 5-219
 - shear-flexure transfer joints..... 5-219
 - structural overlay..... 5-220
 - transversely joined precast decks 9-15
- Precast prestressed piles
 - concrete quality 5-266
 - pile dimensions 5-266
 - reinforcement 5-266
- Precast RC three-sided structures 12-93
- concrete..... 12-93
- concrete cover for reinforcement 12-93
- crack control 12-95
- deflection 12-95
- design..... 12-93
- footing design 12-95
- geometric properties 12-93
- materials 12-93
- minimum reinforcement 12-95
- reinforcement..... 12-93
- resistance factors..... 12-95
- scour 12-95
- shear transfer in joints..... 12-94
- span length..... 12-94
- structural backfill 12-95
- Precast reinforced piles
 - pile dimensions 5-265
 - reinforcing steel 5-265
- Prefabricated modular walls *See* Earth pressure
 - abutments..... 11-114
 - bearing resistance..... 11-112
 - drainage 11-115
 - dynamic load allowance 3-33
 - earth pressure..... 3-105
 - limitations 11-111
 - loading 11-111
 - module members..... 11-113
 - movement at the service limit state..... 11-111
 - overall stability 11-113
 - overturning..... 11-112
 - passive resistance and sliding 11-113
 - safety against soil failure 11-112
 - safety against structural failure 11-113
 - seismic design..... 11-114
 - sliding 11-112
 - subsurface erosion 11-113
- Preservative treatment for wood
 - fire retardant treatment 8-24
 - inspection and marking..... 8-24
 - requirement for treatment 8-23
 - treatment chemicals 8-23
- Prestressed concrete..... *See* Prestressing steel
 - buckling 5-125
 - concrete cover..... 9-14
 - construction load, formwork..... 9-13
 - crack control 5-125
 - design concrete strengths 5-125
 - eccentric prestressing..... 5-51
 - prestress losses 5-135
 - reinforcement limits..... 5-208
 - section properties 5-125
 - service stresses..... 5-130
 - stress limitations for prestressing steel 5-126
 - stresses due to imposed deformation 5-126
 - tendon confinement 5-153
 - tendons with angle points or curves..... 5-125
- Prestressing steel
 - concrete cover..... 9-14
 - corrosion protection..... 5-272, 5-277

materials	5-24	cellular and box bridges	4-80
modulus of elasticity	5-25	decks	4-73
stress at nominal flexural resistance	5-39	general.....	4-72
Pretensioned anchorage zones		suspension bridges	4-82
confinement reinforcement.....	5-153	truss bridges	4-80
factored bursting resistance	5-152	Reinforced concrete pipe	12-49
Probability of aberrancy		bearing resistance.....	12-64
approximate method	3-130	bedding factor	12-64
statistical method.....	3-130	circumferential reinforcement.....	12-57
Protective coatings	5-277	concrete cover	12-61
Provisional ducts and anchorages		construction and installation	12-68
bridges with internal ducts.....	5-247	crack width control	12-59
provision for future dead load or deflection		development of quadrant mat reinforcement.....	12-66
adjustment.....	5-247	direct design method	12-55
Provisions for structure types.....	5-238	flexural resistance	12-57
arches.....	5-259	indirect design method.....	12-64
beams and girders.....	5-220	live loads.....	12-54
segmental construction	5-234	loading	12-50
slab superstructures	5-216	loads and pressure distribution.....	12-55
PTFE sliding surfaces	14-44	maximum reinforcement without stirrups....	12-58
attachment	14-48	minimum reinforcement.....	12-58
coefficient of friction.....	14-47	pipe fluid weight	12-54
contact pressure	14-46	pipe ring analysis	12-57
dimples	14-44	process and material factors.....	12-57
filler	14-44	safety against structural failure	12-55
mating surface	14-45, 14-48	service limit state	12-54
minimum thickness.....	14-45	shear resistance	12-61, 12-62
PTFE surface.....	14-44	standard installations.....	12-50
stainless steel mating surfaces	14-46	stirrup anchorage.....	12-63
PVC pipes	See Plastic	stirrup embedment	12-64
Railing.....	See Bicycle	Reinforcement.....	See Spacing of reinforcement
railing, Combination railing, Pedestrian railing, and		anchorage	5-197, 5-198
Traffic railing		closed stirrups	5-198
Railing design		compression members.....	5-49
anchorages.....	13-17	corrosion protection	5-272
application of previously tested systems	13-8	crack control.....	5-58
approach railings	13-6	development length.....	5-193
end treatment.....	13-6	distribution, slabs	5-216
geometry.....	13-15	external tendon supports	5-163
height of traffic parapet or railing.....	13-9	footings	5-261
materials	13-4	hollow rectangular compression members....	5-183
new systems.....	13-9	hooks and bends.....	5-176
protection of users	2-5	limits	5-207, 5-267
test specimens.....	13-20	materials.....	5-23
Railroad		modulus of elasticity	5-24
rail transit load.....	3-32	posttensioned anchorage zones	5-163
rails, dead load weight.....	3-21	pretensioned anchorage zones.....	5-152
Rectangular stress block limitations		seismic requirements.....	5-208
approximate method	5-55	shrinkage and temperature	5-182
refined method.....	5-55	spacing of reinforcement.....	5-177
Redundancy.....	1-6	spacing, longitudinal reinforcement ...	5-60, 5-101,
Refined method	6-418	5-177, 5-178, 5-234	
nominal moment-rotation curves.....	6-420	spacing, transverse reinforcement	5-66, 5-179, 5-180,
Refined methods of analysis		5-207, 5-208, 5-215, 5-246, 5-266, 5-267	
arch bridges	4-80	special applications	5-24
beam-slab bridges.....	4-74	spirals and ties.....	5-53
cable-stayed bridges	4-81	tendon confinement.....	5-156

- transverse reinforcement .5-64, 5-65, 5-66, 5-179, 5-182
- Reinforcing steelSee Reinforcement
- Relieving slabs..... 12-38, 12-48
- Resistance factors 10-41
 - abutments, piers, and walls 11-14
 - aluminum geotechnical resistance of drilled shafts 10-51
 - buried structures..... 12-11
 - concrete structures..... 5-209
 - driven piles..... 10-48
 - geotechnical resistance of axially loaded micropiles 10-52
 - seismic zones 3 and 4..... 5-35
 - structural resistance of axially loaded micropiles 10-52
 - structures 7-8
 - wood structures 8-30
- Retaining walls ...See Abutments and retaining walls
- Rigid frame connections
 - webs 6-349
- Roadway
 - width 3-21, 13-12
- Roadway drainage
 - design storm 2-30
 - discharge from deck drains 2-31
 - drainage of structures 2-31
 - type, size, and number of drains..... 2-30
- Rock properties
 - analytic method 10-86
 - erodibility 10-29
 - informational needs..... 10-8
 - load test 10-86
 - mass deformation 10-27
 - mass strength..... 10-22
 - semiempirical procedures..... 10-86
 - sound barrier 15-9
- Rocker bearings
 - alignment..... 14-42
 - contact stresses..... 14-43
 - geometric requirements..... 14-43
 - suitability..... 14-36
- Roller bearings
 - alignment..... 14-42
 - contact stresses..... 14-43
 - geometric requirements..... 14-43
 - suitability..... 14-36
- Route location 2-3
 - waterway and floodplain crossings 2-3
- Sawn lumberSee Wood
 - base resistance..... 8-6
 - bracing..... 8-36
 - modulus of elasticity 8-6
 - moisture content..... 8-6
- Scour..... 10-52, 10-103, 11-33
- Sealing rings
 - rings with circular cross-sections 14-54
 - rings with rectangular cross-sections 14-54
- Section transitions..... 6-413
- Sectional design model
 - combined shear and torsion 5-80
 - determination of β and θ 5-73
 - longitudinal reinforcement..... 5-78
 - nominal shear resistance..... 5-70, 5-243
 - sections near supports 5-69
- Segmental bridge analysis 5-235
 - analysis of the final structural system..... 5-235
 - construction analysis..... 5-235
 - erection analysis 4-70
 - final structural system..... 4-70
 - longitudinal analysis 4-70
 - strut-and-tie models 4-69
 - transverse analysis 4-69
- Segmental bridge design
 - alternative construction methods 5-256
 - cantilever construction..... 5-253
 - construction loads 5-236, 5-237, 5-240
 - creep and shrinkage 5-241
 - deck joints..... 9-15
 - design..... 5-236
 - design details 5-255
 - design of construction equipment..... 5-256
 - details for cast-in-place construction 5-253
 - details for precast construction 5-251
 - effective flange width 4-69
 - force effects due to construction tolerances. 5-254
 - incrementally launched construction 5-254
 - loads..... 5-236
 - minimum flange thickness 5-248
 - minimum web thickness 5-249
 - overall cross-section dimensions 5-249
 - post-tensioning..... 5-248
 - prestress losses..... 5-242
 - provisional ducts and anchorages 5-246
 - seismic design..... 5-250
 - span-by-span construction 5-254
 - substructures 5-258
 - tensile stresses at joint locations 5-130, 5-132
 - thermal effects during construction 5-241
 - types of segmental bridges..... 5-251
- Segmental bridge substructures
 - construction load combinations 5-258
 - longitudinal pier reinforcement 5-259
- Seismic design
 - acceleration coefficient..... 3-67
- Seismic design
 - column connections 5-214
 - concrete columns 5-206, 5-208
 - confinement length 5-215
 - construction joints..... 5-214
 - elastomeric bearings 14-66
 - hold-down devices..... 3-83
 - importance categories 3-74
 - lateral load distribution 4-67
 - longitudinal restrainers 3-83
 - seismic performance zones 3-74
 - soil liquefaction 3-66
 - temporary bridges/stage construction 3-83

volumetric ratio for confinement.....	5-215	Shaft loads	
wall-type piers.....	5-213	determination of.....	10-134
Seismic loads		Shear and torsion	
combination of seismic force effects.....	3-76	aluminum.....	7-56
design forces.....	3-77	brackets.....	5-108
direction.....	3-76	concrete.....	5-60, 5-67, 5-70
orthogonal forces.....	3-76	corbels.....	5-108
response modification factors.....	3-75	interface shear transfer—shear friction.....	5-81
seismic zone 1.....	3-77	longitudinal reinforcement.....	5-81
seismic zone 2.....	3-79	prestressed concrete.....	5-70
seismic zones 3 and 4.....	3-79	reinforcement, seismic design.....	5-207
Seismic requirements		skewed bridges.....	4-52
minimum displacement requirements.....	4-96	slabs and footings.....	5-262
multispan bridges.....	4-89	steel.....	6-413
single-span bridges.....	4-88	torsional resistance.....	5-80
Seismic zone 1.....	3-77	transfer and development lengths.....	5-64
Seismic zone 2.....	3-79	transverse reinforcement.....	5-80
Seismic zones 3 and 4		Shear connectors.....	6-222
column and pile bent design forces.....	3-82	cover and penetration.....	6-225
foundation design forces.....	3-82	design force.....	9-4
inelastic hinging forces.....	3-80	fatigue resistance.....	6-226
modified design forces.....	3-80	nominal shear force.....	9-4
pier design forces.....	3-82	permanent load contraflexure.....	6-226
piers with two or more columns.....	3-81	pitch.....	6-223
single columns and piers.....	3-80	strength limit state.....	6-227
Service limit state.....	1-4, 9-5, 10-29, 10-41, 12-10	transverse spacing.....	6-225
abutments, piers, and walls.....	11-8	types.....	6-223
aluminum structures.....	7-8	Shear keys.....	See Keys
concrete structures.....	5-29, 5-35	Shear resistance	
construction load combinations.....	5-239	concrete.....	5-70
decks.....	9-29	concrete-encased shapes.....	6-314
elastomeric bearings.....	14-64	concrete-filled tubes.....	6-315
load combinations.....	3-8, 3-16	prestressed concrete.....	5-70
prestressing steel.....	5-126	steel.....	6-276
sound barrier.....	15-3	wood.....	8-32
wood structures.....	8-30	Ship collision force.....	See Vessel collision
Service limit state design		Shock transmission unit (STU).....	4-5, 4-96, 14-3, 14-42
micropiles.....	10-158	Short-slotted holes.....	6-320
piles.....	10-93	Shrinkage.....	5-20
spread footings.....	10-56	Sidewalk	
Serviceability		curb height.....	13-13
deformations.....	2-12	railing.....	13-5, 13-9, 13-10
durability.....	2-9	thickness of plank decks.....	9-30
inspectability.....	2-10	Skewed bridges	
maintainability.....	2-10	deck joints.....	14-15, 14-21
rideability.....	2-10	live load distribution.....	4-43, 4-49, 4-52
utilities.....	2-12	skewed decks.....	9-12, 9-32, 9-34
widening.....	2-16	Slabs.....	See Concrete slabs
Settlement.....	12-15	Slab bridges.....	5-293
force effects.....	3-125	Slab superstructures	
foundations.....	15-3	cast-in-place solid slab superstructures.....	5-216
group.....	10-138	cast-in-place voided slab superstructures.....	5-216
long-span structural plate structures.....	12-31	precast deck bridges.....	5-218
MSE walls.....	11-58	Slenderness effects	
single-drilled shaft.....	10-135	concrete.....	5-50
Settlement Analyses.....	10-56	ice load, piers.....	3-58
Shaft load tests.....	10-150	Slenderness ratios	

- aluminum 7-32
- steel 6-132
- Slip-critical connections..... 6-317
- Soil bearing resistance
 - plate load tests 10-85
 - two-layered soil system in drained loading. 10-84
 - two-layered soil system in undrained loading..... 10-82
- Soil liquefaction..... 4-11
- Soil properties
 - deformation 10-19
 - determination of soil properties..... 11-7, 12-6
 - drained strength of cohesive soils 10-17
 - drained strength of granular soils 10-17
 - envelope backfill soils..... 12-7
 - foundation soils 12-7
 - informational needs..... 10-8
 - laboratory tests 10-11
 - semiempirical procedures..... 10-84
 - sound barrier 15-9
 - strength..... 10-16
 - subsurface exploration 10-8
 - undrained strength of cohesive soils 10-16
 - unit weight 3-21
- Soil–structure interaction systems *See* Culverts
- Solid web arches 6-361
- Sound barriers
 - corrosion protection 15-10
 - definition 15-1
 - drainage..... 15-10
 - foundation design..... 15-8
 - functional requirements..... 15-2
 - ground-mounted..... 15-4
 - installation on existing bridges..... 15-5
 - limit states and resistance factors..... 15-3
 - movement and stability at the service limit state 15-10
 - seismic design 15-10
 - structure-mounted 15-4
 - vehicular collision forces 15-6
 - wind load..... 15-5
- Spacing of reinforcement
 - bundled bars 5-178
 - cast-in-place concrete..... 5-177
 - couplers in posttensioning tendons 5-156
 - curved posttensioning ducts 5-155
 - maximum spacing of prestressing tendons and ducts in slabs 5-148
 - maximum spacing of reinforcing bars..... 5-178
 - minimum spacing of reinforcing bars 5-177
 - multilayers..... 5-178
 - post-tensioning ducts not curved in the horizontal plane 5-155
 - precast concrete..... 5-178
 - pretensioning strand 5-147
 - splices..... 5-178
- Spike laminated decks
 - deck tie-downs 9-38
 - panel decks..... 9-39
- Splices..... *See* Bolted splices, Splices of bar reinforcement, and Splices of welded wire fabric
 - bar reinforcement..... 5-200
 - bolted splices 6-339
 - reinforcement, deck slabs 9-14
 - welded splices..... 6-348
 - welded wire fabric 5-204
- Splices of bar reinforcement..... *See* Lap splices
 - bars in compression 5-203
 - detailing 5-200
 - end-bearing splices 5-204
 - lap splices 5-200
 - lap splices in compression 5-203
 - lap splices in tension..... 5-202
 - mechanical connections 5-201
 - mechanical/welded splices in compression.. 5-204
 - mechanical/welded splices in tension 5-202
 - reinforcement in tension 5-202
 - tension tie members 5-203
 - welded splices..... 5-201
- Splices of welded wire fabric
 - deformed wire in tension 5-204
 - smooth wire in tension..... 5-204
- Spread footings..... 10-53
 - bearing depth 10-53
 - bearing resistance at the service limit state.. 10-70
 - bearing stress distributions..... 10-55
 - design of 10-33
 - effective footing dimensions..... 10-54
 - groundwater and 10-55
 - nearby structures and 10-56
 - safety against geotechnical failure at the strength limit state..... 15-10
 - service limit state design..... 10-56
 - settlement of footings on cohesionless soils 10-58
 - settlement of footings on cohesive soils 10-64
 - settlement on rock..... 10-69
 - tolerable movements 10-56
- SPT *See* Standard Penetration Test
- cohesionless soils..... 10-118
- St. Venant torsion
 - aluminum..... 7-52
- Standard Penetration Test..... 10-85
- Static analysis..... *See* Approximate methods of analysis, and Refined methods of analysis
 - analysis for temperature gradient..... 4-83
 - approximate methods..... 4-24
 - influence of plan geometry 4-18
 - moment redistribution..... 4-82
 - refined methods of analysis 4-72
 - stability 4-83
- Static load test 10-106
- Stay-in-place formwork..... *See* Concrete formwork
 - concrete formwork..... 9-14
 - deck overhangs 9-5
 - steel formwork 9-13
- Steel
 - spiral rib pipes 12-107

thickness of metal.....	6-317	web bend-buckling resistance	6-171
Steel box-section flexural members	6-241	wind effect on flanges	4-64
access and drainage	6-247	Steel I-section proportioning	
access holes	6-99, 6-247	flange proportions	6-182
bearings	6-246	web proportions	6-181
compact sections.....	6-261	Steel orthotropic decks.....	
constructibility.....	6-251	 See Decks and Orthotropic steel decks	
cross-section proportion limits	6-248	Steel piles.....	6-363
fatigue and fracture limit state.....	6-257	axial compression.....	6-365
flange-to-web connections.....	6-247	combined axial compression and flexure	6-365
flexural resistance of compression flange.....		compressive resistance.....	6-365
.....	6-264, 6-267	maximum permissible driving stresses	6-366
flexural resistance of tension	6-272	structural resistance.....	6-364, 10-126
flexural resistance of tension flange	6-266	Steel structures	
flexural resistance—negative flexure	6-264	closed voids.....	6-247
flexural resistance—positive flexure	6-261	Steel tension members	6-109
live load distribution factor	6-250	builtup members.....	6-120
noncompact sections.....	6-261	eyebars	6-120
painting	6-247, 6-251	limiting slenderness ratio	6-119
service limit state.....	6-256	net area	6-119
shear conn.....	6-273	pin-connected plates.....	6-121
shear resi.....	6-273	tensile resistance	6-110
strength limit state	6-259	Steel tunnel liner plate	
stress determinations	6-243	buckling	12-91
Steel dimension and detail requirements.....	6-79	construction stiffness	12-91
dead load camber.....	6-79	earth loads	12-90
diaphragms and cross-frames	6-84	grouting pressure.....	12-91
effective length of span	6-79	live loads	12-91
lateral bracing.....	6-102	loading	12-90
minimum thickness of steel	6-84	safety against structural failure	12-91
pins	6-107	Stiffened webs	
Steel I-girders.. See Steel I-section flexural members		end panels	6-222
Steel I-section flexural members.....	6-159	nominal resistance.....	6-220
compact sections.....	6-202	Stiffeners	
composite sections.....	6-161	timber decks.....	9-32, 9-39
composite sections in negative flexure and		Stirrups..... See Transverse reinforcement	
noncomposite.....	6-199	seam strength	12-91
composite sections in positive flexure.....	6-198	section properties	12-91
constructibility.....	6-184	wall area.....	12-91
cover plates.....	6-240	Stiffeners See Longitudinal stiffeners, and	
ductility requirement	6-206	Transverse intermediate stiffeners	
flange stresses and member bending moments.....		bearing stiffeners.....	6-233
.....	6-165	longitudinal stiffeners	6-236
flange-strength reduction factors	6-174	rigid frame connections.....	6-350
flexural resistance.....	6-202, 6-218	structural plate culverts	12-42
flowcharts for design	6-426	transverse intermediate stiffeners.....	6-230
hybrid sections.....	6-162	web stiffeners	6-275
net section fracture	6-170	Strength limit state	
noncompact sections.....	6-205	flexure	6-198, 6-259
noncomposite sections.....	6-162	shear connectors.....	6-202, 6-260
service limit state.....	6-191	steel structures.....	6-275, 6-315
shear connectors	6-222	Strength limit state design.....	10-139
steel I-section proportioning.....	6-181	micropiles.....	10-158
stiffeners	6-230	piles	10-98
stiffness.....	6-165	railing.....	13-5
strength limit state	6-196	spread footings	10-72
variable web depth members	6-163	Strength limit states	1-4, 10-32, 10-41, 12-10

- abutments, piers, and walls 11-8
- aluminum structures 7-8
- concrete structures 5-32, 5-36, 5-303
- drilled shafts 10-33, 10-49
- driven piles 10-33, 10-43
- micropiles 10-33
- modular bridge joint systems 14-28
- prestressing steel 5-127
- sound barrier 15-3
- spread footings 10-33, 10-43
- stability 5-34
- wood structures 8-30
- Stress laminated decks
 - *See* Decks, and Wood decks and deck systems
 - camber 8-37
 - deck tie-downs 9-34
 - holes in laminations 9-33
 - nailing 9-33
 - staggered butt joints 9-33
 - stressing 9-34
 - thermal expansion 9-31
- Stressing
 - corrosion protection 9-37
 - design requirements 9-36
 - prestressing materials 9-36
 - prestressing system 9-34
 - railings 9-37
- Structural material behavior
 - elastic behavior 4-12
 - elastic versus inelastic behavior 4-12
 - inelastic behavior 4-12
- Strut-and-tie model
 - crack control reinforcement 5-101
 - general zone 5-102, 5-303
 - nodes 5-104
 - struts 5-104
 - ties 5-105
- Stream pressure
 - lateral 3-44
 - longitudinal 3-43
- Strength limit state 9-6
 - load combinations 3-16
- Structural plate box structures 12-42
 - concrete relieving slabs 12-48
 - construction and installation 12-49
 - footing reactions 12-47
 - geometric requirements 12-44
 - loading 12-43
 - movements 12-44
 - plastic moment resistance 12-46
 - safety against structural failure 12-43
 - service limit state 12-43
 - soil cover factor 12-47
 - stiffeners 12-42
- Structure-Mounted Sound Barriers 15-4
- Substructures
 - design 5-294
 - frictional forces, launched girders 5-254
 - vessel collision 2-5
- Superimposed deformations
 - creep 3-125
 - differential shrinkage 3-125
 - settlement 3-125
 - temperature gradient 3-124
 - uniform temperature 3-121
- Superstructure design 5-292, 6-423
- Surcharge loads
 - live load surcharge 3-117
 - point, line and strip loads—restrained walls 3-110
 - reduction of surcharge 3-118
 - strip loads—flexible walls 3-114
 - uniform surcharge 3-110
- Temporary stresses before losses
 - compression stresses 5-127
 - tension stresses 5-128
- Tendon confinement
 - wobble effect in slabs 5-157
- Tensile resistance
 - aluminum 7-35
 - wood 8-34
- Tension flange yielding 6-409
- Tension members
 - concrete 5-58
 - wood 8-34
- Tension ties
 - anchorage of tie 5-97
 - proportioning of tension ties 5-97
 - strength of tie 5-97
- Thermal forces
 - temperature gradient 3-124
 - temperature zones 6-77, 14-58
 - uniform temperature 3-121
- Thermoplastic pipes 12-74
 - flexibility limit 12-14
- Through-girder spans 6-350
- Tie plates 6-120, 6-154
- Timber *See* Wood
- Timber floors *See* Wood decks and deck systems
- Timber piles *See* Wood piles
- Tire contact area 3-24
- Tolerable Movements and Movement Criteria 10-30
- Traffic lanes
 - width 3-21
- Traffic railing 13-5
 - design forces 13-17
 - railing design 13-8
 - railing system 13-5
 - test level selection criteria 13-6
- Traffic safety
 - geometric standards 2-5
 - protection of structures 2-4
 - protection of users 2-5
 - road surfaces 2-5
 - vessel collisions 2-5
- Transverse intermediate stiffeners
 - moment of inertia 6-231
 - projecting width 6-230
- Transverse reinforcement

compression members	5-179, 5-210, 5-214	Washers	6-108, 6-320
flexural members	5-182	Water loads	
piles	5-207, 5-266, 5-267	buoyancy	3-43
Trusses	6-350	drag coefficient	3-44
camber	6-351, 8-37	static pressure	3-43
diaphragms	6-102, 6-351	stream pressure	3-43
factored resistance	6-359	wave load	3-45
gusset plates	6-352	Wearing surface	
half through-trusses	6-358	chip seal	9-40
lateral bracing	6-106, 8-36	orthotropic decks	9-28
load distribution	4-52	plant mix asphalt	9-40
portal and sway bracing	6-352, 8-36	unit weight	3-21
secondary stresses	6-351	wood decks	9-39
splices	6-339	Web bend-buckling resistance	
working lines and gravity axes	6-351	webs with longitudinal stiffeners	6-173
Unfilled grid decks composite with reinforced		webs without longitudinal stiffeners	6-171
concrete slabs		Web crippling	
design	9-19	steel	6-453
fatigue limit state	9-20	Web local yielding	6-452
Uplift		Web plastification factors	
bearings	14-35	compact web sections	6-396
group resistance	10-153	noncompact web sections	6-398
ice loads	3-58	Web proportions	6-412
load test	10-153	webs with longitudinal stiffeners	6-182, 6-249
micropiles	10-157	webs without longitudinal stiffeners	6-181, 6-249
pile anchorage	5-207	Welded connections	
resistance of a single drilled shaft	10-152	effective area	6-335
resistance of pile groups	10-123	factored resistance	6-333
resistance of single piles	10-122	fillet weld end returns	6-336
spread footings	10-55	minimum effective length of fillet welds	6-336
Vehicular collision force	3-36	seal welds	6-336
protection of structures	3-36	size of fillet welds	6-335
vehicle and railway collision with structures.	3-43	Welded wire fabric	
Vehicular live load		bend diameter	5-177
multiple presence of live load	3-22	transverse reinforcement	5-65
number of design lanes	3-21	Welding	
Vertical wind pressure	3-56	procedures for aluminum	7-31
Vessel collision	3-126	requirements for aluminum	7-31
annual frequency of collapse	3-128	weld metal	6-333
barge bow damage length	3-141	Widening	
barge collision force on pier	3-140	exterior beams	2-16
damage at the extreme limit state	3-141	substructure	2-16
design collision velocity	3-135	Wind load	
design vessel	3-128	aeroelastic instability	3-56
impact force	3-142	horizontal wind pressure	3-45
impact force, substructure design	3-142	minimum wind velocity for erection	5-253
impact force, superstructure design	3-143	vertical wind pressure	3-56
importance categories	3-127	Wind pressure on structures	3-50
owner's responsibility	3-127	box sections	4-66
protection of substructures	3-143	construction	4-66
ship bow damage length	3-138	I-sections	4-64
ship collision force on pier	3-137	loads from superstructures	3-53
ship collision force on superstructure	3-139	substructure forces	3-54
ship collision with bow	3-139	Wind pressure on vehicles	3-55
ship collision with deck house	3-139	Wind-induced vibration	
ship collision with mast	3-139	design considerations	4-87
vessel collision energy	3-136	dynamic effects	4-87

wind velocities	4-87	stress laminated decks.....	9-32
Wood		thermal expansion.....	9-31
combined flexure and axial loading	8-35	wearing surfaces	9-31
compression	8-33	Wood piles.....	<i>See</i> Wood
flexure	8-31	modulus of elasticity.....	8-21
glued laminated timber.....	8-12	resistance	8-21
piles.....	8-21	structural resistance	10-126
sawn lumber	8-6	Yield moment	6-446
shear	8-32	Yield strength	
tension	8-34	composite columns	6-154
Wood decks and deck systems.....	9-30	fasteners, wood structures.....	8-21, 8-22
deck tie-downs	9-39	Yield strength	
deformation.....	9-31	prestressing steel.....	5-25
design requirements	9-30	reinforcing steel	5-23
load distribution	9-30	steel tunnel liner.....	12-92
plank decks.....	9-31, 9-39	transverse reinforcement.....	5-67, 5-210
shear design.....	9-30		
skewed decks.....	9-31		
spike laminated decks	9-31, 9-38		