

ACI 322M-10

(metric)

**Residential Code Requirements
for Structural Concrete (ACI 332M-10)
and Commentary**

An ACI Standard

Reported by ACI Committee 332



American Concrete Institute®



First Printing
August 2010

American Concrete Institute®
Advancing concrete knowledge

Residential Code Requirements for Structural Concrete and Commentary

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI. Proper use of this document includes periodically checking for errata at www.concrete.org/committees/errata.asp for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Order information: ACI documents are available in print, by download, on CD-ROM, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised *ACI Manual of Concrete Practice* (MCP).

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
U.S.A.

Phone: 248-848-3700
Fax: 248-848-3701

www.concrete.org

ISBN 978-0-87031-389-9

Residential Code Requirements for Structural Concrete (ACI 332M-10) and Commentary

An ACI Standard

Reported by ACI Committee 332

Morris Huffman
Chair

James R. Baty, II
Secretary

Gabriel Domingo Alcaraz
Brent D. Anderson
Robert B. Anderson
William L. Arent
Joseph S. Balik
Bob J. Banka
Robert T. Bartley
Claude J. Bergeron
Kenneth B. Bondy
Michael W. Cook
Barry A. Descheneaux

Kelvin L. Doerr
Nader R. Elhajj
Robert L. Henry
Barry Herbert
Geoffrey Hichborn, Sr.
Bret Houck
Scott R. Humphreys
Said Irvani
Raj K. Jalla
Kirby Justesen
Ashok M. Kakade

Tarek S. Khan
Richard S. Kinchen
Joseph Knarich
Lionel A. Lemay
Warren E. McPherson, Jr.
Brian D. Miller
Gary L. Mochizuki
T. George Muste
Anil K. Puri
D. C. A. Phillips

George J. Rhoads
James Rogers
J. Edward Sauter
Robert E. Sculthorpe
Donn C. Thompson
Christopher R. Tull
Michael H. Weber
Douglas C. Wittler
Kevin D. Wolf
Carla V. Yland

The “Residential Code Requirements for Structural Concrete” cover the design and construction of cast-in-place concrete for one- and two-family dwellings and multiple single-family dwellings (townhouses), and their accessory structures.

Among the subjects covered are the design and construction requirements for plain and reinforced concrete footings, foundation walls, and slabs-on-ground, and requirements for concrete, reinforcement, forms, and other related materials.

The quality and testing of materials discussed in this document are covered by reference to the appropriate ASTM standards.

The Code is written to allow for reference by adoption in a general building code without changing its language. Background details or suggestions for carrying out the requirements or intent of the Code are provided in the commentary. The commentary discusses some of the considerations of the committee in developing the Code with emphasis given to the explanation of provisions that may be unfamiliar to code users or where significant departure exists from other concrete codes. Commentary provisions begin with an “R,” such as “R.1.1.1,” and commentary text is shown in italics.

Relevant resource documents are cited for the user desiring more detail studies of individual issues.

Keywords: admixtures; aggregates; air entrainment; anchorage (structural); backfill; building codes; calcium chloride; cements; cold weather construction; compressive strength; concrete construction; concrete construction joints; concretes; contraction joints; cover; curing; flexural strength; floors; footings; formwork (construction); foundation walls; foundations; hot weather construction; inspection; loads (forces); materials; mixing; mixture proportioning; placing; plain concrete; reinforced concrete; reinforcing steels; residential; serviceability; specifications; slab-on-ground; slabs; sulfates exposure; strength; structural analysis; structural concrete; structural design; walls; water; welded wire reinforcement.

CONTENTS

Introduction, p. 2

Chapter 1—General, p. 3

- 1.1—Scope
- 1.2—Alternative systems
- 1.3—Footings and foundation walls
- 1.4—Drawings and specifications
- 1.5—Inspection

Chapter 2—Notation and definitions, p. 4

- 2.1—Notation
- 2.2—Definitions

Chapter 3—Referenced standards, p. 5

Chapter 4—Materials, p. 6

- 4.1—Concrete
- 4.2—Reinforcement
- 4.3—Formwork

ACI 332M-10 supersedes 332-08, became effective May 18, 2010, and was published August 2010.

Copyright © 2010, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

Chapter 5—Concrete requirements, p. 7

- 5.1—General requirements
- 5.2—Concrete properties
- 5.3—Concrete cover
- 5.4—Calcium chloride

Chapter 6—Concrete production and placement, p. 9

- 6.1—Concrete
- 6.2—Placement
- 6.3—Form removal
- 6.4—Finishing
- 6.5—Curing
- 6.6—Cold weather
- 6.7—Hot weather

Chapter 7—Footings, p. 10

- 7.1—General
- 7.2—Design
- 7.3—Construction

Chapter 8—Foundation walls, p. 13

- 8.1—General
- 8.2—Design
- 8.3—Construction

Chapter 9—Design for expansive soils, p. 16

- 9.1—General
- 9.2—Expansive soil classification
- 9.3—Design

Chapter 10—Slabs-on-ground, p. 17

- 10.1—Design
- 10.2—Support
- 10.3—Forms
- 10.4—Thickness
- 10.5—Joints
- 10.6—Reinforcement

Appendix A—Prescriptive tables for foundation walls, p. 18**Commentary references, p. 19****INTRODUCTION**

The commentary of ACI 332M-10 discusses some of the considerations of Committee 332 in developing the provisions contained in “Residential Code Requirements for Structural Concrete (ACI 332M-10),” hereinafter called the “Code.” Explanations of the departure of this Code from ACI 318M is emphasized. Comments on specific provisions are made under the corresponding chapter and section numbers of the Code.

The commentary is not intended to provide a complete historical background concerning the development of the Code, nor is it intended to provide a detailed résumé of the studies and research data reviewed by the committee in formulating the Code.

However, references to some research data are provided for those who wish to study the background material in depth. The Code is meant to be used as part of a legally

adopted building code and, as such, must differ in form and substance from documents that provide detailed specifications, recommended practice, or complete design procedures.

The Code is intended to cover all residential structures that fall within the scope of the International Residential Code (IRC). Requirements more stringent than the Code provisions may be desirable for large, complex or irregular structures, high-hazard areas, and other unusual construction. The Code and commentary cannot replace sound engineering knowledge, experience, and judgment.

A building code states only the minimum requirements necessary to provide for public health and safety. The Code is based on this principle. For any structure, the owner or the designer may require the quality of materials and construction to be higher than the minimum requirements necessary to protect the public as stated in the Code. However, lower standards are not permitted. The commentary directs attention to other documents that provide suggestions for carrying out the requirements and intent of the Code. However, those documents and the commentary are not a part of the Code.

The Code has no legal status unless adopted by government bodies having authority to regulate building design and construction. Where the Code has not been adopted, it may serve as a reference to good practice even though it has no legal status.

The Code provides a means of establishing minimum standards for acceptance of designs and construction by legally appointed building officials or their designated representatives. The Code and commentary are not intended for use in settling disputes between the owner, engineer, architect, contractor, or their agents, subcontractors, material suppliers, or testing agencies. Therefore, the Code cannot define the contract responsibility of each of the parties in construction. General references requiring compliance with the Code in the project specifications should be avoided because the contractor is rarely in a position to accept responsibility for design details or construction requirements that depend on detailed knowledge of the design. Design-build construction contractors, however, typically combine the design and construction responsibility. Generally, the drawings, specifications, and contract documents should contain all the necessary requirements to ensure compliance with the Code. In part, this can be accomplished by reference to specific Code sections in the project specifications. Other ACI publications, such as ACI 301M, are written specifically for use as contract documents for construction. Testing and certification programs should be provided for the individual parties involved with the execution of work performed in accordance with this Code.

ACI 332.1R is a companion document to the Code that provides practical information about the quality construction of residential concrete elements conforming to this Code. ACI 332.1R provides detailed information on systems for production, placement, finishing, and testing residential concrete along with considerations for such issues as insulation, hot and cold weather precautions, curing, and forming. ACI 332.1R does not provide any further mandatory requirements

but suggests ways of working within the scope of the Code to deliver the highest quality residential concrete.

CHAPTER 1—GENERAL

1.1—Scope

1.1.1 This Code, when legally adopted as part of a general building code, provides minimum requirements for design and construction of residential concrete elements. In areas without a legally adopted building code, this Code defines minimum acceptable standards of design and construction practice.

R1.1.1 *The user of this Code should consult the applicable general building code for all applied loads to determine the applicable values for design requirements. In the absence of a governing code, the user should consider the use of ASCE/SEI 7 to determine applicable loads.*

1.1.2 This Code supplements the general building code and governs matters pertaining to design and construction of cast-in-place concrete construction for one- and two-family dwellings and multiple single-family dwellings (townhouses), and their accessory structures, except wherever this Code conflicts with requirements in the legally adopted general building code.

1.1.3 Where this Code conflicts with requirements contained in other standards referenced in this Code, this Code shall govern.

R1.1.3 *The IRC references this Code. Where the design of an element is initiated with this Code from reference by the IRC, the entire design of the element must be completed using the provisions of this Code.*

1.1.4 This Code is limited to design and construction of concrete footings, including thickened slab footings, wall footings, and isolated footings; concrete basement or foundation walls constructed with removable forms or with flat insulating concrete forms; and concrete slabs-on-ground.

R1.1.4 *The design and construction requirements for footings, foundation walls, and slabs-on-ground are included in this Code, together with requirements for concrete, reinforcement, formwork, and other related materials.*

1.1.5 Where the scope of this Code and the scope of ACI 318M coincide, design in accordance with ACI 318M shall be permitted for all buildings and structures, and all parts thereof, within the scope of this Code.

1.1.6 This Code does not govern design and construction of insulating concrete form walls with a waffle or screen configuration, precast wall elements; above-grade concrete walls; deep foundation systems, such as piles, drilled piers, caissons; and elevated concrete slabs.

R1.1.6 *Provisions for application of precast wall elements are found in the International Residential Code (IRC) and other publications. The provisions for above-grade concrete walls are currently available in the 2009 IRC based on the PCA 100 Standard or directly found in the PCA 100 Standard.*

1.1.7 This Code does not govern the design and application of systems for surface drainage, waterproofing, dampproofing, and the ventilation of radon gases.

R1.1.7 *Guidance on the type and application of systems for drainage, waterproofing, dampproofing, and radon gas ventilation are commonly found in the general building code.*

1.1.8 When a building or structure contains elements that exceed the limits of this Code or otherwise do not conform to this Code, these elements shall be designed in accordance with ACI 318M.

1.1.9 Where permitted by the statutes of the jurisdiction where the project is to be constructed, construction documents for residences designed by the provisions of this Code need not be prepared by a Licensed Design Professional. Where required by the statutes of the jurisdiction where the project is to be constructed, a Licensed Design Professional shall prepare the construction documents for residences.

1.1.10 The Code is intended to state only minimum requirements necessary to provide for public health and safety for the design of residences that fall within the scope of the International Residential Code (IRC). The owner or the Licensed Design Professional may require the quality of materials and construction to be higher than the minimum requirements stated in the Code.

1.1.11 The Code is not intended to define contractual responsibilities between all the parties involved in a project, nor is the Code intended to settle disputes regarding contractual responsibilities.

1.1.12 The commentary text, tables, figures, or illustrations shall not be used to interpret the Code in a way that conflicts with the plain meaning of the Code text, or to create ambiguity within the Code that would not otherwise exist.

1.1.13 The English version in U.S. customary units is the official version of the Code. In case of conflict between the official version and versions with SI units or in different languages, the official version governs.

1.2—Alternative systems

Sponsors of any system of design or construction or an alternative material to be applied within the scope of this Code, the adequacy of which has been shown by successful use or by analysis or test, but which does not conform to or is not covered by this Code, shall have the right to present the data on which their design is based to the building official or to a board of examiners appointed by the building official. This board shall have authority to investigate the data so submitted, to require tests, and to formulate rules governing design and construction of such systems to meet the intent of this Code. These rules, if approved by the building official and promulgated, shall be of the same force and effect as the provisions of this Code.

R1.2 *New methods of design, new materials, and new uses of materials should undergo a period of development before being specifically covered in a code. Hence, good systems or components might be excluded from use by implication if means were not available to obtain acceptance. For systems considered under this section, specific tests, load factors, deflection limits, and other pertinent requirements should be set by the board of examiners, and should be consistent with the intent of this document.*