

An ACI Standard

Specification for Carbon and Glass Fiber- Reinforced Polymer Bar Materials for Concrete Reinforcement

Reported by ACI Committee 440

Reapproved 2017

ACI 440.6-08(17)



American Concrete Institute
Always advancing



Specification for Carbon and Glass Fiber-Reinforced Polymer Bar Materials for Concrete Reinforcement

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided "as is" without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, on CD-ROM, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised ACI Manual of Concrete Practice (MCP).

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
Phone: +1.248.848.3700
Fax: +1.248.848.3701

www.concrete.org

Specification for Carbon and Glass Fiber-Reinforced Polymer Bar Materials for Concrete Reinforcement

An ACI Standard

Reported by ACI Committee 440

	John P. Busel Chair	Carol K. Shield* Secretary	
Tarek Alkhrdaji	Russell Gentry	James G. Korff	Andrea Prota
Charles E. Bakis	Janos Gergely	Michael W. Lee	Hayder A. Rasheed
Lawrence C. Bank*	William J. Gold	Maria Lopez de Murphy	Sami H. Rizkalla
Abdeldjelil Belarbi	Nabil F. Grace	Ibrahim M. Mahfouz	Morris Schupack
Brahim Benmokrane	Mark F. Green	Orange S. Marshall	Rajan Sen
Luke A. Bisby	Zareh B. Gregorian	Amir Mirmir	Khaled A. Soudki
Gregg J. Blaszak	Doug D. Gremel*	Ayman S. Mosallan	Samuel A. Steere III*
Timothy E. Bradberry*	Shawn P. Gross	John J. Myers	Gamil S. Tadros
Gordon L. Brown Jr.	H. R. (Trey) Hamilton III	Antonio Tommi†	Jay A. Thomas
Vicki L. Brown	Issam E. Harik	Penelope Neale	Houssam A. Toutanji
Raafat El-Hacha	Kent A. Harries	John R. Newhook	J. Gustavo Tumialan
Garth J. Fallis*	Mark P. Henderson*	Ayman M. Okeil	Milan Vatovec
Amir Z. Fam	Bohdan N. Horeczko	Carlos E. Ospina*	Stephanie L. Walkup
Edward R. Fyfe	Vistasp M. Karbhari	Max L. Porter	David White

*Contributing authors.

†Task group Chair.

The committee also thanks Nick Carino, Bernard Drouin, Jack Lesko, and Renato Parretti for their contributions.

This Material Specification covers provisions governing testing, evaluation, and acceptance of carbon and glass fiber-reinforced polymer (FRP) bars used as reinforcement for concrete.

Keywords: carbon fiber; concrete; concrete construction; FRP reinforced concrete; fiber-reinforced polymer reinforcement; glass fiber; specification.

CONTENTS

Section 1—Scope, p. 440.6-2

Section 2—Referenced documents, p. 440.6-2

Section 3—Terminology, p. 440.6-2

Section 4—Classification, p. 440.6-2

Section 5—Ordering information, p. 440.6-3

Section 6—Materials and manufacture, p. 440.6-3

Sections 7—Physical properties, p. 440.6-3

Section 8—Mechanical properties, p. 440.6-4

Section 9—Durability properties, p. 440.6-4

Section 10—Other requirements, p. 440.6-5

Section 11—Sampling, p. 440.6-5

Section 12—Rejection, p. 440.6-5

Section 13—Product certification, p. 440.6-5

Section 14—Markings, p. 440.6-6

ACI 440.6-08 was adopted April 30, 2008, and published June 2008.
Copyright © 2008, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

SECTION 1—SCOPE

1.1 This specification describes permitted constituent materials, limits on constituent volumes, and minimum performance requirements for carbon and glass fiber-reinforced polymer (FRP) bars to be used as reinforcement for nonprestressed concrete.

1.2 Only carbon and glass FRP bars are covered by this specification.

1.3 FRP bars made of more than one fiber type (hybrid FRP) are not covered by this specification.

1.4 Pultruded FRP bars with no external surface enhancement (that is, plain or smooth bars) to facilitate bond with concrete are not covered by this specification. Similarly, hollow FRP bars are not considered due to lack of documented performance as reinforcement for concrete.

1.5 Plain FRP bars used as dowels (that is, devices that transfer shear across concrete joints) where the intended function requires slip of the dowel are not covered by this specification.

1.6 This specification does not cover premanufactured grids and gratings made with FRP materials. FRP mats resulting from assembly of deformed FRP bars, however, are covered by this document.

1.7 This specification does not cover FRP bars when used for external and near-surface-mounted strengthening applications.

1.8 The text of this specification references notes and footnotes that provide explanatory material. These notes and footnotes (excluding those in tables and figures) shall not be considered as requirements of the specification.

SECTION 2—REFERENCED DOCUMENTS

2.1—ASTM standards

A615/A615M-08a	Standard Specification for Deformed and Plain Carbon-Steel Bars for Concrete Reinforcement
C904-01(2006)	Standard Terminology Relating to Chemical-Resistant Nonmetallic Materials
D570-98(2005)	Standard Test Method for Water Absorption of Plastics
D2584-02	Standard Test Method for Ignition Loss of Cured Reinforced Resins
D3171-06	Standard Test Methods for Constituent Content of Composite Materials
D4475-02(2008)	Standard Test Method for Apparent Horizontal Shear Strength of Pultruded Reinforced Plastic Rods by the Short-Lam Method
D5117-03	Standard Test Method for Dye Penetration of Solid Fiberglass Reinforced Pultruded Stock
D5229M-92(2004)	Standard Test Method for Moisture Absorption Properties and Equilibrium Conditioning of Polymer Matrix Composite Materials
D7205/ D7205M-06	Standard Test Method for Tensile Properties of Fiber Reinforced Polymer Matrix Composite Bars

E1356-03	Standard Test Method for Assignment of the Glass Transition Temperatures by Differential Scanning Calorimetry
E1640-04	Standard Test Method for Assignment of the Glass Transition Temperature by Dynamic Mechanical Analysis

2.2—ACI report

The following test methods from ACI 440.3R,* “Guide Test Methods for Fiber-Reinforced Polymers (FRPs) for Reinforcing or Strengthening Concrete Structures,” are referenced. Because these test methods are not written in mandatory language, purchaser and manufacturer shall agree on the protocols to be used.

B.3	Test method for bond strength of FRP bars by pullout testing
B.4	Test method for transverse shear strength of FRP bars
B.5	Test method for strength of FRP bent bars and stirrups at bend locations
B.6	Accelerated test method for alkali resistance of FRP bars
B.12	Test method for determining the effect of corner radius on tensile strength of FRP bars

SECTION 3—TERMINOLOGY

3.1—Definitions

For definitions of terms used in this specification, refer to ASTM C904.

3.2—Definitions of terms specific to this specification

commercial-grade material—a material formulated for and used in industrial (not consumer) applications.

production lot—any lot of FRP bar produced from start to finish with the same constituent materials used in the same proportions without changing any production parameter, such as cure temperature or line speed.

property, guaranteed—a characteristic value provided by the manufacturer no greater than the mean minus three standard deviations of at least the required number of samples tested according to a specified test method. This definition is applicable to tensile strength, shear strength (perpendicular to the bar), bond strength, and strength of bent bars.

property, nominal—a value provided by the manufacturer no greater than the mean of at least the required number of samples tested according to a specified method. This definition is applicable to tensile elastic modulus, moisture absorption, and resistance to alkaline environment.

SECTION 4—CLASSIFICATION

4.1 FRP bars shall be classified according to fiber composition with the first letter of the acronym designating fiber type as follows:

- CFRP: carbon fiber-reinforced polymer bar
- GFRP: glass fiber-reinforced polymer bar

*ACI Committee 440, 2004, “Guide Test Methods for Fiber-Reinforced Polymers (FRPs) for Reinforcing or Strengthening Concrete Structures (ACI 440.3R-04),” American Concrete Institute, Farmington Hills, MI, 40 pp.