

An ACI Standard

Code Requirements for
Assessment, Repair, and
Rehabilitation of Existing
Concrete Structures
(ACI 562-19) and
Commentary

Reported by ACI Committee 562

ACI 562-19



American Concrete Institute
Always advancing



Code Requirements for Assessment, Repair, and Rehabilitation of Existing Concrete Structures and Commentary

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information. ACI documents are available in print, by download, through electronic subscription, or reprint, and may be obtained by contacting ACI.

ACI codes, specifications, and practices are made available in the ACI Collection of Concrete Codes, Specifications, and Practices. The online subscription to the ACI Collection is always updated, and includes current and historical versions of ACI's codes and specifications (in both inch-pound and SI units) plus new titles as they are published. The ACI Collection is also available as an eight-volume set of books and a USB drive.

American Concrete Institute
3800 Country Club Drive
Farmington Hills, MI 48331
Phone: +1.248.848.3700
Fax: +1.248.848.3701

Code Requirements for Assessment, Repair, and Rehabilitation of Existing Concrete Structures (ACI 562-19) and Commentary

An ACI Standard

Reported by ACI Committee 562

Keith E. Kesner, Chair

Kevin Conroy, Secretary

VOTING MEMBERS

Tarek Alkhrdaji
F. Michael Bartlett
Randal M. Beard
Eric L. Edelson
Garth J. Fallis
Paul E. Gaudette
Susan Isble

Gaur Johnson
Lawrence F. Kahn
Carl J. Larosche
Ming Liu
John S. Lund
Marjorie M. Lynch
Antonio Nanni

Guillermo Alberto Riveros
Constadino Sirakis
Kyle D. Stanish
Gene R. Stevens
J. Gustavo Tumialan
David W. Whitmore

CONSULTING MEMBERS

James Peter Barlow
Peter Emmons

Fred R. Condon
Paul L. Kenney

Tracy D. Marcotte
Jay H. Paul

SUBCOMMITTEE MEMBERS

Jared Brewe
Jeremiah D. Fasl
Kip Gatto

Anton Gueorguiev
Patrick D. Martin
Timothy M. Montgomery

Jose Pacheco

ACI 562-19, "Code Requirements for Assessment, Repair and Rehabilitation of Existing Concrete Structures," was developed to provide design professionals a code for the assessment of the damage and deterioration, and the design of appropriate repair and rehabilitation strategies. The code provides minimum requirements for assessment, repair, and rehabilitation of existing structural concrete buildings, members, systems and where applicable, nonbuilding structures. ACI 562-19 was specifically developed to work with the International Existing Building Code (IEBC) or to be adopted as a stand-alone code.

Keywords: assessment; bond; corrosion; damage; durability; evaluation; existing structure; fiber-reinforced polymer (FRP); interface bond; licensed design professional; maintenance; rehabilitation; reliability; repair; strengthening.

CONTENTS

PREFACE, p. 3

CHAPTER 1—GENERAL REQUIREMENTS, p. 5

- 1.1—General, p. 5
- 1.2—Criteria for the assessment and design of repair and rehabilitation of existing concrete structures, p. 6
- 1.3—Applicability of this code, p. 8
- 1.4—Administration, p. 10
- 1.5—Responsibilities of the licensed design professional, p. 11
- 1.6—Construction documents, p. 13
- 1.7—Preliminary assessment, p. 13

ACI 562-19 (SI unit version) supersedes ACI 562M-16, was adopted July 3, 2019, and was published August 2019.

Copyright © 2019, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

CHAPTER 2—NOTATION AND DEFINITIONS, p. 16

- 2.1—Notation, p. 16
- 2.2—Definitions, p. 17

CHAPTER 3—REFERENCED STANDARDS, p. 24**CHAPTER 4—CRITERIA WHEN USING THIS CODE WITH THE INTERNATIONAL EXISTING BUILDING CODE (IEBC), p. 26**

- 4.1—General, p. 26
- 4.2—Compliance method, p. 28
- 4.3—Potentially dangerous structural conditions, p. 28
- 4.4—Substantial structural damage, p. 29
- 4.5—Conditions of deterioration, faulty construction, or damage less than substantial structural damage with strengthening, p. 29
- 4.6—Conditions of deterioration, faulty construction, or damage less than substantial structural damage without strengthening, p. 31
- 4.7—Additions, p. 32
- 4.8—Alterations, p. 32
- 4.9—Change of occupancy, p. 32

CHAPTER 5—LOADS, FACTORED LOAD COMBINATIONS, AND STRENGTH REDUCTION FACTORS, p. 33

- 5.1—General, p. 33
- 5.2—Load factors and load combinations, p. 33
- 5.3—Strength reduction factors for rehabilitation design, p. 34
- 5.4—Strength reduction factors for assessment, p. 34
- 5.5—Additional load combinations for structures rehabilitated with external reinforcing systems, p. 35

CHAPTER 6—ASSESSMENT, EVALUATION, AND ANALYSIS, p. 38

- 6.1—Structural assessment, p. 38
- 6.2—Investigation and structural evaluation, p. 38
- 6.3—Material properties, p. 39
- 6.4—Test methods to quantify material and member properties, p. 41
- 6.5—Structural analysis of existing structures, p. 45
- 6.6—Structural serviceability, p. 46
- 6.7—Structural analysis for repair design, p. 46
- 6.8—Strength evaluation by load testing, p. 47

CHAPTER 7—DESIGN OF STRUCTURAL REPAIRS, p. 49

- 7.1—General, p. 49
- 7.2—Strength and serviceability, p. 49
- 7.3—Behavior of repaired systems, p. 49
- 7.4—Interface bond of cementitious repair materials, p. 50

- 7.5—Materials, p. 53
- 7.6—Design and detailing considerations, p. 54
- 7.7—Repair using supplemental post-tensioning, p. 58
- 7.8—Repair using fiber-reinforced polymer (FRP) composites, p. 59
- 7.9—Performance under fire and elevated temperatures, p. 60

CHAPTER 8—DURABILITY, p. 63

- 8.1—General, p. 63
- 8.2—Cover, p. 65
- 8.3—Cracks, p. 66
- 8.4—Corrosion and deterioration of reinforcement and metallic embedments, p. 67
- 8.5—Surface treatments and coatings, p. 69

CHAPTER 9—CONSTRUCTION, p. 70

- 9.1—General, p. 70
- 9.2—Stability and temporary shoring requirements, p. 70
- 9.3—Temporary conditions, p. 72
- 9.4—Environmental issues, p. 72

CHAPTER 10—QUALITY ASSURANCE, p. 73

- 10.1—General, p. 73
- 10.2—Inspection, p. 73
- 10.3—Testing of repair materials, p. 75
- 10.4—Construction observations, p. 76

CHAPTER 11—COMMENTARY REFERENCES, p. 77

- Author's documents, p. 82

APPENDIX A—CRITERIA AS A STAND-ALONE CODE, p. 85

- A.1—General, p. 85
- A.2—Design-basis code criteria, p. 85
- A.3—Potentially dangerous structural conditions, p. 87
- A.4—Substantial structural damage, p. 88
- A.5—Conditions of deterioration, faulty construction, or damage less than substantial structural damage with strengthening, p. 89
- A.6—Conditions of deterioration, faulty construction, or damage less than substantial structural damage without strengthening, p. 92
- A.7—Additions, p. 92
- A.8—Alterations, p. 92
- A.9—Change of occupancy, p. 93

Key changes from ACI 562-16 to ACI 562-19: Summary of revisions, p. 94

- Major revisions, p. 94
- Minor revisions, p. 94

PREFACE

This code provides minimum requirements for assessment, repair, and rehabilitation of existing structural concrete buildings, members, systems and where applicable, nonbuilding structures. This code was developed by an ANSI-approved consensus process. This code can supplement the International Existing Building Code (IEBC), supplement the code governing existing structures of an authority having jurisdiction, or act as a stand-alone code in a locality that has not adopted an existing-building code. When this code is adopted as a stand-alone code, **Appendix A** should be used in place of **Chapter 4**.

The Code is specifically written for use by a licensed design professional. This code provides minimum requirements for assessment, design and construction, or implementation of repairs and rehabilitation, including quality assurance requirements, for structural concrete in service. This code has no legal status unless it is adopted by the authority having jurisdiction. Where the code has not been adopted, it serves as a standard to provide minimum requirements for assessment, and design and construction of repair and rehabilitation of existing structural concrete. **ACI 318** provides minimum requirements for the materials, design, and detailing of structural concrete buildings and, where applicable, nonbuilding structures, and for new construction within existing structures where noted herein.

Key changes from ACI 562-16 to ACI 562-19 include:

- (a) Text was added to simplify use of new materials that have the equivalent of an ICC-ES evaluation report in **Chapter 1**.
- (b) The requirements for the basis of design report were simplified in **Chapter 1**.
- (c) Requirements related to detailing of existing reinforcing steel in **Chapter 4** have been clarified.
- (d) The commentary in **Chapter 8** was updated to include a listing of exposure categories that may affect durability.

THIS PAGE INTENTIONALLY LEFT BLANK.

Currently in preview, click buy full version



CODE

COMMENTARY

CHAPTER 1—GENERAL REQUIREMENTS

R1—GENERAL REQUIREMENTS

1.1—General

1.1.1 ACI 562, “Code Requirements for Assessment, Repair, and Rehabilitation of Existing Concrete Structures,” is hereafter referred to as “this Code.”

1.1.2 Scope—This code shall apply to assessment, repair, and rehabilitation of existing concrete structures as:

1. A code supplementing the International Existing Building Code (IEBC)
2. As part of a locally adopted code governing existing buildings or structures
3. Or as a stand-alone code for existing concrete structures

1.1.3 The intent of this Code is to safeguard the public by providing minimum structural requirements for existing structural concrete members, systems, and buildings.

1.1.4 All references in this code to the licensed design professional shall be understood to mean persons who possess the knowledge, judgment, and skills to interpret and properly use this code and are licensed in the jurisdiction where this code is being used. The licensed design professional for the project is responsible for, and in charge of, the assessment or rehabilitation design, or both.

R1.1—General

R1.1.2 This code defines assessment, design, construction and durability requirements for repair and rehabilitation of existing concrete structures. Throughout this code, the term “structure” means an existing building, member, system, and, where applicable, nonbuilding structures where the construction is concrete or mixed construction with concrete and other materials.

Chapter 4 provides assessment, repair, and rehabilitation criteria if this code is used as a supplement to the International Existing Building Code (IEBC) for concrete members and systems.

Appendix A provides assessment, repair, and rehabilitation criteria when this code is adopted, including Appendix A, as a stand-alone code for repair of existing concrete structures.

R1.1.3 The intent of this code is to address the safety of existing structures through assessment requirements that demonstrate an approximation of the structural reliability using demand-capacity ratio limits of Chapter 4 or Appendix A and, if necessary as determined by the assessment, increase the structural capacity by repair or rehabilitation.

Unless prohibited by the authority having jurisdiction, if an existing structure is shown to be potentially dangerous in accordance with **4.3** or **A.3**, the structure should be rehabilitated using **4.3** or **A.3**.

Using the demand-capacity ratio limits of **4.5.1** or **A.5.1**, repair of the existing structural concrete to its predeteriorated state is permitted based on material properties specified in the original construction (per **Chapter 6**), and substantiated engineering principles of the original design. Where requirements of the original building code are appreciably changed in the current building code, the licensed design professional may consider using **4.5.2** or **A.5.2**.

Beyond the restoration assessment requirements of **4.5.1** and **4.5.3** or **A.5.1** and **A.5.3**, the structural reliability principles of **4.5.2** or **A.5.2** are permitted. These alternative requirements provide acceptable safety if the current building code demand exceeds the original building code demand or if the regulations of the original building code provide an unacceptable level of structural reliability.

CODE

1.1.5 The requirements of this code are provided using strength design provisions for demands and capacities, unless otherwise noted.

1.2—Criteria for the assessment and design of repair and rehabilitation of existing concrete structures

1.2.1 The “existing building code” refers to the code adopted by a jurisdiction that regulates existing buildings or structures.

1.2.2 The “current building code” refers to the general building code adopted by a jurisdiction that regulates new building design and construction.

1.2.3 The “original building code” refers to the general building code applied by the authority having jurisdiction to the structure in question at the time the existing structure was permitted for construction.

COMMENTARY

R1.1.5 When this code permits the original building code regulations to be used and that code uses allowable stress design, the following should be considered: those provisions should be substituted for strength design as noted in **4.5.3** or **A.5.3**; the licensed design professional is not required to use, but should consider using strength design provisions of this code as a check in the assessment of existing structures originally designed with allowable stress methods.

R1.2—Criteria for the assessment and design of repair and rehabilitation of existing concrete structures

R1.2.1 The code governing existing buildings in the United States is commonly the **IEBC** developed by the International Code Council (ICC). The IEBC provides regulations for evaluations of damage and the limit for damage to be repaired using the original building code.

R1.2.2 The current building code establishes the design and construction regulations for new construction. Strength design regulations of the current building code include:

- (a) Required strengths computed using combinations of factored loads (strength design demands)
- (b) Design strengths (capacities) based on testing of materials, members, and systems
- (c) Analytical methods used to calculate member and system capacity
- (d) Strength reduction factors, which have been established to be consistent with reliability indices used with the strength design demands

The load factors and strength reduction factors in the current building code are obtained through rational design code calibration procedures to achieve the targeted reliability indices which produce historically acceptable structural safety for new structures. The targeted reliability indices are generally based on past structural behavior, engineering experiences, costs and consequences of loss, among other criteria. The resulting demand-capacity ratios for new structures provide the limits that are not to be exceeded if designing new construction, but these demand-capacity ratio limits need not to be the same as those for existing structures as noted in sections **4.5.2** and **A.5.2**.

The general building code in the United States is usually based on the International Building Code (**IBC**) published by the ICC. Prior to 2015, Chapter 34 of the IBC included provisions for existing structures. For the design and construction of new concrete structures, the IBC and most other older general building codes often reference **ACI 318**, Building Code Requirements for Structural Concrete and Commentary, with exceptions and additions.

R1.2.3 This definition of “original building code” is consistent with the building code in effect at the time of original permitted construction per the IEBC. In assessing existing structures, the licensed design professional may need to consider changes in the codes enforced by the local authority