

An ACI Standard

Seismic Evaluation and Retrofit of Existing Concrete Buildings—Code and Commentary

Reported by ACI Committee 369

ACI CODE-369.1-22



American Concrete Institute
Always advancing



Seismic Evaluation and Retrofit of Existing Concrete Buildings— Code and Commentary

Copyright by the American Concrete Institute, Farmington Hills, MI. All rights reserved. This material may not be reproduced or copied, in whole or part, in any printed, mechanical, electronic, film, or other distribution and storage media, without the written consent of ACI.

The technical committees responsible for ACI committee reports and standards strive to avoid ambiguities, omissions, and errors in these documents. In spite of these efforts, the users of ACI documents occasionally find information or requirements that may be subject to more than one interpretation or may be incomplete or incorrect. Users who have suggestions for the improvement of ACI documents are requested to contact ACI via the errata website at <http://concrete.org/Publications/DocumentErrata.aspx>. Proper use of this document includes periodically checking for errata for the most up-to-date revisions.

ACI committee documents are intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations and who will accept responsibility for the application of the material it contains. Individuals who use this publication in any way assume all risk and accept total responsibility for the application and use of this information.

All information in this publication is provided “as is” without warranty of any kind, either express or implied, including but not limited to, the implied warranties of merchantability, fitness for a particular purpose or non-infringement.

ACI and its members disclaim liability for damages of any kind, including any special, indirect, incidental, or consequential damages, including without limitation, lost revenues or lost profits, which may result from the use of this publication.

It is the responsibility of the user of this document to establish health and safety practices appropriate to the specific circumstances involved with its use. ACI does not make any representations with regard to health and safety issues and the use of this document. The user must determine the applicability of all regulatory limitations before applying the document and must comply with all applicable laws and regulations, including but not limited to, United States Occupational Safety and Health Administration (OSHA) health and safety standards.

Participation by governmental representatives in the work of the American Concrete Institute and in the development of Institute standards does not constitute governmental endorsement of ACI or the standards that it develops.

Order information: ACI documents are available in print, by download, through electronic subscription, or reprint and may be obtained by contacting ACI.

Most ACI standards and committee reports are gathered together in the annually revised the ACI Collection of Concrete Codes, Specifications, and Practices.

American Concrete Institute
38800 Country Club Drive
Farmington Hills, MI 48331
Phone: +1.248.848.3700
Fax: +1.248.848.3701

www.concrete.org

ACI CODE-369.1-22 (SI Units)

Seismic Evaluation and Retrofit of Existing Concrete Buildings—Code and Commentary

Reported by ACI Committee 369

Adolfo B. Matamoros, Chair

Siamak Sattar, Secretary

Sergio M. Alcocer
Anna C. Birely
Sergio F. Brena
Jeffrey J. Dragovich
Kenneth J. Elwood
Saeed Fathali
Wassim M. Ghannoum
Garrett R. Hagen

Arne Halterman
Wael Mohammed Hassan
Matias Hube
Brian E. Kehoe
Insung Kim
Laura N. Lowes
Steven L. McCabe
Conrad Paulson

João A. Pinheiro
Hayder A. Rasheed
Mario E. Rodriguez
Halil Sezen
Roberto Stark
Nancy Larson Varney
John W. Wallace

Consulting Members

David Bonowitz
Charles J. Hookham
Shyh-Jiann Hwang

Jose M. Izquierdo-Encarnación
Regan Milan
Andrew D. M. Sheikh

Jack P. Moehle
Robert G. Pekelnicky
Raj Valluvan

This code provides retrofit and rehabilitation criteria for reinforced concrete buildings based on results from the most recent research on the seismic performance of existing concrete buildings. The intent of this code is to provide provisions related to concrete material and concrete members, including material testing criteria, modeling parameters, and acceptance criteria for use within the ASCE 41 framework, similar to how the National Earthquake Hazards Reduction Program (NEHRP) Recommended Seismic Provisions produced by the Federal Emergency Management Agency (FEMA) (FEMA 450) have served as source documents for the International Building Code (IBC) and its predecessor building codes. Starting in the 2023 edition, ASCE 41 references ACI 369.1 directly for concrete-related provisions. Chapter and section numbers of ASCE 41 cited in ACI 369.1 correspond to ASCE 41-17 unless otherwise noted.

This code should be used in conjunction with Chapters 1 through 8 of ASCE 41-17 and applicable sections of the ACI 318-19 Building Code. Chapter 1 of ASCE 41 provides general requirements for evaluation and retrofit, including the selection of performance objectives and retrofit strategies. Chapter 2 of ASCE 41 defines performance objectives and seismic hazards. Chapter 3 of ASCE 41 provides requirements for evaluation and retrofit, including treating as-built information and selecting appropriate screening procedures. Chapter 4 of ASCE 41 summarizes Tier 1 screening procedures, while Chapters 5 and 6 summarize Tier 2 deficiency-based procedures and Tier 3 systematic procedures for evaluation and retrofit, respectively. Chapter 7 of ASCE 41 details analysis procedures referenced in ACI 369.1, including linear and nonlinear analysis procedures, acceptance criteria, and alternative methods for determining modeling parameters and acceptance criteria. Chapter 8 of ASCE 41 provides geotechnical engineering provisions for building foundations and assessment of seismic-geologic site hazards. References to these chapters can be found throughout the standard. The design professional is referred to FEMA 547 for detailed information on seismic rehabilitation measures for concrete buildings. Repair techniques for earthquake-damaged concrete components are not included in ACI 369.1. The licensed design professional is referred to ACI 562, FEMA 306,

The Commentary is intended for the use of individuals who are competent to evaluate the significance and limitations of its content and recommendations, and who will accept responsibility for the application of the information it contains. ACI disclaims any and all responsibility for the stated principles. The Institute shall not be liable for any loss or damage arising therefrom. Reference to the Commentary shall not be made in construction documents. If items found in the Commentary are desired by the licensed design professional to be a part of the contract documents, they shall be restated in mandatory language for incorporation by the licensed design professional.

ACI CODE-369.1-22 (SI Units) supersedes ACI 369.1M-17 and was adopted and published in April 2023.

Copyright © 2023, American Concrete Institute.

All rights reserved including rights of reproduction and use in any form or by any means, including the making of copies by any photo process, or by electronic or mechanical device, printed, written, or oral, or recording for sound or visual reproduction or for use in any knowledge or retrieval system or device, unless permission in writing is obtained from the copyright proprietors.

FEMA 307, and FEMA 308 for information on evaluation and repair of damaged concrete wall components.

This code does not provide modeling procedures, acceptance criteria, or rehabilitation measures for concrete-encased steel composite components.

Keywords: acceptance criteria; building; deformation-controlled; dynamic analysis; earthquake; force-controlled; modeling parameters; nonlinear analysis; retrofit; seismic evaluation, seismic assessment; structural evaluation.

INTRODUCTION

Earthquake reconnaissance has clearly demonstrated that concrete buildings designed before the introduction of seismic design codes in the 1980s are more vulnerable to severe damage or collapse when subjected to strong ground motion than concrete buildings built after that period. Seismic rehabilitation of existing buildings where new components are added or existing components are modified or retrofitted with new materials, or both, can be used to mitigate the risk to damage in future earthquakes. Seismic rehabilitation is encouraged not only to reduce the risk of damage and injury

in future earthquakes but also to extend the life of existing buildings and reduce the need for new construction in the promotion of sustainability objectives.

This code is intended to cover all buildings of the usual types, both large and small. Requirements more stringent than the code provisions may be desirable for unusual construction. It is not possible to codify all problems encountered in the process of performing the seismic evaluation and retrofit of reinforced concrete buildings, nor is the intent of this code to do so. This code provides a basic framework for modeling and evaluation of structures that reflects the latest information available from researchers and practicing engineers enabling seismic evaluation and retrofit to be performed with a consistent set of criteria. Many provisions in this code rely on the use of sound engineering judgment for their implementation. The code and commentary cannot replace sound engineering knowledge, experience, and judgment. The commentary of this code provides references that describe in detail the implementation of methodologies adopted in the standard.

CONTENTS

INTRODUCTION, p. 2**CHAPTER 1—GENERAL, p. 5**

1.1—Scope, p. 5

CHAPTER 2—MATERIAL PROPERTIES AND CONDITION ASSESSMENT, p. 6

2.1—General, p. 6

2.2—Properties of in-place materials and components, p. 7

2.3—Condition assessment, p. 15

2.4—Knowledge factor, p. 17

2.5—Properties of new materials, p. 18

CHAPTER 3—GENERAL ASSUMPTIONS AND REQUIREMENTS, p. 19

3.1—Modeling and design, p. 19

3.2—Strength and deformability, p. 29

3.3—Flexure and axial loads, p. 30

3.4—Shear and torsion, p. 33

3.5—Development and splices of reinforcement, p. 34

3.6—Connections to existing concrete, p. 36

3.7—Retrofit measures, p. 39

CHAPTER 4—CONCRETE MOMENT FRAMES, p. 40

4.1—Types of concrete moment frames, p. 40

4.2—Reinforced concrete beam-column moment frames, p. 41

4.3—Post-tensioned concrete beam-column moment frames, p. 59

4.4—Slab-column moment frames, p. 60

CHAPTER 5—PRECAST CONCRETE FRAMES, p. 67

5.1—Types of precast concrete frames, p. 67

5.2—Precast concrete frames expected to resist seismic forces, p. 67

5.3—Precast concrete frames not expected to resist seismic forces directly, p. 68

CHAPTER 6—CONCRETE FRAMES WITH INFILLS, p. 70

6.1—Types of concrete frames with infills, p. 70

6.2—Concrete frames with masonry infills, p. 70

6.3—Concrete frames with concrete infills, p. 74

CHAPTER 7—CONCRETE STRUCTURAL WALLS, p. 77

7.1—Types of concrete structural walls and associated components, p. 77

7.2—Strength of reinforced concrete structural walls, wall segments, and coupling beams, p. 79

7.3—Linear static and dynamic procedures for reinforced concrete structural walls and wall segments, p. 81

7.4—Nonlinear static and dynamic procedures for reinforced concrete structural walls and wall segments, p. 87

7.5—Linear static and dynamic procedures for reinforced concrete coupling beams, p. 93

7.6—Nonlinear static and dynamic procedures for reinforced concrete coupling beams, p. 95

7.7—Retrofit measures for reinforced concrete structural walls, wall segments, and coupling beams, p. 97

CHAPTER 8—PRECAST CONCRETE STRUCTURAL WALLS, p. 99

8.1—Types of precast structural walls, p. 99

8.2—Precast concrete structural walls and wall segments, p. 100

CHAPTER 9—CONCRETE-BRACED FRAMES, p. 105

9.1—Types of concrete-braced frames, p. 105

9.2—General, p. 105

9.3—Stiffness of concrete-braced frames, p. 105

9.4—Strength of concrete-braced frames, p. 106

9.5—Acceptance criteria for concrete-braced frames, p. 106

9.6—Retrofit measures for concrete-braced frames, p. 107

CHAPTER 10—CAST-IN-PLACE CONCRETE DIAPHRAGMS, p. 108

10.1—Components of cast-in-place concrete diaphragms, p. 108

10.2—Analysis, modeling, and acceptance criteria for cast-in-place concrete diaphragms, p. 108

10.3—Retrofit measures for cast-in-place concrete diaphragms, p. 109

CHAPTER 11—PRECAST CONCRETE DIAPHRAGMS, p. 110

11.1—Components of precast concrete diaphragms, p. 110

11.2—Analysis, modeling, and acceptance criteria for precast concrete diaphragms, p. 110

11.3—Retrofit measures for precast concrete diaphragms, p. 110

CHAPTER 12—CONCRETE FOUNDATIONS, p. 111

12.1—Types of concrete foundations, p. 111

12.2—Analysis of existing concrete foundations, p. 112

12.3—Evaluation of existing condition, p. 112

12.4—Retrofit measures for concrete foundations, p. 112

CHAPTER 13—NOTATION AND DEFINITIONS, p. 115

13.1—Notation, p. 115

13.2—Definitions, p. 119

CHAPTER 14—REFERENCES, p. 121

PAGE INTENTIONALLY LEFT BLANK.

CODE

CHAPTER 1—GENERAL

1.1—Scope

This code sets forth requirements for the seismic evaluation and retrofit of concrete components of the seismic-force-resisting system of an existing building. These requirements apply to existing concrete components, retrofitted concrete components, and new concrete components. Provisions of this code do not apply to concrete-encased steel composite components.

Chapter 2 specifies data collection procedures for obtaining material properties and performing condition assessments. **Chapter 3** provides general analysis and design requirements for concrete components. **Chapters 4 through 9** provide modeling procedures, component strengths, acceptance criteria, and retrofit measures for cast-in-place and precast concrete moment frames, concrete frames with masonry infills, cast-in-place and precast concrete structural walls, and concrete-braced frames. **Chapters 10 through 12** provide modeling procedures, strengths, acceptance criteria, and retrofit measures for concrete diaphragms and concrete foundation systems.

COMMENTARY

CHAPTER R1—GENERAL

R1.1—Scope

These requirements were developed based on the best knowledge of the seismic performance of existing concrete buildings at the time of publication. These requirements are not intended to restrict the licensed design professional from using new information that becomes available before the issuance of the next edition of this code. Such new information can include tests conducted to address specific building conditions.

This code provides short descriptions of potential seismic retrofit measures for each concrete building system. The licensed design professional is referred to **FEMA 547** for detailed information on seismic retrofit measures for concrete buildings. Repair techniques for earthquake-damaged concrete components are not included in this code. The licensed design professional is referred to **FEMA 306**, **FEMA 307**, and **FEMA 309** for information on evaluation and repair of damaged concrete wall components.

Concrete-encased steel-composite components behave differently from concrete sections reinforced with steel reinforcement. Concrete-encased steel-composite components frequently behave as over-reinforced sections. This type of component behavior was not represented in the data sets used to develop the force-deformation modeling relationships and acceptance criteria in this code, and is not covered herein.

To preserve historic buildings, care should be exercised in selecting the appropriate retrofit approaches and techniques for application.