

Guide

**Guide to
Lithium Battery Safety for Space
Applications**

AIAA standards are copyrighted by the American Institute of Aeronautics and Astronautics (AIAA), 12700 Sunrise Valley Drive, Suite 200, Reston, VA 20191-5807 USA. All rights reserved.

AIAA grants you a license as follows: The right to download an electronic file of this AIAA standard for storage on one computer for purposes of viewing, and/or printing one copy of the AIAA standard for individual use. Neither the electronic file nor the hard copy print may be reproduced in any way. In addition, the electronic file may not be distributed elsewhere over computer networks or otherwise. The hard copy print may only be distributed to other employees for their internal use within your organization.

Guide to Lithium Battery Safety for Space Applications

Sponsored by

American Institute of Aeronautics and Astronautics

Approved

9 September 2022

Abstract

This document contains requirements and guidelines related to the safety of lithium-ion batteries used in space systems including but not limited to satellites, launch vehicles, interplanetary probes, rovers and landers.

Published by

American Institute of Aeronautics and Astronautics
12700 Sunrise Valley Drive, Suite 200, Reston, VA 20191

Copyright © 2022 American Institute of Aeronautics and
Astronautics.

All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system
or otherwise, without prior written permission of the publisher.

Printed in the United States of America.

Contents

1	SCOPE	8
2	TAILORING	8
3	TERMS AND DEFINITIONS	8
4	TECHNICAL OVERVIEW AND GUIDELINES SPECIFIC TO SECONDARY (RECHARGEABLE) LITHIUM-ION BATTERIES	12
4.1	Overview of Secondary Li-Ion Cells	12
4.1.1	Lithium-Ion Chemistry Overview	12
4.1.2	Common Cell Components	13
4.1.3	Cell/Battery Classification	15
4.1.4	Common Hazards	15
4.2	Hazard Mitigation – Controls	18
4.2.1	General Manufacturing-Related Guidelines	19
4.2.2	Hazard Mitigation – Design Checklist	20
4.3	Design Guidelines for Cells and Batteries	21
4.3.1	Cell-Level Design Guidelines	22
4.3.2	Battery Design Guidelines	23
4.4	General Test Guidelines	26
4.4.1	Background	26
4.4.2	Safety Testing	26
4.4.3	Qualification Testing	31
4.4.4	Acceptance Testing	33
4.4.5	Lot Testing	34
4.4.7	Procedure Guidelines for Safety Tests	35
4.5	Electrical/Electronic Components Specific to Li-Ion Batteries	37
4.6	Ground Safety at Launch Sites	38
4.6.1	Transportation Requirements (within the U.S. and Internationally)	38
4.6.2	Ground Handling, Operation, Storage and Disposal	38
4.7	Flight Battery Assembly, Integration and Testing	39
4.8	Unique Guidelines for Batteries Used in Human-Rated and Non-Human-Rated Missions	40
4.9	Guidelines for Applications Inside Crewed Vehicles, and Guidelines for Applications Outside Crew Compartment	41
5	SAFETY GUIDELINES SPECIFIC TO PRIMARY LITHIUM BATTERIES	42
5.1	Overview of Primary Lithium Batteries	43
5.1.1	Primary Lithium Chemistry Overview	44
5.1.2	General Primary Lithium Battery Hazards	46
5.2	Hazard Mitigation – Controls	48
5.2.1	General Manufacturing-Related Guidelines	48
5.3	Design Guidelines for Cells and Batteries	49
5.3.1	Cell-Level Design Guidelines	49
5.3.2	Battery-Level Design Guidelines	50
5.3.3	General Safety Design and Operational Guidelines for Primary Lithium Batteries	50
5.4	General Test Guidelines for Primary Lithium Batteries	52
5.4.1	Safety Testing	53
5.4.2	Qualification Testing	60
5.4.3	Acceptance Testing	61

5.4.4	Lot Testing for Follow Cell and Battery Production Lots	62
5.5	Ground Safety at Launch Sites.....	62
5.6	Flight Battery Assembly, Integration and Testing.....	64
5.7	Guidelines for Applications Inside Crewed Vehicles and Guidelines for Applications Outside Crew Compartment.....	64
5.8	Unique Guidelines for Batteries Used in Human-Rated and Non-Human-Rated Missions	65
6	SAFETY GUIDELINES FOR ALL BATTERIES	65
6.1	Common Hazards.....	65
6.2	Ground Handling Practices.....	66
6.2.1	Launch-Site Specific Ground Handling Practices	66
6.2.2	Facility Provisions for Avoiding Generic Battery Accidents.....	67
6.2.3	Facility Provisions Specific to Battery Charging and Conditioning Equipment	68
6.2.4	Facility Provisions to Reduce the Risk of Electrical Shock and External Shorting	69
6.2.5	Facility Provisions to Reduce the Risk of Electrolyte and Hazardous Gas Release.....	69
6.2.6	Facility Provisions to Reduce the Risk of High Temperature and Thermal Runaway	70
6.3	Pre-Launch (Off Vehicle) Testing	70
6.4	Transportation Between Facilities Prior to Vehicle Installation	71
6.5	Battery Installation and Stand on Vehicle.....	71
6.6	Response to Battery Failures While on Vehicle	71
6.7	Post Flight.....	72
6.8	Battery Storage.....	72
6.9	Battery Disposal.....	72
7	ACRONYMS	73
	BIBLIOGRAPHY	74

FOREWORD

The AIAA G-136-2022 Guide to Lithium Battery Safety for Space Applications has been developed by a team of battery experts under the auspices of AIAA Standards Steering Committee (SSC).

Lithium-based cells and batteries of the non-rechargeable (primary) and rechargeable (secondary) types are increasingly used in human-rated and non-human-rated space applications. The hazards associated with lithium batteries are catastrophic for the human-rated and non-human-rated systems, although the effects may be different in each category. The AIAA G-136-2022 document is a guide for the safe design, use and disposal of lithium-based cells and batteries for all space applications.

The document focuses on all aspects of battery safety from building and designing the batteries to reducing the risk of catastrophic failures. Features related to ground handling and testing, in-orbit and post-flight operations, and disposal or reuse have been factored into the document.

The document includes the background information on the various chemistries associated with the lithium-based primary and secondary batteries, their hazards, mitigation methods, safe design practices, stringent testing requirements that include qualification as well as flight acceptance tests, test procedures for commonly required tests and safety requirements to be followed for ground and on-orbit, and all space operations.

The document can be tailored to be applicable to any space program when a conscious effort is made to not jeopardize the safety of the crew or space vehicle.

This AIAA Guide document was developed as a result of a series of discussions and reviews by the Lithium Battery Safety for Space Applications (LiBSSA COS), SSC and manufacturers and users.

At the time of approval, the members of the AIAA LiBSSA COS who participated in the nine year review process of this Guide are listed in the table below (see next page).

First Name	Last Name	Company
Curtis	Aldrich	GS Yuasa
Thomas	Barrera	LIB-X Consulting
Jeff	Brewer	NASA Marshall Space Flight Center
Ratnakumar	Bugga	NASA Jet Propulsion Laboratory
Michael	Butler	Johns Hopkins University Applied Physics Laboratory
Rob	Gitzendanner	Eagle Picher
Judith	Jeevarajan (Chair)	UL Research Institutes
Leonine	Lee	NASA Goddard Space Center
Chengsong	Ma	SAFT America
Thomas	Miller	NASA Glenn Research Center
David	Olsen	NASA Kennedy Space Center
Brad	Reed	Associate Fellow, AIAA
Abbas	Salim	Consultant (Lockheed Martin Space Systems Retiree)
Shriram	Santhanagopalan	General Motors
Julie	Simmons	Naval Surface Warfare Center
Rengaswamy	Srinivasan (Chair)	Johns Hopkins University Applied Physics Laboratory
Joseph	Troutman	Forge Nano, Inc.
Margot	Wasz	Aerospace Corporation

The AIAA Standards Procedures dictates that all approved Standards, Recommended Practices and Guides are advisory only. Their use by anyone engaged in industry or trade is entirely voluntary. There is no agreement to adhere to any AIAA standards publication and no commitment to conform to or be guided by standards reports. In formulating, revising and approving standards publications, the Committees on Standards will not consider patents that may apply to the subject matter. Prospective users of the publications are responsible for protecting themselves against liability for infringement of patents or copyright or both.

INTRODUCTION

The AIAA G-136-2022 Guide to Lithium Battery Safety for Space Applications is applicable to all lithium-based batteries that are to be used on human-rated and non-human-rated space vehicles including those used to power the vehicle, payloads and equipment batteries. It provides information to the designers of the battery systems that are to be used in human-rated and non-human-rated space vehicles, in equipment to be used in both environments, crew suits, payload experiments, etc. It defines the provisions that may be used to design batteries that are safe for ground personnel as well as crew members to handle and operate during all applicable phases of a space mission including the enclosed environment of a human-rated space vehicle, launch vehicles and in unpressurized spaces adjacent to the habitable portion of a space vehicle. The document provides information on hazards, controls, design evaluation and verification. Evaluation of the design and review of the verification of the results may be completed prior to certification for flight and ground operations.

The standard request was first initiated by NASA and was supported by AIAA since there was no agency-level battery safety requirements document. The effort became independent from NASA after three years although the same team was maintained to complete the document. The team members chosen to support the writing of the standard included representatives of NASA centers that have a battery team, academia, cell and battery manufacturers, government agencies, national labs, industry representatives involved with the manufacturing or installation of batteries in space vehicles for human-rated and non-human-rated environments and standards organizations. The standard did not receive the required number of votes to be published and hence the Chairs decided to convert it to a Guide document.

A significant portion of the information originated from the JSC 2009 with substantial additions from the ground safety recommendations provided by NASA GRC's Guidelines on Lithium-ion Battery Use in Space Applications (NASA/TM-2009-215751), Range Safety Requirements (RCC 319 and AFSPCMAN 91-710), the NAVSEA requirements and more recent recommendations from the NTSB (NTSB/AIR-14/01; PB2014-108867). Test procedures described in this document are mostly based on UL, IEC, RTCA, Range Safety, NAVSEA and NASA (JSC Battery safety standard and other work instructions) certification standards.

1 SCOPE

This document contains guidance related to the safety of lithium-ion batteries used in space systems including but not limited to satellites, launch vehicles, interplanetary probes, rovers and landers.

All aspects of the battery acquisition cycles are addressed including design, testing, integration, handling at the launch site and mission use.

This document is intended for space systems only. Requirements for aircraft may be found in documents such as the RTCA DO311a: Minimum Operational Performance Standards for Rechargeable Lithium Batteries and Battery Systems; and the RTCA DO227a: Minimum Operational Performance Standards (MOPS) for Non-Rechargeable Lithium Batteries.

Compliance with this guidance document ensures that the batteries and battery systems can be expected to reliably perform their intended function(s) safely under conditions encountered in space operations and environments. It is mandatory that battery, spacecraft equipment and spacecraft manufacturers, as well as users, thoroughly understand the guidance for performance, capabilities and limitations of the batteries and battery systems. By doing so, safe operation during all aspects of acquisition, transport, integration, operation, maintenance and disposal may be achieved. Any regulatory application of this document is the responsibility of the applicable government agency or user organization.

May: This verb is used for stating non-mandatory goals and to refer to best practice methods that can be construed as example methods.

Will: This verb is used for stating facts or declaration of purpose.

2 TAILORING

When viewed from the perspective of a specific program or project context, the guidance defined in this document may be tailored to match the actual requirements of the particular program or project. Tailoring may be undertaken in consultation with the procuring authority where applicable.

NOTE: Tailoring is a process by which individual requirements or specifications, standards and related documents are evaluated and made applicable to a specific program or project by selection, and in some exceptional cases, modification and addition of requirements in the standards.

3 TERMS AND DEFINITIONS

For the purpose of this document, the following terms and definitions apply.

Ampere-hour:

Ampere-hour or Ah is a unit for the quantity of electricity that is related to coulombic capacity, obtained by integrating current in amperes over time in hours. Used as a measure of battery capacity (abbreviated Ah).

Battery

One or more electrically connected cells, assembled together with or without a container with a single positive and negative terminal. A battery may include intercell connectors, protective and other devices.

Battery System

Is comprised of the battery, the battery charger and any protective, monitoring and alerting circuitry or