

American National Standard

*for Commercial Turf Care Equipment –
Safety Specifications*



Currently in preview, click buy full version

ANSI/OPEI B71.4-2017

Revision of
ANSI/OPEI B71.4-2012

American National Standard
for Commercial Turf Care Equipment –
Safety Specifications

Secretariat

Outdoor Power Equipment Institute, Inc. (OPEI)

Approved January 24, 2017

Published April 24, 2017

American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires review by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgement of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made towards their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute

Published by

American National Standards Institute, Inc.
25 West 43rd Street, New York, NY 10036

Copyright © 2017 by Outdoor Power Equipment Institute, Inc.
All rights reserved.

No part of this publication may be reproduced in any form, stored in an electronic retrieval system, or transmitted in any form or by any means (electronic, photocopying, recording, or otherwise), without prior written permission of the Outdoor Power Equipment Institute, Inc. (OPEI).

Printed in the United States of America

Contents

	Page
Foreword	viii
Part I General.....	1
1 Scope.....	1
2 Normative references.....	1
3 Definitions	2
Part II Pedestrian-controlled machines	3
4 General requirements	3
5 Operator's controls.....	6
5.1 General requirements	6
5.2 Traction-drive control(s).....	6
5.3 Ground speed and direction controls.....	6
5.4 Steering control.....	7
5.5 Attachment-drive (power-takeoff) control.....	7
5.6 Starting arrangement	7
6 Guards and shields.....	7
6.1 Power drives	7
6.2 Hot surfaces.....	9
7 Operation, service and maintenance instructions	10
7.1 General requirements	10
7.2 Stored-energy devices	10
7.3 Pressurised hoses	10
8 Requirements for low-voltage electrical components	10
8.1 Insulated cables.....	10
8.2 Battery installation.....	10
8.3 Overload protection.....	10
8.4 Terminals and uninsulated electrical parts.....	10
8.5 High-tension ignition cables	11
9 Labels and instructions	11
9.1 Control identification	11
9.2 General safety sign requirements	11
9.3 Machine identification	11
9.4 Label durability requirements.....	11
10 General requirements	12
10.1 Operator zone	12

	Page
10.2	Operator-presence controls 13
10.3	Braking requirements and tests 13
10.4	Handle structure 14
10.5	Sulky units 15
10.6	Stopping time and durability test..... 17
11	Rotary mowers – Specific requirements 17
11.1	General requirements 17
11.2	Requirements for rotary mower components..... 18
11.3	Test for rotary mower components 19
11.4	Tests for mowers except those with a blade tip circle diameter of 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater, for one or more blades 20
11.5	Tests for mower components with the blade tip circle diameter of 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater for one or more blades 26
12	Reel mowers – Specific requirements 29
12.1	General requirements 29
12.2	Safety sign 29
12.3	Grass catcher 29
12.4	Tests for reel mower components 29
13	Flail mowers and flail power rakes – Specific requirements 30
13.1	General 30
13.2	Requirements for openings 30
13.3	Foot probe test..... 31
13.4	Sudden impact test 31
13.5	Repeated impact test..... 31
13.6	Blade unbalance test 31
Part III	Ride-on mowers 33
14	General requirements 33
15	Operator's controls 33
15.1	General requirements 33
15.2	Traction-drive controls (clutches)..... 33
15.3	Ground speed and directional control (other than engine speed)..... 34
15.4	Steering controls 34
15.5	Attachment-drive (power-takeoff) control..... 35
15.6	Brake controls 35

	Page
15.7	Lift controls..... 35
15.8	Slope control test 35
16	Guards and shields 37
16.1	Power drives 37
16.2	Hot surfaces 38
17	Operation, service, and maintenance instructions 39
17.1	General requirements 39
17.2	Stored-energy devices 39
17.3	Pressurized hoses..... 39
18	Requirements for low-voltage electrical components..... 39
18.1	Insulated cables 39
18.2	Battery installation..... 39
18.3	Overload protection..... 40
18.4	Terminals and uninsulated electrical parts..... 40
18.5	High-tension ignition cables 40
19	Labels and instructions 40
19.1	Control identification..... 40
19.2	General safety sign requirements 40
19.3	Machine identification..... 40
19.4	Label durability requirements 41
20	General requirements 41
20.1	Operator zones 41
20.2	Operator-presence controls 42
20.3	Stability requirements and tests 43
20.4	Braking requirements and tests 45
20.5	Lighting and marking for ride-on units and ride-on turf tractors used on public roads 47
20.6	Stopping time and durability test 47
20.7	Roll over protective structure (ROPS)..... 48
21	Rotary mowers – Specific requirements 49
21.1	General requirements 49
21.2	Requirements for rotary mower components 49
21.3	Test for rotary mower components 50

	Page
21.4	Tests for mowers except those with a blade tip circle diameter of 775 mm (30.5 in) or greater, and blade thickness of 8 mm (0.312 in), or greater, for one or more blades..... 51
21.5	Tests for mower components with the blade tip circle diameter of 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater for one or more blades..... 57
22	Reel mowers – Specific requirements 59
22.1	General requirements 59
22.2	Safety sign 59
22.3	Grass catcher 60
22.4	Tests for reel mower components 60
23	Flail mowers and flail power rakes – Specific requirements 60
23.1	General 60
23.2	Requirements for openings..... 60
23.3	Foot probe test..... 61
23.4	Sudden impact test..... 61
23.5	Repeated impact test..... 61
23.6	Blade unbalance test 62
24	Implements 62
24.1	General requirements 62
24.2	Operator controls 62
Tables	
1	Method for the use of test cones 9
2	Air inlet hole for structural integrity test for pedestrian-controlled mowers and mower attachments..... 21
3	Average allowable number of hits..... 26
4	Method for the use of test cones 39
5	Air inlet hole for structural integrity test for ride-on units, ride-on turf tractors, and attachments 53
6	Average allowable number of hits..... 56
Figures	
1	Operator zone – Standing operator 63
2	Operator zone – Sitting operator 63
3	Safety instructions for commercial turf care equipment..... 64
4	Test probes for the determination of hot parts accessibility..... 67
5	Finger probe 68
6	Test pad for guard used as a step 69

	Page
7	Characteristic dimensions for a blade enclosure 70
8(a)	Impact test fixture, schematic plan view..... 71
8(b)	Impact test fixture, test arrangement..... 72
9(a)	Foot probe..... 73
9(b)	Plan view of a foot probe for a rotary mower 74
9(c)	Side view of a foot probe for a rotary mower 75
9(d)	Plan view of a foot probe for a flail mower 76
9(e)	Side view of a foot probe for a flail mower 77
10(a)	Plan view of a single-blade side discharge, fixture for structural integrity test 77
10(b)	Plan view of arrangement for lawn mower with side discharge grass catcher..... 78
10(c)	Plan view of a single-blade top discharge, fixture for structural integrity test 79
10(d)	Plan view of a multi-blade side discharge, fixture for structural integrity test 80
10(e)	Plan view of a multi-blade rear discharge, fixture for structural integrity test 81
10(f)	Test arrangement with grass catcher..... 82
10(g)	Views of rear discharge pedestrian-controlled mower with grass catcher 83
10(h)	Plan view of arrangement for ride-on lawn mower with grass catcher 84
11(a)	Test enclosure, general layout 85
11(b)	Single spindle pedestrian-controlled mower – test enclosure 86
11(c)	Multi-spindle pedestrian-controlled mower – test enclosure 87
11(d)	Single spindle ride-on mower – test enclosure 88
11(e)	Two spindle ride-on mower – test enclosure..... 89
11(f)	Three spindle ride-on mower – test enclosure 90
11(g)	Test fixture for corrugated cardboard penetration tests 91
11(h)	Nail plan of test fixture base..... 92
11(i)	Thrown object test fixture – base detail..... 92
11(j)	Test enclosure walls and base 93
12	Impact test fixture for mowers with the blade tip circle diameter of 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater for one or more blades 94

	Page
13(a)	Structural integrity and thrown objects test fixture for mowers with the blade tip circle diameter 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater for one or more blades – Typical introduction tube location, plan view ... 95
13(b)	Structural integrity and thrown objects test fixture for mowers with the blade tip circle diameter 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater for one or more blades – Introduction tube configuration 95
13(c)	Structural integrity and thrown objects test fixture for mowers with the blade tip circle diameter 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater for one or more blades – Calculation of drop heights from Figure 13(b)..... 95
13(d)	Structural integrity and thrown objects test fixture for mowers with the blade tip circle diameter 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater for one or more blades – Typical target wall construction 96
13(e)	Structural integrity and thrown objects test fixture for mowers with the blade tip circle diameter 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater for one or more blades – Typical target and mower vertical position 96
13(f)	Structural integrity and thrown objects test fixture for mowers with the blade tip circle diameter 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater for one or more blades – Target configuration and operator zone for single-blade mowers 97
13(g)	Structural integrity and thrown objects test fixture for mowers with the blade tip circle diameter 775 mm (30.5 in) or greater and blade thickness of 8 mm (0.312 in) or greater for one or more blades – Target configuration for multi-blade mowers 97
14	Flail forward trajectory 98
15	Flail mower test construction 99
16	Guarding for reels 100
17	Side coverage for reels 100
18	Guarding for rear-throw mowers 101
19	Guarding for front-throw mowers 101
20	Guarding of pedestrian-controlled reel mowers 102
21	Pitch 102
22	Roll 103
23	Yaw 103
24(a)	Machine position on the platform (4-wheeled) 104
24(b)	Machine position on the platform (3-wheeled) 105

Annexes (informative)

A	Rationale	106
B	Drop distance calculations	123
C	Safety pictorials	124
D	Bibliography.....	127

Foreword (This foreword is not part of American National Standard ANSI/OPEI B71.4-2017.)

This standard is a revision of *American National Standard for Commercial Turf Care Equipment - Safety Specifications*, ANSI/OPEI B71.4-2012. The first edition of this standard was approved and published by the American National Standards Institute in 1980. It has been revised six times since initial publication, including this revision.

The present revision was prepared by the Outdoor Power Equipment Institute's (OPEI) Commercial Turf Care Committee, as part of OPEI's continuing work on standards.

A summary of the principal changes included in this revision are as follows:

Part I – General:

- 2 Normative references – Updated & removed revision dates
- 3 Definitions – Updated

Part II – Pedestrian-Controlled Machines:

- 7.3 Pressurized hydraulic hose guarding added (harmonized with ANSI/OPEI B71.1)
- 9.2 Single-color only safety warnings are not permissible (harmonized with ANSI/OPEI B71.1)
- 10.3.4 A separate parking brake is no longer required if equipped with a service brake
- 10.5.8 Lateral stability test no longer required for stand-on sulkies
- 11.2.2.3 Revised other openings – limited number and size
- 11.4.2 Foot probe test was revised (harmonized with ANSI/OPEI B71.1)
- 11.4.4; 11.4.5 Structural integrity tests were revised (harmonized with ANSI/OPEI B71.1)
- 11.4.6 Thrown object test was revised (harmonized with ANSI/OPEI B71.1)
- Removed required OM hydraulic component language
- Removed requirements for hydraulic components

Part III – Ride-On Units, Ride-On Turf Tractors, and Attachments:

- 15.8 Slope control test was revised
- 17.3 Pressurized hydraulic hose guarding added (harmonized with ANSI/OPEI B71.1)
- 19.2 Single-color only safety warnings are not permissible (harmonized with ANSI/OPEI B71.1)
- 20.3.5.1 Lift-off gauge added to lateral stability test
- 20.4.4 A separate parking brake is no longer required if equipped with a service brake
- 21.2.2.3 Revised other openings – limited number and size
- 21.4.2 Foot probe test was revised (harmonized with ANSI/OPEI B71.1)
- 21.4.4; 21.4.5 Structural integrity tests were revised (harmonized with ANSI/OPEI B71.1)

21.4.6 Thrown object test was revised (harmonized with ANSI/OPEI B71.1)

- Removed required OM hydraulic component language
- Removed requirements for hydraulic components

Figures:

3 Recommended safety instructions were revised

Consensus for this standard was achieved by use of the Canvass Method. This standard contains annexes that are all informative and are not considered requirements of this standard.

Suggestions for improvement of the standard are welcome. They should be sent to the Outdoor Power Equipment Institute, 341 South Patrick Street, Alexandria, VA 22314, or www.opei.org.

The following organizations/individuals, recognized as having an interest in the standardization of safety requirements for commercial turf care equipment, were contacted prior to the approval of this revision of the standard. Inclusion in the list does not necessarily imply that the organization concurred with the submittal of the proposal to ANSI.

Producers

Ariens Company
Jacobsen, A Textron Company
Kawasaki Motors Corporation
Kubota Tractor Corporation
Scag Power Equipment

Users

Jimmy Eavenson, Eavenson Consulting LLC
Steven A. Points
Thomas L. Wise

General Interest

American Society of Agricultural and Biological Engineers (ASABE)
Consumer Product Safety Commission (CPSC)
Dan Nielsen, OPE Investigations

American National Standard

for Commercial Turf Care Equipment – Safety Specifications

Part I: General

1 Scope

The safety specifications given in this standard are for powered (a) pedestrian-controlled machines, (b) ride-on machines and (c) implements for use with pedestrian and ride-on machines intended for marketing as commercial turf care equipment and that are customarily used by hired operators. Equipment covered may consist of two or more components that are functionally connected and may be produced by different manufacturers. Specific requirements are established in the standard for reel, rotary, and flail mowers as well as power rakes because of their prevalence, but this standard is intended to apply to all types of commercial turf care equipment. Each functional component shall conform to each section of this standard as it logically applies. Additionally, this standard applies to all aftermarket parts, attachments and accessories. Any manufacturer of aftermarket parts, attachments, implements, and accessories is responsible for ensuring compliance to this standard. Safety specifications in this standard apply only to a configuration of attachments, implements, and accessories approved by their respective manufacturers.

These specifications are not intended to apply to:

- turf care equipment that is designed primarily for personal use by a consumer in or around a permanent or temporary household or residence;
- equipment that is designed primarily for agricultural purposes; and
- equipment that is designed primarily for cutting grass and other growth on highways and is designed for operation with agricultural/industrial tractors.

The effective implementation date of this standard shall be two (2) years after the publication date and shall apply to all products built after that date. Manufacturers may also comply with the requirements of this standard anytime after the publication date.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this American National Standard. All standards are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

ANSI Z535.4, *Product safety signs and labels*¹

ANSI/ASAE S279.14, *Lighting and marking of agricultural equipment on highways*

ANSI/SAE J1163, *Determining seat index point*

ANSI/SAE J1362, *Graphical symbols for operator controls and displays on off-road self-propelled work machines*

ANSI/UL 73, *Standard for safety for motor-operated appliances*

ASAE S217.12 (ISO 730-1:1994), *Three-point free-link attachment for hitching implements to agricultural wheeled tractors*

¹ ANSI standards available from the American National Standards Institute, 25 West 43rd St., New York, NY 10036; (212) 642-4900; www.ansi.org