

ANSI C12.19-2008

American National
Standard for Utility
Industry End
Device Data Tables



Currently in preview, click buy full version



ANSI C12.19-2008

American National Standard

For Utility Industry

End Device

Data Tables

Currently in preview, click buy full version

Currently in preview, click buy full version



ANSI C12.19-2009

American National Standard

**For Utility Industry
End Device
Data Tables**

Secretariat:

National Electrical Manufacturers Association

IEEE Number: 1377-2009

Measurement Canada Number: MC1219-2009

Approved February 24, 2009

American National Standards Institute, Inc.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

NEMA standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process and establishes rules to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guideline.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

**National Electrical Manufacturers Association
1300 North 17th Street, Rosslyn, VA 22209**

© Copyright 2008 by National Electrical Manufacturers Association

All rights reserved including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

This page intentionally left blank.

Contents

	Page
1 SCOPE	1
2 REFERENCES	1
2.1 NORMATIVE.....	1
2.2 OTHER.....	2
3 DEFINITIONS	3
3.1 ACT.....	3
3.2 ADDRESS.....	3
3.3 ADVANCED METERING INFRASTRUCTURE (AMI).....	3
3.4 ALIAS.....	3
3.5 ARRAY.....	3
3.6 BIT FIELD (BFLD).....	3
3.7 BLOCK.....	3
3.8 CHANNEL.....	3
3.9 CLOCK.....	3
3.10 COUNT.....	3
3.11 CUMULATIVE DEMAND.....	3
3.12 CUSTOMER.....	4
3.13 DATA ENCRYPTION.....	4
3.14 DECADE.....	4
3.15 DEFAULT SET.....	4
3.16 DEMAND.....	4
3.17 DEMAND, BLOCK.....	4
3.18 DEMAND, MAXIMUM.....	4
3.19 DEMAND, MINIMUM.....	4
3.20 DEMAND, PRESENT.....	4
3.21 DEMAND, SLIDING WINDOW (ROLLING INTERVAL).....	4
3.22 DEPRECATED.....	4
3.23 DIM.....	4
3.24 DOCUMENT TYPE DEFINITION (DTD).....	4
3.25 ELEMENT.....	4
3.26 ELEMENT, ATOMIC.....	5
3.27 ELEMENT, FINAL.....	5
3.28 ELEMENT, VOLATILE.....	5
3.29 ELEMENT-COUNT.....	5
3.30 END DEVICE.....	5
3.31 END DEVICE, GENT.....	5
3.32 EVENT.....	5
3.33 EVENT INSTANCE.....	5
3.34 EVENT LOGGER DATA.....	5
3.35 EVENT LOGGER RECORD.....	5
3.36 EVENT, CALL.....	6
3.37 EVENT, CHANGE.....	6
3.38 EVENT, SIGNAL.....	6
3.39 EVENT, TIME.....	6
3.40 EXCHANGE DATA LANGUAGE (EDL).....	6
3.41 EXTENSIBLE MARKUP LANGUAGE (XML).....	6
3.42 INDEX.....	6
3.43 INTERHARMONICS.....	6

3.44	LOAD PROFILE	6
3.45	METER	6
3.46	METROLOGICAL ADJUSTMENT	6
3.47	MODE, FACTORY	7
3.48	MODE, METER SHOP	7
3.49	MODE, METERING	7
3.50	MODE, TEST	7
3.51	OBJECT	7
3.52	OBJECT, ELEMENT	7
3.53	OBJECT, TABLE	7
3.54	OCTET	7
3.55	OFFSET	7
3.56	OVERRIDE	7
3.57	PACKED RECORD	7
3.58	PROCEDURE	7
3.59	PROCEDURE, MANUFACTURER	7
3.60	PROCEDURE, METROLOGICAL	7
3.61	PROCEDURE, STANDARD	8
3.62	QUADRANT	8
3.63	REDEFINE	8
3.64	REGISTER	8
3.65	REGISTER, SECURED	9
3.66	REPLACE	9
3.67	RESERVED	9
3.68	SEAL	9
3.69	SEAL, LOGICAL (EVENT LOGGABLE)	9
3.70	SEAL, PHYSICAL	9
3.71	SEALABLE PARAMETER	9
3.72	SEASON	9
3.73	SECURED READ	9
3.74	SELF-READ	10
3.75	SET	10
3.76	SIGNATURE	10
3.77	STRICT	10
3.78	STRING	10
3.79	SUB-ELEMENT	10
3.80	TABLE	10
3.81	TABLE DEFINITION LANGUAGE (TDL)	10
3.82	TABLE, EXTENDED USER-DEFINED (EUDT)	10
3.83	TABLE, FUNCTION LIMITING CONTROL (FLC)	10
3.84	TABLE, MANUFACTURER	10
3.85	TABLE, METROLOGICAL	10
3.86	TABLE, PENDING	10
3.87	TABLE, PROGRAM	11
3.88	TABLE, SECURED	11
3.89	TABLE, STANDARD	11
3.90	TABLE, USER-DEFINED (UDT)	11
3.91	TARIFF	11
3.92	TIMER	11
3.93	TIME-OF-USE (TOU) METERING	11
3.94	UNDEFINED	11
3.95	UTILITY	11
4	GENERAL	12
4.1	STANDARD TABLES	12

4.1.1	Standard Tables Grouping	12
4.1.2	Standard Tables Properties	12
4.1.3	Standard Procedure Properties	13
4.2	MANUFACTURER TABLES	14
4.2.1	Manufacturer Tables Grouping.....	14
4.2.2	Manufacturer Tables Properties	14
4.2.3	Manufacturer Procedure Properties.....	14
4.3	PACKED RECORD, BIT FIELD AND ELEMENT PROPERTIES	15
4.4	EXTENDED USER-DEFINED TABLES PROPERTIES.....	15
5	SYNTAX.....	16
5.1	DESCRIPTIVE SYNTAX	16
6	SPECIAL DATA TYPES.....	16
6.1	CHARACTER SET SELECTION	16
6.2	NON-INTEGER FORMATS	17
6.2.1	STRING Numbers	18
6.3	DATE AND TIME FORMATS.....	19
6.3.1	HTIME_DATE, LTIME_DATE, STIME_DATE, TIME, STIME, HTIME types	20
6.3.2	RDATE type.....	25
6.3.3	DATE Type	26
6.4	COMMON TABLE OR PROCEDURE IDENTIFIER FORMATS	27
6.4.1	TABLE_IDA_BFLD bit field.....	27
6.4.2	TABLE_IDB_BFLD bit field.....	28
6.4.3	TABLE_IDC_BFLD bit field.....	29
6.4.4	SOURCE_SEL_RCD	30
7	COMPLIANCE & COMPATIBILITY	31
7.1	COMPLIANCE.....	31
7.2	BACKWARD AND FORWARD COMPATIBILITY	31
8	TABLE TRANSPORTATION ISSUES	33
8.1	MINIMUM SERVICES AND PARAMETERS	33
8.1.1	Read Service.....	33
8.1.2	Write Service.....	34
8.1.3	Partial Table Access Using the Index/element-count Method.....	36
8.1.4	Partial Table Access Using the Offset/octet-count Method.....	38
8.1.5	Index Count Access Method Examples	39
8.2	PENDING EVENT DESCRIPTION	39
8.3	LIST MANAGEMENT DESCRIPTION.....	42
9	TABLES.....	44
9.1	DECADE 0: GENERAL CONFIGURATION TABLES	44
9.1.1	Table 00 General Configuration Table	44
9.1.2	Table 01 General Manufacturer Identification Table.....	51
9.1.3	Table 02 Device Nameplate Table.....	53
9.1.4	Table 03 End Device Mode Status Table.....	61
9.1.5	Table 04 Pending Status Table	64
9.1.6	Table 05 Device Identification Table	67
9.1.7	Table 06 Utility Information Table.....	68
9.1.8	Table 07 Procedure Initiate Table	71
9.1.9	Table 08 Procedure Response Table	76
9.1.10	Standard Procedures	81
9.1.10.1	Procedure 00 Cold Start.....	81
9.1.10.2	Procedure 01 Warm Start.....	81

9.1.10.3	Procedure 02 Save Configuration	81
9.1.10.4	Procedure 03 Clear Data	81
9.1.10.5	Procedure 04 Reset List Pointers	81
9.1.10.6	Procedure 05 Update Last Read Entry	82
9.1.10.7	Procedure 06 Change End Device Mode	83
9.1.10.8	Procedure 07 Clear Standard Status Flags	84
9.1.10.9	Procedure 08 Clear Manufacturer Status Flags	84
9.1.10.10	Procedure 09 Remote Reset	85
9.1.10.11	Procedure 10 Set Date and/or Time	86
9.1.10.12	Procedure 11 Execute Diagnostics Procedure	88
9.1.10.13	Procedure 12 Activate All Pending Tables	88
9.1.10.14	Procedure 13 Activate Specific Pending Table(s)	88
9.1.10.15	Procedure 14 Clear All Pending Tables	89
9.1.10.16	Procedure 15 Clear Specific Pending Table(s)	89
9.1.10.17	Procedure 16 Start Load Profile	89
9.1.10.18	Procedure 17 Stop Load Profile	90
9.1.10.19	Procedure 18 Log In	90
9.1.10.20	Procedure 19 Log Out	90
9.1.10.21	Procedure 20 Initiate an Immediate Call	91
9.1.10.22	Procedure 21 Direct Load Control	91
9.1.10.23	Procedure 22 Modify Credit	92
9.1.10.24	Procedure 23 Reserved	93
9.1.10.25	Procedure 24 Reserved	93
9.1.10.26	Procedure 25 Reserved	93
9.1.10.27	Procedure 26 Reserved	93
9.1.10.28	Procedure 27 Clear Pending Call Status	93
9.1.10.29	Procedure 28 Start Quality-of-service Monitors	93
9.1.10.30	Procedure 29 Stop Quality-of-service Monitors	93
9.1.10.31	Procedure 30 Start Secured Register	94
9.1.10.32	Procedure 31 Stop Secured Register	95
9.1.10.33	Procedure 32 Set Precision Date and/or Time	96
9.2	DECADE 1: DATA SOURCE TABLES	98
9.2.1	Table 10 Data Source Dimension Limits Table	99
9.2.2	Table 11 Actual Data Sources Limiting Table	102
9.2.3	Table 12 Units of Measure Entry Table	104
9.2.4	Table 13 Demand Control Table	113
9.2.5	Table 14 Data Control Table	115
9.2.6	Table 15 Constants Table	116
9.2.7	Table 16 Source Definition Table	123
9.2.8	Table 17 Transformer Loss Compensation Table	125
9.3	DECADE 2: REGISTER TABLES	127
9.3.1	Table 20 Register Dimension Limits Table	127
9.3.2	Table 21 Actual Register Limiting Table	131
9.3.3	Table 22 Data Selection Table	134
9.3.4	Table 23 Current Register Data Table	135
9.3.5	Table 24 Previous Season Data Table	137
9.3.6	Table 25 Previous Demand Reset Data Table	138
9.3.7	Table 26 Self-read Data Table	139
9.3.8	Table 27 Present Register Selection Table	141
9.3.9	Table 28 Present Register Data Table	142
9.4	DECADE 3: LOCAL DISPLAY TABLES	143
9.4.1	Table 30 Display Dimension Limits Table	143
9.4.2	Table 31 Actual Display Limiting Table	145
9.4.3	Table 32 Display Source Table	147
9.4.4	Table 33 Primary Display List Table	148
9.4.5	Table 34 Secondary Display List Table	150
9.5	DECADE 4: SECURITY TABLES	152
9.5.1	Table 40 Security Dimension Limits Table	152

9.5.2	Table 41 Actual Security Limiting Table	154
9.5.3	Table 42 Security Table	155
9.5.4	Table 43 Default Access Control Table.....	157
9.5.5	Table 44 Access Control Table	159
9.5.6	Table 45 Key Table	161
9.5.7	Table 46 Reserved.....	162
9.5.8	Table 47 Reserved.....	162
9.6	DECADE 5: TIME-OF-USE TABLES	163
9.6.1	Table 50 Time and TOU Dimension Limits Table	165
9.6.2	Table 51 Actual Time and TOU Limiting Table	168
9.6.3	Table 52 Clock Table.....	171
9.6.4	Table 53 Time Offset Table.....	173
9.6.5	Table 54 Calendar Table	174
9.6.6	Table 55 Clock State Table	180
9.6.7	Table 56 Time Remaining Table.....	182
9.6.8	Table 57 Precision Clock State Table.....	182
9.7	DECADE 6: LOAD PROFILE TABLES	184
9.7.1	Table 60 Load Profile Dimension Limits Table.....	184
9.7.2	Table 61 Actual Load Profile Limiting Table.....	190
9.7.3	Table 62 Load Profile Control Table.....	194
9.7.4	Table 63 Load Profile Status Table.....	197
9.7.5	Table 64 Load Profile Data Set One Table	200
9.7.6	Table 65 Load Profile Data Set Two Table.....	205
9.7.7	Table 66 Load Profile Data Set Three Table	208
9.7.8	Table 67 Load Profile Data Set Four Table	211
9.8	DECADE 7: HISTORY & EVENT LOGS.....	214
9.8.1	Table 70 Log Dimension Limits Table.....	216
9.8.2	Table 71 Actual Log Limiting Table.....	219
9.8.3	Table 72 Events Identification Table	222
9.8.4	Table 73 History Log Control Table.....	223
9.8.5	Table 74 History Log Data Table.....	225
9.8.6	Table 75 Event Log Control Table	228
9.8.7	Table 76 Event Log Data Table	230
9.8.8	Table 77 Event Log and Signatures Enable Table	233
9.8.9	Table 78 End Device Program State Table	236
9.8.10	Table 79 Event Counters Table.....	240
9.9	DECADE 8: USER-DEFINED TABLES.....	241
9.9.1	Table 80 User-defined Tables Dimension Limits Table.....	241
9.9.2	Table 81 Actual User-defined Tables Limiting Table.....	244
9.9.3	Table 82 User-defined Tables List Table.....	246
9.9.4	Table 83 User-defined Tables Selections Table.....	248
9.9.5	Table 84 User-defined Table Zero.....	249
9.9.6	Table 85 User-defined Table One	250
9.9.7	Table 86 User-defined Table Two	251
9.9.8	Table 87 User-defined Table Three.....	252
9.9.9	Table 88 User-defined Table Four	253
9.9.10	Table 89 User-defined Table Five	254
9.10	DECADE 9: TELEPHONE CONTROL TABLES.....	255
9.10.1	Table 90 Telephone Dimension Limits Table	255
9.10.2	Table 91 Actual Telephone Table	258
9.10.3	Table 92 Telephone Global Parameters Table	260
9.10.4	Table 93 Telephone Call Originate Parameters Table	262
9.10.5	Table 94 Telephone Call Originate Schedule Table.....	265
9.10.6	Table 95 Telephone Call Answer Parameters	268
9.10.7	Table 96 Originating Telephone Call Purpose	270

9.10.8	Table 97 Last Telephone Call Status.....	272
9.10.9	Table 98 Telephone Call Originate Status	274
9.11	DECADE 10: UNASSIGNED	276
9.12	DECADE 11: LOAD CONTROL AND PRICING TABLES.....	277
9.12.1	Table 110 Load Control Dimension Limits Table.....	278
9.12.2	Table 111 Actual Load Control Limiting Table.....	281
9.12.3	Table 112 Load Control Status	283
9.12.4	Table 113 Load Control Configuration.....	285
9.12.5	Table 114 Load Control Schedule	287
9.12.6	Table 115 Load Control Conditions.....	290
9.12.7	Table 116 Prepayment Status	294
9.12.8	Table 117 Prepayment Control.....	296
9.12.9	Table 118 Billing Control	297
9.13	DECADE 12: RESERVED.....	300
9.14	DECADE 13: RESERVED.....	301
9.15	DECADE 14: EXTENDED USER-DEFINED TABLES.....	302
9.15.1	Table 140 Extended User-defined Tables Function Limiting Table	303
9.15.2	Table 141 Extended User-defined Tables Actual Limits Table.....	305
9.15.3	Table 142 Extended User-defined Selections Table	307
9.15.4	Table 143 Extended User-defined Constants Table	315
9.16	DECADE 15: QUALITY-OF-SERVICE.....	316
9.16.1	Table 150 Quality-of-service Dimension Limits Table.....	319
9.16.2	Table 151 Actual Quality-of-Service Limiting Table	329
9.16.3	Table 152 Quality-of-service Control Table	337
9.16.4	Table 153 Quality-of-service Incidents Table	352
9.16.5	Table 154 Quality-of-service Log Table	355
9.16.6	Table 155 Asynchronous Time-Domain Waveforms Table.....	357
9.16.7	Table 156 Asynchronous Frequency-Domain Spectrum Table.....	360
9.16.8	Table 157 Periodic Time Domain Waveforms Table	364
9.16.9	Table 158 Periodic Frequency-Domain Spectrum Table.....	367
9.17	DECADE 16: ONE-WAY DEVICES	370
9.17.1	Table 160 Dimension One-way	370
9.17.2	Table 161 actual One-way table.....	374
9.17.3	Table 162 One-way Control Table.....	377
9.17.4	Table 163 One-way Data Table.....	380
9.17.5	Table 164 One-way Commands/Responses/Extended User-defined Tables Table ..	383
ANNEX A: RESERVED CLASSES FOR METER EQUIPMENT MANUFACTURERS IMPLEMENTING ANSI C12.19-1997 DEVICES.....		385
ANNEX B: HISTORY & EVENT LOG CODES		386
B.1	CODES	386
B.2	LOGGER ARGUMENTS IMPLEMENTATION DETAILS.....	388
B.3	LOGGER CODES INTERPRETATION DETAILS.....	392
ANNEX C: DEFAULT SETS FOR DECADE TABLES		397
ANNEX D: INDICES FOR PARTIAL TABLE READ/WRITE ACCESS		404
ANNEX E: EVENT LOGGER IMPLEMENTATION.....		406
E.1	BACKGROUND.....	406
E.2	SIGNATURE ALGORITHM.....	407
ANNEX F: TRANSFORMER LOSSES COMPENSATION.....		409
F.1	TRANSFORMER LOSSES CONSIDERATION.....	409

F.1.1 No-Load Loss and Exciting Current	409
F.1.2 Load Loss	409
F.1.3 Transformer Losses Compensation	409
F.2 TRANSFORMER LOSS COMPENSATION CALCULATIONS [ACPTLC : 1998]	410
F.3 TRANSFORMER LOSS COMPENSATION CALCULATION EXAMPLE	410
ANNEX G: DOCUMENT-FORM DESCRIPTIVE SYNTAX.....	412
G.1 GENERAL NOTES ON SYMBOLS, RULES AND THEIR MEANING BELOW:	412
G.2 EXTENDED BNF SYMBOLS AND MEANING.....	412
G.3 FLOW OF INFORMATION	419
G.4 IDENTIFIERS.....	419
G.5 BASIC DATA TYPES.....	425
G.5.1 Basic data type definitions	427
G.5.2 Data type handling	429
G.5.2.1 Signed integers.....	429
G.5.2.2 Characters and Strings	430
G.5.2.3 Non-integer numbers	430
G.5.2.4 Date and time formats.....	430
G.6 REFERENCES TO TYPES, CONSTANTS AND VALUES.....	430
G.6.1 Scoping Rules	431
G.6.1.1 Predefined STD and TDL Scopes.....	431
G.6.1.2 Container scopes	432
G.6.2 References to values	434
G.6.3 Value.....	437
G.7 CONDITIONALS.....	439
G.7.1 IF statements	439
G.7.2 SWITCH statements.....	440
G.8 BIT FIELD.....	440
G.9 SET	441
G.10 ARRAY	442
G.11 PACKED RECORD	442
G.12 CONSTANTS	443
G.13 TABLES	444
G.14 PROCEDURES	444
G.15 SINGLE LINE MATH EXPRESSIONS	446
G.16 PROPERTIES.....	448
G.17 DOCUMENT FORM STARTING PRODUCTION RULE	449
ANNEX H: DATE-TIME ELEMENTS CONVERSION ALGORITHM (TM_FORMAT=3 AND TM_FORMAT=4)	450
ANNEX I: XML FILE FORMAT OF TDL AND EDL FILES	451
I.1 OVERVIEW OF THE TDL/EDL XML DOCUMENT FRAMEWORK.....	451
I.1.1 TDL/EDL Files and Terminology	451
I.2 TDL XML FILE FORMAT OF THE TDL DOCUMENT	455
I.2.1 <tdl> Root Element	456
I.2.1.1 <tdl> DTD	456
I.2.1.2 <tdl> Attributes.....	456
I.2.1.3 <tdl> Document Form	457
I.2.2 <description> element.....	457
I.2.2.1 <description> DTD	457
I.2.2.2 <description> Attributes.....	458
I.2.2.3 <description> Child Elements	458
I.2.2.4 <description> Child DTDs	458
I.2.2.5 <description> Child Elements Summary.....	460
I.2.2.6 <p> Attributes	461

I.2.2.7 <blockquote> Attributes	461
I.2.2.8 Attributes	461
I.2.2.9 Attributes	461
I.2.2.10 and sub-element usage.....	461
I.2.2.11 <dt> and <dd> sub-element usage of <dl>.....	462
I.2.2.12 <description> Document Form	462
I.2.2.13 <extension> Element	463
I.2.2.14 <extension> DTD	463
I.2.2.15 <extension> Attributes.....	463
I.2.2.16 <extension> Document Form	463
I.2.3 <assert> Element	463
I.2.3.1 <assert> DTD (named)	463
I.2.3.2 <assert> Attributes.....	463
I.2.4 <enumerator> Element.....	464
I.2.4.1 <enumerator> DTD (named)	464
I.2.4.2 <enumerator> Attributes (named).....	464
I.2.4.3 <enumerator> Document Form (named).....	467
I.2.5 <positional> element of <enumerator> (named)	468
I.2.5.1 <positional> DTD.....	468
I.2.5.2 <enumerator> DTD (un-named).....	468
I.2.5.3 <positional> Document Form.....	468
I.2.6 <enum> Element (Child of <enumerator>)	468
I.2.6.1 <enum> DTD	469
I.2.6.2 <enum> Attributes.....	469
I.2.6.3 <enum> Document Form	469
I.2.7 <default> element (Child of <enumerator> element)	470
I.2.7.1 <default> DTD	470
I.2.7.2 <default> Attributes	471
I.2.7.3 <default> Document Form.....	471
I.2.8 <packedRecord> Element.....	471
I.2.8.1 <packedRecord> DTD	471
I.2.8.2 <packedRecord> Attributes.....	471
I.2.8.3 <packedRecord> Document Form	474
I.2.9 <element> Element (Child of <packedRecord>).....	474
I.2.9.1 <element> DTD	475
I.2.9.2 <element> Attributes.....	475
I.2.9.3 <element> Document Form	476
I.2.10 <array> Element (Child of <packedRecord>).....	477
I.2.10.1 <array> DTD	477
I.2.10.2 <array> Attributes.....	477
I.2.10.3 <array> Document Form	479
I.2.11 <set> Element (Child of <packedRecord> element).....	479
I.2.11.1 <set> DTD	479
I.2.11.2 <set> Attributes	480
I.2.11.3 <set> Document Form	481
I.2.12 <if> Element (Child of <packedRecord>)	481
I.2.12.1 <if> DTD (Child of <packedRecord>)	482
I.2.12.2 <if> Attributes (Child of <packedRecord>).....	482
I.2.12.3 <if> Document Form	482
I.2.12.4 <then> Element (Child of <packedRecord>/<if>).....	482
I.2.12.5 <then> DTD	482
I.2.12.6 <then> Attributes.....	482
I.2.12.7 <then> Document Form	482
I.2.13 <else> Element (Child of <packedRecord>/<if>).....	482
I.2.13.1 <else> DTD.....	482
I.2.13.2 <else> Attributes	482
I.2.13.3 <else> Document Form.....	483
I.2.14 <switch> Element (Child of <packedRecord>)	484
I.2.14.1 <switch> DTD	484

I.2.14.2 <switch> Attributes	484
I.2.14.3 <switch> Document Form	484
I.2.14.4 <case> Element (Child of <packedRecord>/<switch>)	485
I.2.14.5 <case> DTD	485
I.2.14.6 <case> Attributes	485
I.2.14.7 <case> Document Form	485
I.2.14.8 <default> element (Child of <packedRecord>/<switch>)	485
I.2.14.9 <default> DTD	485
I.2.14.10 <default> Attributes	485
I.2.14.11 <default> Document Form	485
I.2.15 <bitField> element	487
I.2.15.1 <bitField> DTD	487
I.2.15.2 <bitField> Attributes	487
I.2.15.3 <bitField> Document Form	490
I.2.16 <subElement> Element (Child of <bitField>)	491
I.2.16.1 <subElement> DTD	491
I.2.16.2 <subElement> Attributes	491
I.2.16.3 <subElement> Document Form Equivalent	493
I.2.17 <if> Element (Child of <bitField>)	493
I.2.17.1 <if> DTD	493
I.2.17.2 <if> Attributes	493
I.2.17.3 <if> Document Form	493
I.2.18 <then> Element (Child of <bitField>/<if>)	494
I.2.18.1 <then> DTD	494
I.2.18.2 Attributes	494
I.2.18.3 <then> Document Form	494
I.2.19 <else> Element (Child of <bitField>/<if>)	494
I.2.19.1 <else> DTD definition	494
I.2.19.2 <else> Attributes	494
I.2.19.3 <else> Document Form	494
I.2.20 <switch> Element (Child of <bitField>)	494
I.2.20.1 <switch> DTD	495
I.2.20.2 <switch> Attributes	495
I.2.20.3 <switch> Document Form	495
I.2.21 <case> Element (Child of <bitField>/<switch>)	495
I.2.21.1 <case> DTD	495
I.2.21.2 <case> Attributes	495
I.2.21.3 <case> Document Form	495
I.2.22 <default> Element (Child of <bitField>/<switch>)	495
I.2.22.1 <default> DTD	496
I.2.22.2 <default> Attributes	496
I.2.22.3 <default> Document Form	496
I.2.23 <decade> Element (Child of <tdl>)	496
I.2.23.1 <decade> DTD	496
I.2.23.2 <decade> Attributes	496
I.2.23.3 <decade> Document Form	497
I.2.24 <table> Element (Child of <tdl> or <decade>)	497
I.2.24.1 <table> DTD	497
I.2.24.2 <table> Attributes	498
I.2.24.3 <table> Document Form	500
I.2.25 <procedure> Element (Child of <tdl> or <decade>)	502
I.2.25.1 <procedure> DTD	502
I.2.25.2 <procedure> Attributes	502
I.2.25.3 <procedure> Document Form	504
I.2.26 <extend> Element (Child of <procedure>)	505
I.2.26.1 <extend> DTD definition	505
I.2.26.2 <extend> Attributes	505
I.2.26.3 <extend> Document Form	506
I.2.27 <qualify> Element (Child of <tdl>)	506

1.2.27.1 <qualify> DTD	506
1.2.27.2 <qualify> Attributes.....	506
1.2.27.3 <qualify> Document Form	506
1.2.28 <table> element (Child of <qualify> element)	506
1.2.28.1 <table> DTD definition	507
1.2.28.2 <table> Attributes	507
1.2.29 <procedure> Element (Child of <qualify>)	507
1.2.29.1 <procedure> DTD	508
1.2.29.2 <procedure> Attributes.....	508
1.2.30 <element> Element (Child of <qualify>)	508
1.2.30.1 <element> DTD	508
1.2.30.2 <element> Attributes.....	509
1.2.31 <packedRecord> Element (Child of <qualify>).....	509
1.2.31.1 <packedRecord> DTD	509
1.2.31.2 Attributes	509
1.2.32 <bitField> Element (Child of <qualify>)	510
1.2.32.1 <bitField> DTD	510
1.2.32.2 <bitField> Attributes	510
1.2.33 <assert> Element (Child of <qualify>)	510
1.2.33.1 <assert> DTD	510
1.2.33.2 <assert> Attributes.....	510
1.3 EDL XML FORMAT	511
1.3.1 Overview	511
1.3.2 <edl> Root Element	511
1.3.2.1 <edl> DTD	512
1.3.2.2 <edl> Attributes	512
1.3.2.3 <edl> Document Form	513
1.3.3 <description> Element (Child of <edl>).....	513
1.3.3.1 <description> DTD	513
1.3.3.2 <description> Document Form	513
1.3.4 Pseudo Element Names	513
1.3.5 Resolving Second Edition XML Schema Constraints.....	514
1.3.5.1 The Schema Constraints Problem.....	514
1.3.5.2 Resolution of The Schema Constraints Problem	515
1.3.6 <\${if-switch-clause}> Element.....	515
1.3.6.1 <\${if-switch-clause}> DTD	515
1.3.7 <defaultSet> Element (Child of <edl>).....	516
1.3.7.1 <defaultSet> DTD	516
1.3.7.2 <defaultSet> Attributes	516
1.3.7.3 <defaultSet> Document Form	516
1.3.8 <\${limitingTableName}> Element (Child of <defaultSet>).....	518
1.3.8.1 <\${limitingTableName}> DTD	518
1.3.8.2 <\${limitingTableName}> Attributes.....	519
1.3.8.3 <\${limitingTableName}> Document Form	519
1.3.9 <data> Element (Child of <edl>).....	519
1.3.9.1 <data> DTD	519
1.3.9.2 <data> Document Form	519
1.3.10 <\${tableName}> Element.....	519
1.3.10.1 <\${tableName}> DTD	519
1.3.10.2 <\${tableName}> Attributes	520
1.3.10.3 <\${tableName}>Document Form.....	520
1.3.11 <\${elementName}> Element	520
1.3.11.1 <\${elementName}> DTD.....	520
1.3.11.2 <\${elementName}> Attributes	520
1.3.11.3 <\${elementName}> Document Form.....	521
1.3.12 <entry> Element	522
1.3.12.1 <entry> DTD	522
1.3.12.2 <entry> Attributes	522

I.3.12.3 <entry> Document Form	523
I.3.13 <pendingHeader> element	524
I.3.13.1 <pendingHeader> DTD	524
I.3.13.2 <pendingHeader> Document Form	524
I.4 EDL XML FORM ENCODING OF FINAL ELEMENT VALUES	525
ANNEX J: UNIVERSAL IDENTIFIER	527
ANNEX K: ALGORITHMS FOR THE CONVERSION OF TABLE ELEMENT VALUES TO ENGINEERING UNITS	528
K.1 LOCATING CONVERSION FACTORS FROM DECADE 1	528
K.2 DE-NORMALIZING INTERVAL DATA ELEMENTS	531
K.3 CONVERTING TO ENGINEERING UNITS AT THE POINT OF METERING	532
K.4 CONVERTING TO ENGINEERING UNITS AT THE POINT OF DELIVERY	534
K.5 ASSIGNING ENGINEERING UNITS	534
K.6 ASSIGNING FUNDAMENTAL ENGINEERING UNITS	534
K.7 TABLE VALUE TO ENGINEERING UNITS CONVERSION: AN EXAMPLE	535
VALUE	535
COMMENT	535
ANNEX L: REGISTERING OR UPDATING DEVICE CLASS OID	538
L.1 END DEVICES REFERENCING THE STANDARD'S DEVICE CLASS	541
L.2 PRACTICAL EXAMPLES AND USE-CASES	541
L.2.1 Examples: Initial Registration Condition—an Empty TDL	541
L.2.1.1 Case 1: Exposing Manufacturer's Content	541
L.2.1.2 Case 2: Changing End Device Behavior	545
L.2.2 Examples: Initial Registration Conditions—Non-empty TDL	547
L.2.2.1 Case 1: Appending a New Element to an Existing Table	549
L.2.2.2 Case 2: Inserting a New Element to an Existing Table	550
L.2.2.3 Case 3: Modifying an Element of an Existing Table	551
L.2.2.4 Case 4: Modifying a Constant Element in a Table	552
L.2.2.5 Case 5: Adding a New Table to an End Device	554
ANNEX M: HISTORICAL BACKGROUND	556
M.1 FOREWORD OF AMERICAN NATIONAL STANDARD C12.19-1997	556

Foreword (This Foreword is not part of American National Standard C12.19-2008.)

The ANSI C12.19 standard provides a common data structure for use in transferring data to and from utility End Devices, typically meters. It has been approved after considerable cooperative effort among utilities, meter manufacturers, automated meter reading service companies, ANSI, Measurement Canada (for Industry Canada), NEMA, IEEE, Utilimetrics, and other interested parties.

The standard data structure is defined as sets of tables. The tables are grouped together into sections called decades. Each decade pertains to a particular feature-set and related function such as Time-of-use, Load Profile, etc. Table data is transferred from or to the End Device by reading from or writing to a particular table or portion of a table.

The second release of the standard represents a philosophical departure from the first release. This release of the standard is intended to accommodate the concept of an advanced metering infrastructure such as that identified by the Office of Electricity Delivery and Energy Reliability of the U.S. Department of Energy; the Smart Metering Initiative of the Ontario Ministry of Energy (Canada) and the stated requirements of Measurement Canada for the approval of a metering device for use in Canada.

This standard covers a broader range of functionality relative to its previous version; however, it does not follow that implementations of this standard need to be large or complex. Implementers are encouraged to choose an appropriate subset that is suitable for their needs. Therefore, it is very unlikely for any one End Device to embed all tables or even the majority of the tables described herein. Thereby, implementers are encouraged to deploy their desired functionalities using complete and consistent suites of standard tables from standard decades to the largest extent practical.

Readers that are acquainted with ANSI C12.19-1997 will discover that the new version contains many changes. The changes may be categorized as follows:

1. Additions of new features or new functionality through the introduction of new tables, decades, or syntax.
2. Extensions or improvements to pre-existing functionality in support of contemporary and anticipated industry needs.
3. Corrections of errors and provision of clarifications that address known deficiencies and documentation of the accepted or anticipated industry practice.
4. Introduction of XML-based table description language (TDL/EDL) and documentation of services supporting the needs expressed by initiatives such as Smart Metering, Advanced Metering Infrastructure and alike.
5. Removal of features that were found undesirable.
6. Provision of guidelines for implementers of this standard and developers of future versions of the standard on backward compatibility and planned phase-out of obsolete features.

Some of the many new features introduced in this revision of the standard include:

- Addition of new data types in support of high-precision sub-second time stamps, such as HTIME_DATE and HTIME.
- Creation of new syntax for the aggregation of transmitted characters into strings, STRING.
- Creation of new syntax for the aggregation of transmitted octets into opaque blobs, BINARY.
- Addition of new Decade 9, Telephone tables. This decade imports and supersedes the tables and syntax defined in ANSI C12.21.
- Creation of new Decade 11, Load Control and Pricing Tables. This decade provides for demand-side management capabilities, including load control, demand response, prepayment and direct customer billing functions.
- Creation of Decade 14, Extended User-defined Tables. This decade provides capability for transmitting and receiving a contiguous stream of element and sub-element data. The data are referenced methodically to the legitimate and formal C12.19 data element.

- Creation of Decade 15, Quality-of-service Tables. This decade provides control, capture and logging of high-precision Quality-of-service performance indicators, such as power quality, and the inclusion of detailed waveforms, power spectra and related information.
- Creation of Decade 16, One-way Devices Tables. This decade provides control and management tables in support of one-way (talk-only) End Devices.

Some extensions or improvements to pre-existing functionality include:

- Table 0, General Configuration Table, retains its original form and it is backward compatible with ANSI C12.19-1997. However, a few notable control elements were modified:
 - i. Extended CHAR_FORMAT to support UTF-8.
 - ii. Replaced MANUFACTURER element with DEVICE_CLASS element to facilitate a more dynamic End Device data model recognition.
 - iii. Extended TM_FORMAT in support of high-precision, sub-second, time stamps.
- Changed all data source selections in all tables (e.g., Table 22) from UINT8 to SOURCE_SELECT_RCD. This form is backward and forward compatible with ANSI C12.19-1997 when MODEL_SELECT is 0.
- Table 3, End Device Mode Status Table, incorporates the changes proposed in ANSI C12.21.
- Table 7, Procedure Initiate Table, and Table 8, Procedure Response Table, were updated and extended to provide procedures in support of new functionality that is needed by:
 - i. Decade 7, History and Event Log Tables;
 - ii. Decade 9, Telephone Control Tables;
 - iii. Decade 11, Load Control and Pricing Tables;
 - iv. Decade 12, Network Control Tables and
 - v. Decade 15 Quality-of-service Tables.
- Table 12, Unit of Measure Entry table, was expanded with new UOMs.
- Table 17, Transformer Loss Compensation, was added to Decade 1.
- Extended the event log tables to provide a new capability to manage and detect program changes through the life of the End Device.
- Extended the event log tables to provide a new capability to manage, authenticate and verify the integrity of data read from an End Device service point by any receiving client application that may reside across any communication system.
- Extended the table type that can be transmitted to include up to 2040 extended-user-defined tables via TABLE_IDA_BFLD. Also introduced a new Decade 14, Extended User-defined Tables, to manage the collation of table elements, down to the bit level, into extended-user-defined tables.

Major corrections of errors and provision of clarifications include:

- Section 7.0, Compliance, was updated to reduce variations in the implementation of the standard.
- Section 8.0, Table Transportation Issues, was updated to include the “Errata to ANSI Standard C12.19-1997, Utility Industry Data Tables” published in 2001. It also updated to harmonize this standard with ANSI C12.18, ANSI C12.21 and ANSI C12.22.
- Table 7, Procedure Initiate Table, and Table 8, Procedure Response Table, indices calculations were completely rewritten in order to eliminate a fatal error in the production of unique indices for procedure parameters when using index/count access methods.

Removal of features that were found undesirable include:

- Section 5.0, Syntax, no longer supports two-dimensional arrays. Appropriate corrections were applied wherever this syntax was used. This does not impact the offset/count data access methods.

The reader is encouraged to review the descriptive text as it brings significant clarifications and examples of use where appropriate.

Suggestions for improvement to this Standard are welcome. They should be sent to:

National Electrical Manufacturers Association
Vice President, Technical Services
1300 North 17th Street
Suite 1752
Rosslyn, VA 22209

The Secretariat of the Accredited Standards Committee on Electricity Metering, C12, is held by the National Electrical Manufacturers Association (NEMA) and the National Institute of Standards and Technology. At the time this standard was processed and approved, the C12 Committee had the following members:

Tom Nelson, Chairman

Paul Orr, Secretary

Organization Represented:

Georgia Power
Underwriters Laboratories, Inc.
Itron, Inc.
GE Energy
Florida Power & Light Co.
Public Service Electric & Gas
Radian Research, Inc.
Milbank Manufacturing
Technology for Energy Corporation
Schweitzer Engineering Labs, Inc.
Oncor Group
Center for Neighborhood Technology
Austin Energy
Future DOS R&D
Duke Energy Company
Natl Inst. of Standards & Technology
Pacific Gas & Electric Company

Xcel Energy EMC
Plexus
EnerNex Corporation
Sensus Metering
Baltimore Gas & Electric Company
Tucker Engineering
Trilliant Networks, Inc.
Landis+Gyr
Watthour Engineering Co.

Name of Representative:

Larry Barto
Ron Breschini
Brent Cain
Curt Crittenden
Jim DeMars
David Ellis
Tim Everidge
Shawn Glasgow
Bill Hardy
Bob Hughes
Brad Johnson
Lawrence Kotewa
Herman Millican
Avygdor Moise
Tim Morgan
Tom Nelson
D. Young Nguyen

Dan Nordell
Dave Scott
Aaron Snyder
George Steiner
Jim Thurber
Richard Tucker
Michel Veillette
John Voisine
H.A. Wall

The following members of Working Group 2 of Subcommittee 17 worked on the development of this revision of the standard since its first publication:

Avygdor Moise, Chairman

Michael Anderson, Past Chairman
Richard D. Tucker, Vice Chairman
Terry L. Penn, Editor
Paul Orr, Secretary

*Organizations Represented:**Name of Representative:*

American Innovations Ltd.	John Taylor
Austin International, Inc.	William Beverly
Badger Meter	Greg Gomez
Center for Neighborhood Technology	Larry Kotewa
C-MAC	Raymond Gaudreault
Consultant for Itron, Inc.	William Buckley
Datamatic Energy Systems	Robert McMichael
Distribution Control Systems, Inc.	Mark Iacoviello
	Peter Martin
Duke Energy Corp.	David Wiseman
	Wesley Ray
Elster Electricity, LLC	Edward J. Beroset
Future DOS R&D, Inc.	Avygdor Moise
General Electric	Virginia Zinkowski
	Jack Pazdon
Hexagram, Inc.	Kendall Smith
Hydro-Québec	Jean Joly
Hypertek Inc. for EPRI	Martin Burns
IGT	William Rush
IntraLynx Canada	Ron Begley
Invensys Metering Systems	William Mazza
Itron, Inc.	Don Grundhauser
	Aaron Snyder
	Chris Schafer
	Janice Jennings
	Ken Gilmer
Landis+Gyr Inc.	Bin Qiu
	Michael Anderson
Lucent Technologies, Bell Labs	Stuart Garland
Main Street Networks	Thomas Chen
Measurement Canada	Vuong Nguyen
Northern States Power Co.	Dan Nordell,
	Shawn Bagley
Ontario Hydro Services Co.	Alex Lunycz
Open University	John Newbury
Power Measurement	Richard Stetler
Rochester Instrument Systems	Gregory Bray
Schlumberger	Brian Seal
	Marc Purc
Sensus Metering Systems	Norbert Balko
Southern Company	Terry L. Penn
Tantalus Systems Corp.	Keith Martin
Terasen Gas	David Taylor
THY Consulting, Inc.	Ted York
Trilliant Networks	Michel Veillette
	Paul Aubin
Tucker Engineering Associates Inc.	Richard D. Tucker

This page intentionally left blank.

Utility Industry End Device Data Tables**1 Scope**

This Standard defines a Table structure for utility application data to be passed between an End Device and any other device. It neither defines device design criteria nor specifies the language or protocol used to transport that data.

2 References**2.1 Normative**

- | | |
|-------------------------------|--|
| ANSI C12.10-2004 | American National Standard for Physical Aspects of Watthour Meters—Safety Standard, (or latest version). |
| ANSI X9.31-1998 | Public Key Cryptography Using Reversible Algorithms for the Financial Services Industry (rDSA), 1998. |
| ANSI/IEEE 100-2000 | The Authoritative Dictionary of IEEE Standards Terms, Seventh Edition (New York, New York, IEEE Press, 2000, ISBN 0-7381-2601-2). |
| AS 4140-1995 | Australian Standard, Metering and Utility Information Exchange—Glossary of Terms. |
| CAN/CSA ISO/IEC-10118-1: 2000 | Information Technology—Security Techniques—Hash-functions—Part 1: General. |
| CAN/CSA ISO/IEC-10118-2: 2000 | Information Technology—Security Techniques—Hash-functions—Part 2: Hash-Functions Using an n-bit Block Cipher. |
| ECMA 94 (1996) | 8-Bit Single-Byte Coded Graphic Character Sets—Latin Alphabets No. 1 to No. 4-2nd Edition. |
| IEEE Std 519-1992 | IEEE Recommended Practices and Requirements for Harmonic Control in Electrical Power Systems. |
| IEEE Std 754-1985 | IEEE Standard for Binary Floating-Point Arithmetic. |
| IEEE Std 1159-1995 (R2001) | IEEE Recommended Practice for Monitoring Electric Power Quality. |
| IEEE Std C57.123-2002 | IEEE Guide for Transformer Loss Measurement. |
| IEC 62053-23 (2003-01) | Electricity Metering Equipment (a.c.)—Particular Requirements—Part 23: Static Meters for Reactive Energy (classes 2 and 3). |
| IEC/TR 61000-2-1 (1990-05) | Electromagnetic Compatibility (EMC)—Part 2: Environment—Section 1: Description of the Environment—Electromagnetic Environment for Low- |