

ANSI C136.15-2011

American National
Standard for Roadway
and Area Lighting
Equipment - Luminaire
Field Identification





ANSI C136.15-2011

**American National Standard
for Roadway and Area Lighting
Equipment—Luminaire Field
Identification**

Currently in preview, Click buy full version

Currently in preview, click buy full version



ANSI C136.15-2011
Revision of ANSI C136.15-2005

American National Standard

for Roadway and Area Lighting Equipment—
Luminaire Field Identification

Secretariat

National Electrical Manufacturers Association

Approved January 4, 2011

American National Standards Institute, Inc.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

ANSI standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, express or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guideline.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether or not he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

Caution Notice: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

National Electrical Manufacturers Association
1300 North 17th Street, Rosslyn, VA 22209

© Copyright 2011 by National Electrical Manufacturers Association
All rights reserved including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Printed in the United States of America

This page intentionally left blank.

CONTENTS

1	Scope	1
2	Normative References	1
3	General	1
3.1	Lamp Identification.....	1
3.2	Uniform Marking	1
3.3	New Luminaires	1
3.4	Multi-Purpose Ballasts.....	1
4	Physical Requirements	2
4.1	Dimensions	2
4.2	Materials	2
4.2.1	UV Protection	2
4.3	Method of Attachment.....	2
4.4	Location of Marker	2
5	Marker Design—High-Intensity Discharge (HID) Systems	2
5.1	Marker Size.....	2
5.2	Marker Background	3
5.2.1	Pulse Start Metal Halide Background	3
5.3	Numerals.....	5
6	Marker Design—Solid State and Fluorescent Systems	5
6.1	Marker Size.....	5
6.2	Light-Emitting Diode Marker Design.....	6
6.3	Induction Marker Design.....	6
6.4	Compact Fluorescent Marker Design	7
6.5	Plasma Marker Design	7

Figures

Figure 1	Marker Dimension—HID Systems.....	3
Figure 2	Horizontal Burn Pulse Start Metal Halide Background.....	4
Figure 3	Vertical Burn Pulse Start Metal Halide Background.....	4
Figure 4	Marker Dimension—Solid State and Fluorescent Systems	6
Figure 5	Light-Emitting Diode Marker Design	6
Figure 6	Induction Marker Design.....	7
Figure 7	Compact Fluorescent Marker Design.....	7
Figure 8	Plasma Marker Design	7

Tables

Table 1	Lamp Marker Background Color for Identifying Lamp Type.....	3
Table 2	Lamp Marker Numerals for Identifying HID Lamp Wattage.....	5

This page intentionally left blank.

For Roadway and Area Lighting Equipment—Luminaire Field Identification**1 Scope**

The intent of this standard is to provide a simple, uniform method for identifying the type and wattage rating of a luminaire used for roadway and area lighting.

2 Normative References

This standard incorporates by undated reference provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed below. For undated references, the latest edition of the publication referred to applies (including amendments).

ANSI C136.6-2004 *American National Standard for Roadway and Area Lighting Equipment—Metal Heads and Reflector Assemblies—Mechanical and Optical Interchangeability*

ANSI C136.14-2004 (R2009) *American National Standard for Roadway and Area Lighting Equipment—Elliptically Shaped, Enclosed Side-Mounted Luminaires for Horizontal-Emitting High-Intensity Discharge Lamps*

ANSI C136.16-2009 *American National Standard for Roadway and Area Lighting Equipment—Enclosed, Post Top-Mounted Luminaires*

ANSI C136.32-2006 *American National Standard for Roadway and Area Lighting Equipment—Enclosed Setback Luminaires and Directional Floodlights for High-Intensity Discharge Lamps*

ANSI/UL 773-1995 *Plug-In Locking Type Photocontrols for Use with Area Lighting*

NOTE—ANSI Standards are available from IHS, 15 Inverness Way East, Englewood, CO 80112, Phone: (800) 525-7052 or (303) 790-0600 or www.global.ihs.com.

3 General**3.1 Lamp Identification**

Since a luminaire may be used with a variety of combinations of light sources and wattages, it is desirable to provide the person on the ground with a means of identification of these items.

3.2 Uniform Marking

This standard provides a means of uniform marking, whether by the manufacturer or user.

3.3 New Luminaires

It is the intent of this standard that new luminaires used for roadway and area lighting be furnished with the appropriate marker as specified in Sections 4 and 5.

3.4 Multi-Purpose Ballasts

Luminaires with ballasts intended for user-selectable lamp types or wattage sizes shall be packaged with the appropriate markers.