

ACCREDITED STANDARDS COMMITTEE

N14 Packaging and Transport of Radioactive
And Non-Nuclear Hazardous Materials

ANSI N14.1-2023

American National Standard

***For Nuclear Materials —
Uranium Hexafluoride – Packagings for Transport***



THIS PAGE INTENTIONALLY LEFT BLANK

**ANSI
N14.1-2023**

**American National Standard
for Nuclear Materials—
Uranium Hexafluoride – Packagings for Transport**

Secretariat

Institute for Nuclear Materials Management

Approved May 11, 2023

American National Standards Institute, Inc.

THIS PAGE INTENTIONALLY LEFT BLANK

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires review by the American National Standards Institute (ANSI) to determine whether the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. "Substantial agreement" means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he or she has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

ANSI does not develop standards and will in no circumstances give interpretation on any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of ANSI. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of ANSI require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing ANSI.

Published by
American National Standards Institute, Inc.
25 West 43rd Street, New York, NY 10036

Copyright ©2023 by Institute for Nuclear Materials Management
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

THIS PAGE INTENTIONALLY LEFT BLANK

Contents

	<u>Page</u>
Contents.....	vii
Foreword.....	xiii
1. Scope and Purpose	1
1.1 Scope	1
1.2 Purpose.....	1
2. Normative References	1
2.1 Bibliography	1
3. Definitions	4
4. Quality Assurance.....	6
5. General Requirements for Cylinders.....	6
5.1 Design of Cylinders	6
5.1.1 Design conditions	6
5.2 Fabrication of New Cylinders	7
5.2.1 General.....	7
5.2.2 Radiography and other nondestructive examinations (NDEs).....	7
5.2.3 Testing.....	8
5.2.4 Cylinder marking	9
5.2.5 Reports, certification, and records.....	9
5.2.6 Cylinder external surface.....	10
5.3 In-service cylinders and valve protection	11
5.3.1 Cleanliness.....	11
5.3.2 Testing	11
5.3.3 Routine operational inspections	11
5.3.4 Periodic inspections and tests	12
5.3.4.1 One-year periodic inspections and tests	12
5.3.4.2 Five-year periodic inspections and tests	12
5.3.4.3 Removal of cylinders from service	13
5.3.5 Cylinder Maintenance/Repair/Alteration.....	13
5.3.6 Cylinder Skirt Holes for the 48A, 48F, 48X, and 48Y Valve Protector Alternate.....	14
5.3.7 Valve Maintenance on Cylinders in Use.....	14
5.4 Standard Cylinders	14
6. Specific Requirements for Cylinders.....	16
6.1 1S and 1SW Cylinders	16
6.1.1 Design conditions	16
6.1.2 Materials.....	16
6.1.3 Fabrication.....	16
6.1.4 Radiography	16
6.1.5 Valve	16
6.1.6 Plug	17
6.1.7 Valve and plug installation.....	17
6.1.8 Testing.....	17
6.1.9 Cylinder marking	17
6.1.10 Cleaning	17
6.1.11 Certification	17
6.1.12 External surface treatment	17
6.2 2S and 2SW Cylinders	17

6.2.1	Design conditions	17
6.2.2	Materials	17
6.2.3	Fabrication	18
6.2.4	Radiography	18
6.2.5	Valve	18
6.2.6	Plug	18
6.2.7	Valve and plug installation	18
6.2.8	Testing	18
6.2.9	Cylinder marking	18
6.2.10	Cleaning	18
6.2.11	Certification	18
6.2.12	External surface treatment	18
6.3	5B Cylinder	18
6.3.1	Design conditions	18
6.3.2	Materials	19
6.3.3	Fabrication	19
6.3.4	Radiography	19
6.3.5	Valve	19
6.3.6	Plug	19
6.3.7	Valve and plug installation	19
6.3.8	Testing	20
6.3.9	Cylinder marking	20
6.3.10	Cleaning	20
6.3.11	Certification	20
6.3.12	External surface treatment	20
6.4	8A Cylinder	20
6.4.1	Design conditions	20
6.4.2	Materials	20
6.4.3	Fabrication	20
6.4.4	Radiography	20
6.4.5	Valve	21
6.4.6	Plug	21
6.4.7	Valve and plug installation	21
6.4.8	Testing	21
6.4.9	Cylinder marking	21
6.4.10	Cleaning	21
6.4.11	Certification	21
6.4.12	External surface treatment	21
6.5	12B Cylinder	21
6.5.1	Design conditions	21
6.5.2	Materials	21
6.5.3	Fabrication	22
6.5.4	Radiography	22
6.5.5	Valve	22
6.5.6	Plug	22
6.5.7	Valve and plug installation	22
6.5.8	Testing	22
6.5.9	Cylinder marking	22
6.5.10	Cleaning	22
6.5.11	Certification	22
6.5.12	External surface treatment	22

6.6	30B Cylinder.....	22
6.6.1	Design conditions	22
6.6.2	Materials.....	23
6.6.3	Fabrication.....	23
6.6.4	Radiography	23
6.6.5	Valve	23
6.6.6	Plug.....	23
6.6.7	Valve and plug installation.....	23
6.6.8	Testing.....	23
6.6.9	Cylinder marking	23
6.6.10	Cleaning	23
6.6.11	Certification	23
6.6.12	External surface treatment	24
6.7	30C Cylinder	24
6.7.1	Design conditions	24
6.7.2	Materials.....	24
6.7.3	Fabrication.....	24
6.7.4	Radiography and nondestructive examination (NDE)	24
6.7.5	Valve	24
6.7.6	Plug	25
6.7.7	Valve and plug installation.....	25
6.7.8	Testing.....	25
6.7.9	Cylinder marking	25
6.7.10	Cleaning	25
6.7.11	Certification	25
6.7.12	External surface treatment	25
6.8	48G Cylinder	25
6.8.1	Design conditions	25
6.8.2	Materials.....	26
6.8.3	Fabrication.....	26
6.8.4	Radiography	26
6.8.5	Valve	26
6.8.6	Plug	26
6.8.7	Valve and plug installation.....	27
6.8.8	Testing.....	27
6.8.9	Cylinder marking	27
6.8.10	Cleaning	27
6.8.11	Certification	27
6.8.12	External surface treatment	27
6.9	48Y or 48Z Cylinder	27
6.9.1	Design conditions	27
6.9.2	Materials.....	27
6.9.3	Fabrication.....	28
6.9.4	Radiography	28
6.9.5	Valve	28
6.9.6	Plug	28
6.9.7	Valve and plug installation.....	28
6.9.8	Testing.....	28
6.9.9	Cylinder marking	28
6.9.10	Cleaning	28
6.9.11	Certification	28

6.9.12 External surface treatment	28
7. General Requirements for Cylinder Valves and Plugs	29
7.1 Manufacturing Process for Valves and Plugs	29
7.1.1 Process	29
7.1.2 Materials	29
7.1.3 Material test report	29
7.1.4 Manufacturing	29
7.1.5 Material stress-relief specifications	30
7.1.6 Cleaning	30
7.1.7 Tinning of valves or plugs specified in Sections 8.3 and 8.4	30
7.1.8 Assembly of valves specified in Sections 8.2 and 8.3	31
7.1.9 Testing of valves specified in Sections 8.2 and 8.3	31
7.1.10 Packaging	33
7.1.11 Certification	33
7.2 Installation of Valves and Plugs Specified in Sections 8.3 and 8.4	33
8. Specific Requirements for Cylinder Valves and Plugs	34
8.1 Valves for 1S, 1SW, 2S and 2SW Cylinders	34
8.1.1 Design conditions	35
8.1.2 Materials	35
8.2 Cylinder Valve 50 (3/4 in.)	35
8.2.1 Design conditions	35
8.2.2 Materials	35
8.2.3 Material certification	36
8.2.4 Manufacturing	36
8.2.5 Cleaning	36
8.2.6 Tinning	36
8.2.7 Assembly	36
8.2.8 Testing	36
8.3 Cylinder Valve 51 (1 in.)	36
8.3.1 Design conditions	36
8.3.2 Materials	36
8.3.3 Material certification	37
8.3.4 Manufacturing	37
8.3.5 Cleaning	37
8.3.6 Tinning	37
8.3.7 Assembly	37
8.3.8 Testing	37
8.4 Plug	38
8.4.1 Design conditions	38
8.4.2 Materials	38
8.4.3 Machining	38
8.4.4 Cleaning	39
8.4.5 Tinning	39
8.4.6 Certification	39
9. Shipping	39
9.1 Heeled Cylinders	39
9.2 New Cylinders	39
9.3 Valve Protectors	39
9.4 Seals	39
9.5 Outer protection	39

Tables

	<u>Page</u>
1. UF ₆ cylinder design conditions	7
2. Cylinder marking	9
3. Minimum thickness	13
4. Standard cylinder data	15
5. Modified aluminum bronze UNS C63600 chemical composition limits	29
6. Valve component torques in ft-lb.....	32
7. Installation torques and insertions of valves and plugs.....	34
8. Maximum heel quantities	39

THIS PAGE INTENTIONALLY LEFT BLANK

Foreword

(This foreword is not part of American National Standard N14.1–2023)

The Accredited Standards Committee on Packaging and Transport of Radioactive and Non-Nuclear Hazardous Materials, N14, under whose jurisdiction this standard was developed, has the following scope.

Standards for the packaging and transportation of fissile and radioactive materials, non-nuclear hazardous materials, including waste and mixed materials, but not including movement or handling during processing and manufacturing operations.

This standard supersedes *American National Standard for Nuclear Materials – Uranium Hexafluoride – Packagings for Transport*, ANSI N14.1–2019.

Packaging of uranium hexafluoride (UF₆) for transport is an essential part of a safe and economical nuclear industry. This standard presents information on UF₆ cylinders, valves, outer protection and shipping.

The packaging and transport of UF₆ is subject to regulation by government agencies having jurisdiction over packaging and transport. This standard does not take precedence over applicable U.S. Nuclear Regulatory Commission, U.S. Department of Energy, U.S. Department of Transportation, or other governmental regulations.

The Committee recognizes that this standard is also used for international transportation of UF₆, where international transport regulations, based on IAEA SSR-6 (*Regulations for the Safe Transport of Radioactive Material*), apply. SSR-6 uses ISO 7195 as reference for packaging of UF₆ for transport. ISO 7195 has been developed from and is based on previous issues of this standard and covers the same standard cylinders. The Committee has participated and will continue to participate in the development and maintenance of ISO 7195.

This standard includes references to regulatory material. For more detailed information, the user of this standard is encouraged to use the appropriate regulatory document.

Suggestions for improvement of this standard are welcome. They should be sent to the Institute of Nuclear Materials Management, 60 Revere Drive, Suite 500, Northbrook, IL 60062.

This standard was prepared and approved for submittal to ANSI by the Accredited Standards Committee on Packaging and Transport of Radioactive and Non-Nuclear Hazardous Material, N14. Committee approval of the standard does not necessarily imply that all committee members voted for its approval. At the time it approved this standard, the N14 Committee comprised the following members.

Matthew R. Feldman, Chair
 Vacant, Vice-Chair
 Stephen J. Maheras, Secretary

<i>Organization Represented</i>	<i>Name of Representative</i>
Health Physics Society	Vacant
U.S. Department of Transportation	R. Boyle
U.S. Nuclear Regulatory Commission	B. White
U.S. Department of Energy	J. Shuler
U.S. DOE National Nuclear Security Administration	A. Al-Daouk
Commercial Vehicle Safety Alliance	C. Smith

Individual Members

Al-Daouk, Ahmad M.	Hansen, Steve	Sellmer, Todd E.
Araniz, Enrique (Rick) A.	Hawk, Mark B.	Shuler, Dr. James M.
Bellamy, J. Stephen	Kapoor, Ashok	Smith, Carlisle
Best, Ralph E.	Maheras, Dr. Steven J.	Vaughan, Dr. Robert A.
Boyle, Richard	Mohamed, Dr. Ashraf	Viebrock, James M.
Campbell, Mark	Nolan, Donald J.	Walker, Randy
Charette, Marc-Andre	O'Connor, Stephen C.	Wangler, Michael E.
Clark, Gary L., P.E.	Opperman, Erich	Warriner, Doyle J.
Eyre, Phillip	Pope, Ronald B.	Wassenaar, Dr. Richard
Feldman, Matt	Porter, Steven A.	White, Benard (Bernie)
Garg, Rajesh	Rymer, Andrew C.	Woodbury, John (Woody)

Members of the subcommittee N14.1 on Uranium Hexafluoride – Packagings for Transport who participated in the revision of this standard are as follows.

Steven Hansen, Chair		
Allshouse, Rich	Fucich, Mark	Olson, Don
Aguilar, Ross	Hartsock, Don	Plessy, Olivier
Boyle, Richard	Henschke, Jens	Richer, Jean-Pierre
Charette, Marc-Andre	Karr, Marty	Rohof, Han
Conrad, Brooke	Kent, Norman	Vescovi, Peter
Darras, Florian	Omar, Khan	Wangler, Mike
Dekker, Ben	Kruehler, Joel	White-Horton, Jessica
Desnoyers, Bruno	Malesys, Pierre	Woodcock, Jeff

AMERICAN NATIONAL STANDARD

ANSI N14.1-2023

American National Standard for Nuclear Materials—Uranium Hexafluoride – Packagings for Transport

1. Scope and Purpose

1.1 Scope

This standard provides criteria for packagings used for transport of uranium hexafluoride (UF_6). It includes specific information on design and fabrication requirements for the procurement of new UF_6 packagings for transportation of 0.2205 lb (0.1 kg) or more of UF_6 but is not intended to develop new designs. This standard also defines the requirements for in-service inspections, cleanliness, and maintenance for packagings in service. Packagings currently in service and not specifically defined in this standard are acceptable for use, provided they are used within their original design limitations and are inspected, tested, and maintained so as to comply with the intent of this standard. Also included are cylinder loadings, shipping requirements, and requirements for valves, plugs, and valve protectors.

Imperial units shown in this standard may be converted to metric units and rounded when not in conflict with the functional specification.

1.2 Purpose

This standard is intended to provide for compatibility of UF_6 packagings among different users within the nuclear industry. It will assist in providing guidance and criteria for shipment of UF_6 .

2. Normative References

The following standards and references contain provisions, which through reference in this text constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid. All standards and references are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent editions of the standards and references indicated below. Codes and standards with corresponding versions using metric units may be used interchangeably.

With respect to this standard, American Society of Mechanical Engineers (ASME) material and filler metal specifications, identified by the prefix “S,” are interchangeable with corresponding ASTM International (ASTM) and American Welding Society (AWS) specifications referenced herein.

The following documents are referred to in the text in such a way that some or all of their content constitute requirements of this standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.