



ANSI C12.1-2024

*American National Standard for Electric Meters—
Code for Electricity Metering*

Secretariat:

National Electrical Manufacturers Association

Approved: July 24, 2024

American National Standards Institute, Inc.

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

ANSI standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together volunteers and/or seeks out the views of persons who have an interest in the topic covered by this publication. While NEMA administers the process to promote fairness in the development of consensus, it does not write the document and it does not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgments contained in its standards and guideline publications.

NEMA disclaims liability for any personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA does not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA is not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA has no power, nor does it undertake to police or enforce compliance with the contents of this document. NEMA does not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health- or safety-related information in this document shall not be attributable to NEMA and is solely the responsibility of the certifier or maker of the statement.

AMERICAN NATIONAL STANDARD

Approval of an American National Standard requires verification by The American National Standards Institute, Inc. (ANSI) that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer. An American National Standard implies a consensus of those substantially concerned with its scope and provisions. Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly, and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The existence of an American National Standard does not in any respect preclude anyone, whether s/he has approved the standard or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards. It is intended as a guide to aid the manufacturer, the consumer, and the general public.

The American National Standards Institute, Inc. does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute, Inc. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on this title page.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute, Inc. require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, Inc.

Published by

**National Electrical Manufacturers Association
Rosslyn, Virginia 22209**

© 2024 National Electrical Manufacturers Association. All rights, including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American copyright conventions. No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

Foreword (This foreword is not part of American National Standard C12.1-2024)

This American National Standard establishes acceptable performance criteria for electricity meters. Accuracy class designations, current class designations, voltage and frequency ratings, test current values, service connection arrangements, pertinent dimensions, form designations, and environmental tests are covered.

This version of C12.1 has been modified in several areas in an effort to respond to a changing industry and to improve the clarity of some of the tests. In the North American market, electromechanical meters are no longer manufactured, and tests related to them have been deprecated. Additional work in the field of electromagnetic compatibility and auxiliary communications device influence has also been included in this version. The content of another standard in this series, ANSI C12.20, has been merged into C12.1 so that there is now a singular document that covers the entire *Code for Electricity Metering*. Blondel and non-Blondel meters are both covered by this new version of C12.1. C12.20 will be withdrawn with the publication of this version of C12.1.

Most other specifications have been retained from the previous edition. The following is a brief summary of the main changes:

- Polyphase loading has been mandated for all type testing of polyphase meters
- Voltage tests for meters with wide input voltage ranges have been simplified
- Test No. 4: Effect of variation of power factor has been greatly simplified
- Test No. 7: Equality of current circuits has been simplified
- Test No. 9: Heat rise test has been modified
- Test No. 10: Effect of register friction has been deprecated
- Test No. 12: Effect of tilt has been deprecated
- Introduction of the Critical Change Value concept to certain External Influence tests
- Test No. 17: Effect of high-voltage line surges has been modernized
- Test No. 18: Effect of external magnetic field has been modernized
- Test No. 26: Effect of radio frequency interference has been modernized
- Test No. 28: Effect of electrostatic discharge (ESD) has been modernized
- Tests 39 through 44: Harmonic Influence have been carried over from C12.20
- Appendices A and B have been modernized
- A section on non-Blondel metering has been added to Appendix A

The *Code for Electricity Metering* is a body of work that originated over 110 years ago with the first edition released in 1910. Since then, a great many people have dedicated themselves to updating and modernizing this work. This latest edition is dedicated to all the past and present committee members who have demonstrated a passion for Electricity Metering standards development, and upon whose shoulders this latest version stands.

The Secretariat of the Accredited Standards Committee on Electricity Metering, C12, is held by the National Electrical Manufacturers Association (NEMA) and the National Institute of Standards and Technology (NIST). At the time this standard was processed and approved, the C12 Committee had the following members:

Tom Nelson, Chair
Paul Orr, Secretary

Organization Represented:

Aclara
Baltimore Gas and Electric Company
Brooks Utility Products
Duke Energy
Edwards Precision Power
Elevate Energy
EnerNex

Name of Representative:

Curt Crittenden
Sean Gorman
Robert Kiessling
Kerry Barnette
Shannon Edwards
Lawrence Kotewa
Aaron Snyder

Ercot
Eurofins MET Labs
Florida Power & Light Company
Future DOS R&D Inc.
Greenville Light & Power
Honeywell Smart Energy
Hydro-Québec
Itron, Inc.
Landis+Gyr
Milbank Manufacturing Company
Networked Energy Services Corporation
NIST
Oncor Electric Delivery Company LLC
Pacific Gas and Electric Company
Power Measurements, LLC
Public Service Electric & Gas
Radian Research, Inc.
SaskPower
Schneider Electric
Schweitzer Engineering Laboratories, Inc.
Sensus, A Xylem Brand
Siemens Industry, Inc.
Southern Company
Technology for Energy Corporation
TESCO - The Eastern Specialty Company
The Durham Company
UL Solutions
Wathour Engineering Company, Inc.
Xcel Energy

Don Tucker
Michael DeVilbiss
Eduardo Sotolongo
Avygdor Moise
Ron Zook
Scott Holdsclaw
Jean-Luc Sabourin
Greg Dickson
Matthew Kraus
Shawn Glasgow
Larry Colton
Tom Nelson
Ray Cumpton
Alex Yan
William Hardy
David Ellis
Frank Boudreau
Bin Lu
Piotr Przydatek
Don MacArthur
Andrew Dudding
Fan Zhang
Anthony Bell
Steve Hu
Tom Lantieri
Mark Shoemaker
Scott Hunter
Lee Wren
Dan Nordell

The following members of the C12.1 Committee were actively involved in the revision of this standard:

Curt Crittenden, Chair
Frank Boudreau, Vice Chair

Kerry Barnette
Frank Boudreau
Brent Cain
Curt Crittenden
Michael DeVilbiss
Andrew Dudding
David Ellis
Tim Everidge
Sean Gorman
Dan Gunderson
William Hardy
Scott Holdsclaw
Steve Hudson
Scott Hunter
Lawrence Kotewa
Robert Lee
Tom Nelson
Dan Nordell
Piotr Przydatek
Aaron Snyder
Don Tucker
John Voisine
Lea Wren

Duke Energy
Radian Research, Inc.
Itron, Inc.
Aclara Meters LLC
Eurofins E&E
Sensus, A Xylem Brand
Public Service Electric & Gas
Radian Research, Inc.
Baltimore Gas & Electric Company
Minnesota Power
Power Measurements, LLC
Honeywell Smart Energy
Technology for Energy Corporation
UL Solutions
Elevate Energy
Aclara Meters LLC
NIST
Xcel Energy
Schneider Electric
EnerNex
Eriqot
Lund+Cyr
Wahour Engineering Company, Inc.

In addition, the Editorial Committee for the current revision of C12.1 includes the following:

Andrew Dudding
Greg Dickson
Brian Cole
Ron Zook
Zach Hughes
Joel Canine
David Ellis
Bill Hardy

Frank Boudreau
Scott Holdsclaw
Piotr Przydatek
Shannon Edwards
June Sabbah
Avygdor Moise
Dan Nordell

Contents

Section 1	Scope and references	1
1.1	Scope	1
1.2	References	1
Section 2	Definitions	3
Section 3	Standards and standardizing equipment	12
3.1	General	12
3.2	Traceability paths to the International System of Units, SI	12
3.3	Meter laboratory	12
3.4	Meter shop	13
3.5	Laboratory standards	13
3.6	Periodic verification of reference standards	13
3.7	Portable/field/working standard watt-hour meters	13
3.8	Performance records	14
3.9	Performance requirements for standard watt-hour meters	14
Section 4	Acceptable performance of new types of electricity meters and associated equipment	16
4.1	General	16
4.2	Types of meters	17
4.3	Specifications for design and construction	17
4.4	Selection of meters for approval tests	18
4.5	Conditions of test	19
4.6	Rules governing the acceptance of types	24
4.7	Performance requirements	26
Section 5	Standards for new and in-service performance	86
5.0	General principles	86
5.1	Watt-hour meters	90
5.2	Instrument transformers, magnetic (external to meter)	92
5.3	Coupling capacitor voltage transformers (external to meter)	92
5.4	Integrated communication devices	92
5.5	Service switches (integrated and external to meter)	93
5.6	Demand and interval registers (integrated)	93
5.7	Other energy measurement devices not already listed (integrated and external to meter)	94
5.8	Other non-energy measurement devices in a metering device circuit (integrated and external to meter)	94
Section 6	Auxiliary pulse devices for electricity metering	95
6.1	General	95
6.2	Tests to be applied	95
6.3	Performance requirements	95
Appendix A	Measurement of power, energy, and related quantities	100
A.1	Measurement of power	100
A.2	Measurement of energy	102
A.3	Measurement of power factor	107
A.4	Measurement of reactive energy (varhours, quadergy)	108
A.5	Non-Blondel metering applications	109

Appendix B	Standards and standardizing equipment	124
B.1	General.....	124
B.2	Final authority.....	124
B.3	[This section has been removed]	125
B.4	Establishing a local reference standard of energy.....	125
B.5	Laboratory conditions.....	127
B.6	Laboratory reference standards	128
B.7	Laboratory secondary standards.....	131
B.8	Shop instruments	132
B.9	Performance records	133
B.10	Abnormal conditions	133
B.11	[This section has been removed]	133
B.12	Acceptable performance of standard watt-hour meters.....	133
Appendix C	Registration and meter constants	136
C.1	General.....	136
C.2	Symbols.....	136
C.3	Object of the test	136
C.4	Test procedure	136
C.5	Allowed effect.....	136
C.6	Mandatory testpoints.....	137
Appendix D	Periodic testing schedule	138
Appendix E	Variable interval plan.....	139
Appendix F	90 degree phase fired waveform definitions.....	140
F.1	Fourier construction of 90 degree phase fired current waveform with same peak as I_{ref}	140
F.2	Sine construction of 90 degree phase fired current waveform with same peak as I_{ref}	140
Appendix G	Type B optical test output port (OTOP)	143
G.0	Type B—separate port for OTO.....	143
G.1	Physical specifications.....	143
G.2	Output optical characteristics	143
Appendix H	Historical background	145
H.1	Preface to the First Edition (1910).....	145
H.2	Preface to the Second Edition (1922)	146
H.3	Preface to the Third Edition (1928)	146
H.4	Preface to the Fourth Edition (1941)	147
H.5	Preface to the Fifth Edition (1965).....	148
H.6	Preface to the Sixth Edition (1975).....	149
H.7	Foreword to the Seventh Edition (1982)	151
H.8	Foreword to the Eighth Edition (1988)	152
H.9	Foreword to the Ninth Edition (1995)	155
H.10	Foreword to the Tenth Edition (2001)	156
H.11	Foreword to the Eleventh Edition (2008).....	158
H.12	Foreword to the Twelfth Edition (2014)	160

Tables

Table 1	Maximum percent errors at reference conditions	15
Table 2	Maximum percent errors with variation of voltage and current	15
Table 3	Current classes and test amperes.....	20
Table 4	Typical Blondel meter form designations	21
Table 5	Typical non-Blondel meter forms.....	22
Table 6	Table of failures based on the number of meters tested	25
Table 7	Polyphase service loading for use on accuracy tests.....	27
Table 8	ABC phase sequence, current and voltage phase angles stated relative to V_A	28
Table 9	CBA phase sequence, current and voltage phase angles stated relative to V_A	28
Table 10	List of type tests	30
Table 11	Starting load test	32
Table 12	Load performance test.....	33
Table 13	ACD extreme state load performance test.....	34
Table 14	Effect of variation of power factor performance test	36
Table 15	Effect of variation of voltage	37
Table 16	Effect of variation of voltage on solid state auxiliary devices	39
Table 17	Effects of variation of frequency	39
Table 18	Equality of current circuits for multi-current circuit meters.....	40
Table 19	Temperature-rise test specifications	41
Table 20	Effect of internal heating for current classes 2, 10, and 20	46
Table 21	Effect of internal heating for current classes 100, 200, and 320	47
Table 22	Limits for stability of performance.....	48
Table 23	Limits for phase sequence reversal.....	48
Table 24	Selected coupling modes for power line surge testing	52
Table 25	Effect of external magnetic field	54
Table 26	Effect of variation of ambient temperature	56
Table 27	Effect of variation of ambient temperature for temperatures $> +50^{\circ}\text{C}$ and $< -20^{\circ}\text{C}$	57
Table 28	Effect of variation of temperature on solid state auxiliary devices	58
Table 29	Effect of temporary overloads on accuracy.....	58
Table 30	Effect of current surge in ground conductor.....	59
Table 31	Test modes, voltage, and application for each external connection group, oscillatory test.	62
Table 32	Maximum difference in energy accumulation, radiated interference	63
Table 33	Maximum difference in energy accumulation, conducted interference.....	64
Table 34	Current test values for I_{ref}	74
Table 35	Effect of harmonic influence: 90 degree phase fired current waveform performance requirements	75
Table 36	Quadriform waveform	76
Table 37	Effect of harmonic influence: Quadriform waveform performance requirements	77
Table 38	Peaked waveform	78
Table 39	Effect of harmonic influence: peaked waveform performance requirements	79
Table 40	Pulse waveform.....	80
Table 41	Effect of harmonic influence: pulse waveform performance requirements.....	81
Table 42	Multiple zero crossing current waveform	82
Table 43	Effect of harmonic influence: multiple zero crossing current waveform performance requirements	83
Table 44	Multiple zero crossing voltage waveform	84

Table 45	Effect of harmonic influence: multiple zero crossing voltage waveform	85
Table 46	Performance test, pulse devices	96
Table 47	Common non-Blondel applications	110
Table 48	Errors under various 2s application conditions	114
Table 49	Errors under various 4-wire wye non-Blondel applications	119
Table 50	Errors under various 4-wire delta non-Blondel applications	122
Table 51	Periodic testing schedule	138
Table 52	Variable interval plan	139
Table 53	90 degree phase fired waveform	142
Table 54	Type B transmitter performance	143

Currently in preview, click buy full version

Figures

Figure 1	Diagram of quadrants	35
Figure 2	Location of temperature detectors.....	42
Figure 3	Dimensions for jumper bars of simulated meter temperature-rise test for single-phase and polyphase meters (maximum rating 100 A).....	43
Figure 4	Dimensions for jumper bars of simulated meter temperature-rise test for single-phase and polyphase meters (maximum rating 101 – 200 A).....	44
Figure 5	Dimensions for jumper bars of simulated meter temperature-rise test for single-phase and polyphase meters (maximum rating 201 – 320 A).....	45
Figure 6	Magnetic field orientations 1, 2, and 3	54
Figure 7	Test No. 25 electrical fast transient/burst direct connection	61
Figure 8	Test No. 25 electrical fast transient/burst capacitive clamp connection	61
Figure 9	Typical test layout for Test 26a—effect of radio frequency radiated interference, reference Section 4.7.3.12.1	64
Figure 10	Typical wiring diagram for Test 26b—conducted interference	65
Figure 11	Typical test layout for Test 27—radiated and conducted emissions, reference Section 4.7.3.13.....	66
Figure 12	Typical wiring detail for self-contained meters for Test 27—radiated and conducted emissions, reference Section 4.7.3.13	67
Figure 13	Typical wiring detail for transformer rated meters for Test 27—radiated and conducted emissions, reference Section 4.7.3.13	68
Figure 14	Typical GTEM test layout for radiated interference Test 26a, reference Section 4.7.3.12.....	69
Figure 15	90 degree phase fired waveform	74
Figure 16	Quadriform waveform	76
Figure 17	Peaked waveform	78
Figure 18	Pulse waveform.....	81
Figure 19	Multiple zero crossing current waveform	82
Figure 20	Multiple zero crossing voltage waveform	84
Figure 21	Sunlight interference test	98
Figure 22	Variable angles sunlight interference test	99
Figure 23	2S meter connections	111
Figure 24	2S meter application	111
Figure 25	Single-phase, 3-wire vector diagrams.....	112
Figure 26	2S errors at PF=1.0.....	116
Figure 27	5S metering application	117
Figure 28	6S metering application	118
Figure 29	5S metering application	120
Figure 30	8S metering application	121
Figure 31	Traceability path diagram	126
Figure 32	90 degree phase fired waveform.....	141
Figure 33	Type B transmitter performance.....	144

< This page left blank intentionally. >

Section 1 Scope and references

1.1 Scope

This standard establishes acceptable performance criteria for new types of AC watthour meters, demand meters, demand registers, pulse devices, and auxiliary devices. It also describes acceptable in-service performance levels for meters and devices used in revenue metering. It also includes information on related subjects, such as recommended measurement standards, installation requirements, test methods, and test schedules. This *Code for Electricity Metering* is designed as a reference for those concerned with the art of electricity metering, such as utilities, manufacturers, and regulatory bodies.

Where differences exist between the requirements of this standard and the most current version of ANSI C12.10, the requirements of this standard shall prevail.

1.2 References

The following publications shall be used in conjunction with this standard. When they are superseded by an approved revision, the latest approved revision shall apply:

ANSI C12.7-2022 *Requirements for Watthour Meter Sockets*

ANSI C12.10-2011 (R2021) *Physical Aspects of Watthour Meters—Safety Standard*

ANSI C12.18-2006 (R2024) *Protocol Specification for ANSI Type 2 Optical Port*

ANSI/ASQ Z1.4-2003 (R2018) *Sampling Procedures and Tables for Inspection by Attributes*

ANSI/ASQ Z1.9-2003 (R2018) *Sampling Procedures and Tables for Inspection by Variables for Percent Nonconforming*

ANSI/IEEE C63.4-2014 *Methods of Measurement of Radio-Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz*

ASTM B117-2019 *Standard Practice for Operating Salt Spray (Fog) Apparatus*

ASTM G155-2021 *Standard Practice for Operating Xenon Arc Lamp Apparatus for Exposure of Materials*

Code of Federal Regulations (Telecommunication) CFR 47, Part 15—*Radio Frequency Devices, Subparts A—General and B—Unintentional Radiators*

Chapter 19, “The Customers’ Premises, Service and Installations,” *Handbook for Electricity Metering*, 11th Edition, Washington, D.C.: Edison Electric Institute, 2014

IEC 61000-4-3:2020 *Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-6:2013 *Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields*

IEEE 1-2000 *IEEE Recommended Practice - General Principles for Temperature Limits in the Rating of Electrical Equipment and for the Evaluation of Electrical Insulation*

IEEE C37.90.1-2012 *IEEE Standard for Surge Withstand Capability (SWC) Tests for Relays and Relay Systems Associated with Electric Power Apparatus*

IEEE C57.13-2016 *IEEE Standard Requirements for Instrument Transformers*