

# **Manual of Petroleum Measurement Standards Chapter 10.9**

## **Standard Test Method for Water in Crude Oils by Coulometric Karl Fischer Titration**

FOURTH EDITION, NOVEMBER 2024



American  
Petroleum  
Institute

## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them. However, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, [standards@api.org](mailto:standards@api.org).

Currently in preview, click buy full version

# Contents

	<b>Page</b>
<b>1</b> Scope .....	1
<b>2</b> Referenced Documents .....	1
<b>3</b> Terminology .....	2
<b>4</b> Summary of Test Method.....	2
<b>5</b> Significance and Use .....	2
<b>6</b> Interferences .....	2
<b>7</b> Apparatus.....	2
<b>8</b> Reagents and Materials .....	3
<b>9</b> Sampling and Test Specimens .....	3
<b>10</b> Preparation of Apparatus .....	4
<b>11</b> Verification of Equipment Calibration.....	5
<b>12</b> Procedure.....	5
<b>13</b> Calculation .....	6
<b>14</b> Report .....	6
<b>15</b> Troubleshooting and Maintenance .....	7
<b>16</b> Precision and Bias .....	7
<b>17</b> Keywords .....	8
Appendix X1—Helpful Hints for Coulometric Karl Fischer Water Analysis Using Procedure C.....	9
Related Material .....	10
Summary of Changes .....	10
 <b>Tables</b>	
<b>1</b> Approximate Test Specimen Size Based on Expected Water Content.....	4
<b>2</b> Precision Intervals.....	8



Designation: D4928 – 24



Manual of Petroleum Measurement Standards (MPMS), Chapter 10.9

## Standard Test Method for Water in Crude Oils by Coulometric Karl Fischer Titration<sup>1</sup>

This standard is issued under the fixed designation D4928; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\epsilon$ ) indicates an editorial change since the last revision or reapproval.

*This standard has been approved for use by agencies of the U.S. Department of Defense.*

### 1. Scope\*

1.1 This test method covers the determination of water with true concentration range from 0.02 % to 5.00 % by mass or volume in crude oils using Procedures A and B and from 0.04 % to 3.75 % by mass or volume for Procedure C. Mercaptan (RSH) and sulfide ( $S^-$  or  $H_2S$ ) as sulfur are known to interfere with this test method, but at levels of less than 500  $\mu\text{g/g}$  [ppm(m)], the interference from these compounds is insignificant (see Section 6).

NOTE 1—To accommodate testing variations for Procedure C, refer to Section 16 for valid reporting range of test results.

1.2 This test method can be used to determine water in the 0.005 % to 0.02 % by mass range, but the effects of the mercaptan and sulfide interference at these levels has not been determined. For the range 0.005 % to 0.02 % by mass, there is no precision or bias statement.

1.3 This test method is intended for use with standard commercially available coulometric Karl Fischer reagent.

1.4 The values stated in SI units are to be regarded as standard. No other units of measurement are included in this standard.

1.5 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety, health, and environmental practices and determine the applicability of regulatory limitations prior to use.* For specific warning statements, see Section 8.

1.6 *This international standard was developed in accordance with internationally recognized principles on standard-*

*ization established in the Decision on Principles for the Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.*

### 2. Referenced Documents

- 2.1 *ASTM Standards:*
  - D1193 Specification for Reagent Water
  - D1298 Test Method for Density, Relative Density, or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method (API MPMS Chapter 9.1)
  - D4052 Test Method for Density, Relative Density, and API Gravity of Liquids by Digital Density Meter
  - D4057 Practice for Manual Sampling of Petroleum and Petroleum Products (API MPMS Chapter 8.1)
  - D4175 Terminology Relating to Petroleum Products, Liquid Fuels, and Lubricants
  - D4177 Practice for Automatic Sampling of Petroleum and Petroleum Products (API MPMS Chapter 8.2)
  - D5002 Test Method for Density, Relative Density, and API Gravity of Crude Oils by Digital Density Analyzer
  - D6299 Practice for Applying Statistical Quality Assurance and Control Charting Techniques to Evaluate Analytical Measurement System Performance
  - D5854 Practice for Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products (API MPMS Chapter 8.3)
  - E203 Test Method for Water Using Volumetric Karl Fischer Titration
- 2.2 *API Standards:*<sup>3</sup>
  - MPMS Chapter 1 Terms and Definitions Database
  - MPMS Chapter 8.1 Practice for Manual Sampling of Petroleum and Petroleum Products (ASTM Practice D4057)

<sup>1</sup> This test method is under the jurisdiction of ASTM Committee D02 on Petroleum Products, Liquid Fuels, and Lubricants and the API Committee on Petroleum Measurement, and is the direct responsibility of Subcommittee D02.02/COMQ of the Joint ASTM-API Committee on Hydrocarbon Measurement for Customer Transfer (Joint ASTM-API). This test method has been approved by the sponsoring committees and accepted by the Cooperating Societies in accordance with established procedures.

Current edition approved Oct. 1, 2024. Published November 2024. Originally approved in 1989. Last previous edition approved in 2018 as D4928 – 12 (2018). DOI: 10.1520/D4928-24.

<sup>2</sup> For referenced ASTM standards, visit the ASTM website, [www.astm.org](http://www.astm.org), or contact ASTM Customer Service at [www.astm.org/contact](http://www.astm.org/contact). For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

<sup>3</sup> Published as Manual of Petroleum Standards. Available from American Petroleum Institute (API), 200 Massachusetts Ave., NW, Suite 1100, Washington, DC 20001, <http://www.api.org>.

\*A Summary of Changes section appears at the end of this standard