

Manual of Petroleum Measurement Standards Chapter 21.1

Flow Measurement Using Electronic Metering Systems—Electronic Gas Measurement

ANSI/API MPMS CHAPTER 21.1
SECOND EDITION, FEBRUARY 2013

AGA REPORT NO. 13



AMERICAN PETROLEUM INSTITUTE



American Gas Association



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this Standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Copyright reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope	1
2 Normative References	2
3 Descriptions, Definitions, and Symbols	2
3.1 Description of an Electronic Gas Measurement System	2
3.2 Elements of a Gas Measurement System	2
3.3 Definitions	3
3.4 Symbols	9
4 Electronic Gas Measurement System Algorithms	11
4.1 General	11
4.2 Overview	11
4.3 Quantity Calculation Period (QCP)	12
4.4 Differential Meter Measurement	12
4.5 Linear Meter Measurement	18
4.6 Value Determination For Live Inputs	24
4.7 Compressibility, Density, Heating Value, and Composition	24
5 Audit and Record Requirements	24
5.1 Introduction	24
5.2 Quantity Transaction Record (QTR)	24
5.3 Software/Firmware Identifiers	27
5.4 Configuration Log	28
5.5 Event Log	28
5.6 Alarm and Operating Data	28
5.7 Corrected Quantity Transaction Record (QTR corr.)	28
5.8 Test Record	29
6 Data Availability	29
6.1 General	29
6.2 Onsite Data Requirements	30
6.3 Off-Site Data Requirements	30
6.4 Data Retention	31
7 Commissioning	31
7.1 General	31
7.2 Documentation Review	31
7.3 Final Integrated EGM System Site Commissioning	32
7.4 Commissioning Documentation	34
8 Equipment Verification and Calibration	34
8.1 Components Requiring Verification/Calibration	34
8.2 Verification and Calibration	35
8.3 Ambient Temperature, Line Pressure, and Atmospheric Pressure Effects	41
8.4 Verification and Calibration Equipment	41
9 Security and Data Integrity	42
9.1 Introduction	42
9.2 Restricting Access	42
9.3 Intelligent Device Data Communication Integrity	42
9.4 Integrity of Logged Data	43
9.5 Algorithm Protection	43

9.6	EGM Memory Protection	43
9.7	Integrity of Transferred Data	43
Annex A (informative) Rans Methodology for Estimating Sampling Frequency and Calculation		
	Algorithm Errors	44
Annex B (normative) Averaging Techniques		
Annex C (informative) Correction Methodology		
Annex D (normative) Calculation of Normal Operating Range and Percent Fluctuation		
Annex E (informative) Example Flow Computer Variable Input Type Testing - Differential Meters		
Annex F (informative) Example Commissioning Checklist		
Annex G (informative) Examples of Configuration Log Data		
Annex H (informative) Calculation of Differential Pressure “As-Found”		
Annex I (informative) Example of a Redundancy Verification Report		
Annex J (informative) Examples of Applying Linear Meter Equations		
Annex K (informative) Example of Using DP_{IV}, DP_Y, and a Volumetric Flow Rate Calculator to Recalculate a QCP or QTR		
Bibliography		
Figures		
1	Graphical Representation of an Electronic Gas Measurement (EGM) System and Its Relationship to Other Devices	1
2	Estimated Expansion Factor Errors Based Hourly QTRs and $DPISP$ Ratios	17
3	Conceptual Representation of an EGM System	33
4	Verification/Calibration Process	36
A.1		46
A.2		46
A.3		47
A.4		47
A.5	Flow Rate Fluctuation Correction Factor	52
A.6	One Second Logged Data	53
A.7	One Minute Flow Time Linear Averages of Logged Data	53
A.8	Comparison of Differential Pressure Averages	54
A.9	Estimated Expansion Factor Error Using Hourly QTR Recalcs and $DPISP$ Ratios	56
A.10	Example Calculations Plotted on the Expansion Factor Error Graph	58
D.1	Typical Operating Pressure/Calculated Normal Operating Range	65
D.2	Frequency Distribution Showing 5th Percentile and 95th Percentile	65
D.3	Example of Operating Pressure that is Not Normally Distributed	66
E.1	Block Diagram of Test Set-up and Algorithm Verification Process	68
E.2	Example of an Over-damped I/P Output	70
E.3	Example of an Over-damped I/P Output	71
E.4	I/P with Poor Output Control	72
E.5	I/P with Good Output Control	72
E.6	Example of One Hour Differential Pressure Trend with a Five Minute Offset	74

E.7	Notice Late Trend Last Five Minutes Matches First Five Minutes of the On-time Trend	75
H.1	Calculation of “Equivalent” Working Pressure As-found and Calibration Error.....	81
H.2	Atmospheric Pressure/Calculation of “Equivalent” Working Pressure As-left.....	82
H.3	Calculated “Equivalent” Working Pressure As-Found/As-Left Verifications.....	82
K.1	Differences Between DP_{IV} and DP_{Linear} and Recalculated Volumes, Using Hourly QTR Data for a Plunger Lift Production Area	
K.2	Differences Between DP _{IV} , DP _{linear} , and DP _Y Calculated from Hourly QTR Data for a Plunger Lift Protection Area	92
K.3	Differences Between Expansion Factor (Y) Calculated Using DP _{IV} , DP _{linear} , and DP _Y for a Plunger Lift Production Area.....	93
Tables		
1	Maintenance Practices	35
A.1	Algorithm Flow Pattern/Calculation Frequency Check of Data in Figure A.6	55
A.2	Table of Example QTRs Used to Check DP_Y vs. DP_{Linear} Expansion Factor Errors	57

Currently in preview, click buy full version

Flow Measurement Using Electronic Metering Systems— Electronic Gas Measurement


1 Scope

This standard describes the minimum specifications for electronic gas measurement systems used in the measurement and recording of flow parameters of gaseous phase hydrocarbon and other related fluids for custody transfer applications utilizing industry recognized primary measurement devices.

Electronic gas measurement (EGM) systems may be comprised of a number of components which work together to measure and record gas flow as shown in Figure 1. The components contained in the cloud are considered part of the EGM system. The components may be considered individually or be integral parts of the EGM system and the calculations may be performed onsite and/or off-site.

This standard provides the minimum reporting and change management requirements of the various intelligent components required for accurate and auditable measurement. The requirements can be met by a combination of electronically and/or manually recorded configuration, test reports, change record reporting of the electronic gas measurement system components and flow parameters. It is recognized that diagnostic capabilities of the newer meter and transmitter technologies are important but due to the device specific complexity, intelligent device diagnostics are out of scope for this standard.

For all existing installations, the decision to upgrade the system to satisfy the current standard is at the discretion of the parties involved.



Note: Figure 1 uses ISA symbols where the first letter of the symbol is the process variable and the second letter is the type of instrument. For example for the symbol PI, (P) stands for pressure instrument and (I) stands for indicator. The process variables in the figure are pressure (P), flow rate (F), temperature (T), and analytical (A) and the types of instruments are indicator (I), transmitter (T), element (E).

Figure 1—Graphical Representation of an Electronic Gas Measurement (EGM) System and Its Relationship to Other Devices