

Manual of Petroleum Measurement Standards Chapter 3.1B

**Standard Practice for Level Measurement
of Liquid Hydrocarbons in Stationary Tanks
by Automatic Tank Gauging**

FOURTH EDITION, OCTOBER 2021



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be used. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Introduction	1
2 Scope	1
3 Normative References	1
4 Terms and Definitions	2
5 Design and Selection of ATGs	2
5.1 General Precautions	2
5.2 Use of ATGs for Custody Transfer or Inventory Control.....	2
5.3 Accuracy	3
5.4 Remote Readout.....	5
5.5 Data Communication and Receiving	5
6 Installation of ATGs	5
6.1 Manufacturer's Requirements.....	5
6.2 Mounting Location of Ullage-ATGs	5
6.3 Mounting Location of Innage-ATGs	6
6.4 Avoiding Turbulence	6
6.5 Proximity to the Gauging Hatch	9
6.6 Multiple Gauging Hatches.....	9
6.7 Slotted/Perforated Still Pipe Design.....	9
6.8 Mounting of ATGs	11
7 General Procedures for Initial Setting and Initial Verification of ATGs in the Field.....	11
7.1 General Information	11
7.2 General Precautions	11
7.3 Initial Requirements	11
7.4 Reference Manual Level Measurement Procedure	12
7.5 Reference Measurement Tape and Weight Certification	12
7.6 Initial Setting of ATGs in the Field	12
7.7 Initial Verification.....	13
8 Operation and Maintenance	16
8.1 General Operating Considerations	16
8.2 Subsequent Verification of ATGs	16
9 Recordkeeping	17
Annex A (informative) Safety Precautions: Physical Characteristics and Fire Considerations.....	18
Bibliography	19
Figures	
1 Example of an ATG (Contact or Non-contact) Mounted on a Still Pipe Supported by Tank Bottom	7

Contents

	Page
2 Example of an ATG (Contact or Non-contact) Supported by a Bracket Hinged to the Lower Tank Shell Plate.....	8
3 Example Installation of a Top Mounted ATG on a Fixed Roof Tank Without Still Pipe (this installation may not be suitable for custody transfer)	9
4 Example Installation of a Top Mounted Innage-ATG on a Fixed Roof or Floating Roof Tank Without Still Pipe (this installation may not be suitable for custody transfer).....	10

Tables

1 Accuracy Requirements and Verification Frequencies for ATGs by Tank Service.....	4
------------------------------------------------------------------------------------	---

Standard Practice for Level Measurement of Liquid Hydrocarbons in Stationary Tanks by Automatic Tank Gauging

1 Introduction

This standard presents both metric (SI) units and U.S. customary units and may be implemented in either system of units. The presentation of both units is for the convenience of the user and is not necessarily an exact conversion. The units of implementation are typically determined by contract, regulatory requirement, the manufacturer, or the user's calibration program. Once a system of units is chosen for a given application, it is not the intent of this standard to allow arbitrary changing of units within this standard.

Safety precautions are listed separately from general precautions that affect accuracy or performance.

NOTE Precautions are given in addition to any existing federal, state, or local regulations (for example, the Occupational Safety and Health Administration) that govern practices described in this standard. Users of this standard should be familiar with all applicable safety and health regulations.

2 Scope

This standard covers the level measurement of liquid hydrocarbons in stationary, aboveground, atmospheric storage tanks using automatic tank gauges (ATGs). The standard discusses automatic tank gauging in general, accuracy, installation, commissioning, calibration, and verification of ATGs that measure either innage or ullage. It covers both intrusive and non-intrusive ATGs used for either custody transfer or inventory control. The standard also covers the requirements for data collection, transmission, and processing.

This standard does not cover the following:

- a) hydrocarbons having a Reid vapor pressure above 1 pound per square inch (in.) absolute (100 kPa);
- b) measurement of weight or mass with ATG equipment (this is covered in API *MPMS* Chapter 3.6 and Chapter 16.2);
- c) measurement of the level in underground tanks or in pressurized tanks storing liquid hydrocarbons;
- d) conversion of the tank level to liquid volume (this is covered in API *MPMS* Chapter 12.1);
- e) measurement of temperature, sampling, density, and sediment and water (S and W), which are discussed in API *MPMS* Chapters 7–10.

Safety and material compatibility precautions should be taken when using ATG equipment. Manufacturers' recommendations on the use and installation of the equipment should be followed. Users should comply with all applicable codes and regulations, API standards, and the NFPA *National Electrical Code*.

3 Normative References

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any addenda) applies.

API *MPMS* Chapter 3.1A, *Standard Practice for the Manual Gauging of Petroleum and Petroleum Products*