

Manual of Petroleum Measurement Standards Chapter 5—Metering

Section 1—General Considerations for Measurement by Meters

FOURTH EDITION, SEPTEMBER 2005

ERRATA, JUNE 2008
ERRATA 2, JUNE 2011

REAFFIRMED, DECEMBER 2022



American
Petroleum
Institute

SPECIAL NOTES

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Washington, DC 20001..

FOREWORD

Chapter 5 of the *API Manual of Petroleum Measurement Standards (API MPMS)* provides recommendations, based on best industry practice, for the custody transfer metering of liquid hydrocarbons. The various sections of this Chapter are intended to be used in conjunction with *API MPMS* Chapter 6 to provide design criteria for custody transfer metering encountered in most aircraft, marine, pipeline, and terminal applications. The information contained in this chapter may also be applied to non-custody transfer metering.

The chapter deals with the principal types of meters currently in use: displacement meters, turbine meters and Coriolis meters. If other types of meters gain wide acceptance for the measurement of liquid hydrocarbon custody transfers, they will be included in subsequent sections of this chapter.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually and updated quarterly by API, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards and Publications Department, API, 200 Massachusetts Avenue, NW, Washington, DC 20001, standards@api.org.

Currently in preview, click buy full version

CONTENTS

	Page
5.1.1 INTRODUCTION	1
5.1.2 SCOPE	1
5.1.2.1 Field of Application	1
5.1.3 REFERENCED PUBLICATIONS	1
5.1.4 CONSIDERATIONS FOR THE DESIGN OF METER INSTALLATIONS	1
5.1.5 FACTORS TO CONSIDER IN SELECTING METERS AND METER ACCESSORY EQUIPMENT	2
5.1.6 GUIDELINES FOR SELECTING TYPE OF METER	2
5.1.6.1 Displacement Meters	3
5.1.6.2 Turbine Meters	3
5.1.6.3 Coriolis Meters	4
5.1.7 INSTALLATION	4
5.1.7.1 Valves	4
5.1.7.2 Piping Installation	4
5.1.7.3 Electrical Installations	6
5.1.8 METER PERFORMANCE	6
5.1.9 METER OPERATION AND MAINTENANCE	7
5.1.9.1 Conditions That Affect Operations	7
5.1.9.2 Precautions for Operating Newly Installed Meters	7
5.1.9.3 Instructions for Operating Meter Systems	7
5.1.9.4 Meter Piping	7
5.1.9.5 Methods of Controlling Meter Factors	8
5.1.9.6 Meter Maintenance	8
Figures	
1 Selection Guide for Displacement and Turbine Meters	3
2 Turbine Meter Performance Characteristics	6

Currently in preview, click buy full version

Manual of Petroleum Measurements Standards

Chapter 5—Metering

Section 1—General Considerations for Measurement by Meters

5.1.1 Introduction

API *MPMS* Chapter 5 covers the general installation and operation of meters and accessory equipment, without respect to the arrangements necessary to meet special problems. The guidelines are common to all metering systems, but appropriate precautions should be taken when they are used for specialized metering systems, as discussed in API *MPMS* Chapter 6, “Metering Assemblies,” and for mass measurement, as discussed in API *MPMS* Chapter 14.8, “Liquefied Petroleum Gas Measurement.”

Some of the advantages of metering are as follows:

- Metering can increase the availability of tanks, since no tank needs to be isolated for the sole purpose of measurement.
- Metering lends itself to the calculation, indication, and display of instantaneous flow rate and volume.
- Metering can deliver a measured volume taken from several sources at the same time into a single receiver, or it can deliver a measured volume taken from a single source into several receivers.
- Metering accuracy can be readily checked by the use of standard references.
- Metering allows dynamic volume averaging of temperatures and samples to be applied to volumes.

This publication does not endorse or advocate the preferential use of any specific type of equipment or systems, nor is it intended to restrict future development of such equipment.

5.1.2 Scope

API *MPMS* Chapter 5 is intended to be a guide for the proper specification, installation, and operation of meter runs designed to dynamically measure liquid hydrocarbons so that acceptable accuracy, service life, safety, reliability, and quality control can be achieved. API *MPMS* Chapter 5 also includes information that will assist in troubleshooting and improving the performance of meters.

5.1.2.1 FIELD OF APPLICATION

The field of application of API *MPMS* Chapter 5 is the measurement of liquid hydrocarbons and chemicals by meter, at the temperature and pressure conditions that prevail inside a meter during flowing conditions. API *MPMS* Chapter 5 is also concerned with the metering of hydrocarbons that can,

by heating, cooling, and/or compressing, be made and kept liquid by maintaining the proper temperature and pressure.

The chapter does not apply to the metering of two-phase fluids.

5.1.3 Referenced Publications

As stated in the foreword, this edition of API *MPMS* Chapter 5 contains six main sections; others may be added if the need arises. The current editions of the following API *MPMS* Standards contain information applicable to this chapter:

API Manual of Petroleum Measurement Standards

- | | |
|--------------|--|
| Chapter 1 | “Vocabulary” |
| Chapter 4 | “Proving Systems” |
| Chapter 5 | “Metering Assemblies” |
| Chapter 7 | “Temperature” |
| Chapter 8 | “Sampling” |
| Chapter 9 | “Density” |
| Chapter 11 | “Physical Properties Data” |
| Chapter 12 | “Statistical Aspects of Measuring and Sampling” |
| Chapter 13 | “Application of Statistical Methods” |
| Chapter 14 | “Natural Gas Fluids Measurement” |
| Chapter 20.1 | “Allocation Measurement” |
| Chapter 21.2 | “Flow Measurement Using Electronic Metering Systems” |

5.1.4 Considerations for the Design of Meter Installations

The design of meter installations should take into account the following considerations:

- The installation should be capable of satisfying the required performance characteristics for the application between the maximum and minimum flow rates, at the maximum operating pressure, and over the temperature range and liquid types to be measured. If necessary, the installation should include protective devices that keep the operation of the meter within design limits.
- The installation should ensure a maximum, dependable operating life. Strainers, filters, air/vapor eliminators, or other protective devices may be provided upstream of the meter to remove solids and/or gases that could cause meter damage, premature meter wear and/or measurement error.
- The installation should maintain adequate pressure on the liquid in the metering system at all temperatures to ensure