

Manual of Petroleum Measurement Standards, Chapter 7.1

Temperature Determination— Liquid-in-Glass Thermometers

SECOND EDITION, AUGUST 2017



AMERICAN PETROLEUM INSTITUTE

Special Notes

Neither API nor any of API's employees, subcontractors, consultants, or other assigns make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or utility of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication, or represent that its use would not infringe upon privately owned rights.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this publication should consult with the appropriate authorities having jurisdiction.

Users of this publication should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Users of instructions should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Where applicable, authorities having jurisdiction should be consulted.

Work sites and equipment operations may differ. Users are solely responsible for assessing their specific equipment and premises in determining the appropriateness of applying the instructions. At all times users should employ sound business, scientific, engineering, and judgment safety when using this publication.

API is not undertaking to meet the duties of employers, manufacturers or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

Where applicable, authorities having jurisdiction should be consulted.

Copyright reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope	1
2 Normative References	1
3 Terms and Definitions	1
4 General Precautions	3
4.1 Safety	3
5 Units of Measure	3
6 Equipment and Design Requirements	4
6.1 Liquid-in-Glass Thermometers	4
6.2 Liquid-in-Glass Thermometer Assemblies	7
6.3 Thermowells	8
7 Procedure for Temperature Determination	10
7.1 Static Temperature Determination Using Liquid-in-Glass Thermometers	10
7.2 Dynamic Temperature Determination Using Liquid-in-Glass Thermometers	18
8 Inspection, Verification, and Calibration Requirements	19
8.1 Inspection	19
8.2 Verification	19
8.3 Calibration	21
Annex A (informative) Mercury-in-Glass Thermometer Alternative Testing Phase I—Tank Measurement ..	23
Annex B (normative) Emergent-stem Correction for Liquid-in-Glass Thermometers	25
Annex C (normative) Test Procedure for Determining Immersion Times of Liquid-in-Glass Tank Thermometers and Their Assemblies	34
Annex D (informative) Local Direct-reading Thermometers	36
 Tables	
1 Allowable Tolerances: Operating Thermometer vs Temperature Standard	6
2 Tank Thermometers	6
3 Dynamic Temperature Thermometers	7
4 Minimum Number of Temperature Measurements for Various Depths of Hydrocarbon Liquid in Storage, Lease, Ship, and Barge Tanks	11
5 Comparison of Recommended Immersion Times for Woodback Cup-case Assemblies	13
6 Thermometer Assemblies and Temperature Levels for Tanks and Cargo Carriers	16
7 Temperature Measurements for Horizontal Cylindrical Tanks	17
C.1 Suggested Bath Temperatures	34
C.2 Time Intervals for Reading Thermometers	35
D.1 Tank Appurtenances for Temperature Measurement	36
 Figures	
1 Types of Glass Thermometers	5
2 Typical Cup-case Assembly	8

Contents

	Page
3 Typical Armored-cased Assembly	9
4 Typical Angle-stem Thermometer	9
B.1 Thermometers Immersed in Bath	21
B.2 Total-immersion Thermometer Partially Immersed in a Thermowell	27
B.3 Clip to Suspend Ambient Temperature Thermometer	28
B.4 Measuring Temperature of the Emergent Liquid Column	29
B.5 Measuring between Immersion Ring and Start of Temperature Scale (34 mm)	31
B.6 Determining How Many Degrees on the Thermometer	31

INTRODUCTION

This section describes how to correctly use various types of liquid-in-glass thermometers to accurately determine the temperatures of hydrocarbon liquids. Other methods, equipment, and procedures for temperature determination are described in the other sub-sections of *API Manual of Petroleum Measurement Standards (MPMS) Chapter 7*.

Currently in preview, click buy full version

Currently in preview, click buy full version

Temperature Determination—Liquid-in-Glass Thermometers

1 Scope

This section describes how to correctly use various types of liquid-in-glass thermometers to accurately determine the temperatures of hydrocarbon liquids. Other methods, equipment, and procedures for temperature determination are described in the other sub-sections of API MPMS Chapter 7.

This chapter describes the methods, equipment, and procedures for manually determining the temperature of liquid petroleum and petroleum products with liquid-in-glass thermometers. This chapter discusses temperature measurement requirements in general for custody transfer, inventory control, and marine measurements. The actual method and equipment selected for temperature determination are left to the agreement of the parties involved.

The manual method covers:

- Non-pressurized tanks and non-pressurized marine vessels
- Gas-blanketed tanks and gas-blanketed marine vessels

It does not cover hydrocarbons under pressures in excess of 21 kPa gauge (3 ps. gauge) or cryogenic temperature measurement, unless equipped with a thermowell.

The requirements of this chapter are based on practices for crude oils and petroleum products covered by API MPMS Chapter 11.1 (ASTM D1250). Requirements in this chapter may be used for other fluids and other applications. However, other applications may require different performance and installation specifications.

2 Normative References

Manual of Petroleum Measurement Standards (MPMS)

- Chapter 1, *Terms and Definitions*
- Chapter 2, *Calibration of Upright Cylindrical Tanks* (All Sections)
- Chapter 3, *Tank Gauging* (All Sections)
- Chapter 8.1, *Standard Practice for Manual Sampling of Petroleum and Petroleum Products*
- Chapter 11.1, *Physical Properties Data, Temperature and Pressure Volume Correction Factors for Generalized Crude Oils, Refined Products, and Lubricating Oils*
- Chapter 12.1.1, *Calculation of Static Petroleum Quantities—Upright Cylindrical Tanks and Marine Vessels*
- Chapter 12.2, *Calculation of Petroleum Quantities Using Dynamic Methods and Volumetric Correction Factors*
- Chapter 13, *Guidelines for Use of the International System of Units (SI) in the Petroleum and Allied Industries*
- Chapter 18.1, *Custody Transfer—Measurement Procedure for Crude Oil Gathered From Lease Tanks by Truck*
- RP 500, *Recommended Practice for Classifications of Locations for Electrical Installations at Petroleum Facilities Classified as Class I, Division 1 and Division 2*
- RP 2003, *Protection Against Ignitions Arising Out of Static, Lightning, and Stray Currents*

RP 3000, *Classifying and Loading of Crude Oil into Rail Tank Cars*

ASTM¹

D1250, *Standard Guide for Use of the Petroleum Measurement Tables*

E1, *Standard Specification for ASTM Liquid-in-Glass Thermometers*

E77, *Standard Test Method for Inspection and Verification of Thermometers*

E344, *Terminology Relating to Thermometry and Hydrometry*

E2251, *Standard Specification for Liquid-in-Glass ASTM Thermometers with Low-Hazard Precision Liquids*

OCIMF²

International Safety Guide for Oil Tankers and Terminals (ISGOTT)

NIST³

NIST Special Publication 1088, *Maintenance, Validation, and Recalibration of Liquid-in-Glass Thermometers*

NFPA⁴

NFPA 70, *National Electrical Code*

3 Terms and Definitions

For the purpose of this document, the following definitions apply. Refer to *API Manual of Petroleum Measurement Standards (MPMS)* Chapter 1 and ASTM E344 for the definition of additional terms used in this standard.

3.1

degree

3.1.1

degree Celsius (°C)

A derived unit of temperature in the International System of Units (SI).

3.1.2

degree Fahrenheit (°F)

A non-SI unit of temperature used in the U.S. Customary (USC) system of units. At any temperature, an interval of one degree Fahrenheit is the same as an interval of $\frac{5}{9}$ degree Celsius.

$$^{\circ}\text{F} = (^{\circ}\text{C} * 9/5) + 32$$

3.2

temperature discrimination

The ability to sense and record the actual temperature of a liquid to the specified temperature increments.

¹ American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428.

² Oil Companies International Marine Forum, 6th Floor, Portland House, Stag Place, London SW1E 5BH.

³ National Institute of Standards and Technology, 100 Bureau Drive, Stop 1070, Gaithersburg, MD 20899.

⁴ National Fire Prevention Association, 1 Batterymarch Park, Quincy, MA 02169.

3.3 thermometer

A device that measures temperature using any of a variety of different principles. A thermometer has two important components: a temperature sensor in which some physical change occurs that is dependent on temperature, and some means of indicating and/or transmitting this physical change as a value.

3.3.1 liquid-in-glass thermometer (LIGT)

A glass thermometer containing mercury or a low-hazard liquid that indicates the temperature being measured.

3.3.2 low-hazard liquid

A liquid that is biodegradable, non-hazardous and considered non-toxic in quantities specified for the thermometer specification.

3.3.3 mercury-in-glass thermometer (MIGT)

A glass thermometer containing mercury that indicates the temperature being measured.

3.3.4 partial-immersion thermometer

A liquid-in-glass thermometer designed to indicate temperatures correctly when the bulb and a specified part of the stem are exposed to the medium being measured.

3.3.5 total-immersion thermometer

A liquid-in-glass thermometer designed to indicate temperatures correctly when just that portion of the thermometer containing the liquid is exposed to the medium being measured.

4 General Precautions

4.1 Safety

Safety shall be considered for the specification, installation and operation of all equipment. Refer to API RP 500 and NFPA 70 for guidance. When loading liquids that can accumulate static charges, refer to the precautions described in the *International Safety Guide for Oil Tankers and Terminals, Safety of Life at Sea*, API MPMS Chapter 3, and API RP 2003. Care must be taken with all liquid-in-glass thermometers to prevent breakage, which will result in a safety hazard. If the liquid in the thermometer is mercury, additional care must be taken.

4.1.1 Mercury Warning

WARNING: Mercury has been designated by the Environmental Protection Agency (EPA) and many state agencies as a hazardous material that can cause central nervous system, kidney and liver damage. Mercury or its vapor, may be hazardous to health and corrosive to materials. Caution should be taken when handling mercury and mercury containing products. See the applicable product Safety Data Sheet (SDS) or Material Safety Data Sheet (MSDS) for details, and the EPA website <http://www.epa.gov/mercury/faq.htm> for additional information. Users should be aware that selling mercury or products containing mercury, or both, in your state may be prohibited by state law.

5 Units of Measure

For custody transfer, the means of temperature determination should be agreed to among the parties involved. Temperatures referenced in this document are those defined by the International Temperature scale of 1990 (ITS-90). Temperatures may be measured and expressed in degrees Celsius or in degrees Fahrenheit. This standard presents