

Manual of Petroleum Measurement Standards Chapter 8.3

Standard Practice for Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products

THIRD EDITION, AUGUST 2025



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them. However, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope	1
2 Referenced Documents	1
3 Terminology	2
4 Significance and Use	2
5 Safety and Health Precautions	2
6 Sample Containers	2
7 Labeling	4
8 Transport	4
9 Mixing	4
10 Sample Integrity and Storage, Preservation, and Audit	7
11 Testing—Acceptance Test for Sample Container/Mixing Systems for Water in Crude Oil	8
12 Keywords	11
Appendix X.1—Acceptance Testing—Background on Table 1	11
Appendix X.2—Acceptance Testing for Water in Crude Oil	12
Appendix X.3—Guide for Selecting Container Materials	15
Appendix X.4—Summary of Recommended Mixing Procedures	19
Appendix X.5—Flow Chart for Sample Container/Mixing System Acceptance Test	20
Summary of Changes	22
Figures	
1 Example Sample Label	5
X5.1 Flow Chart of Power Mixer and Sample Container Acceptance Test	21
Tables	
1 Maximum Permissible Difference between Test Specimens and Maximum Permissible Difference between the Average of All Test Specimens and Total Water Concentration (Based upon Three Test Specimens)	6
X3.1 Summary of Container Materials for Crude Oils	16
X3.2 Summary of Container Material for Gasolines	17
X3.3 Summary of Container Material for Kerosene	18
X3.4 Summary of Container Materials for Fuel Oils (Numbers 2, 4, 5, and 6)	19
X4.1 Summary of Recommended Mixing Procedures	20



Designation: D5854 – 25



Manual of Petroleum Measurement Standards (MPMS), Chapter 8.3

Standard Practice for Mixing and Handling of Liquid Samples of Petroleum and Petroleum Products¹

This standard is issued under the fixed designation D5854; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

1. Scope*

1.1 This practice covers handling, mixing, and conditioning procedures that are required to ensure that a representative sample of the liquid petroleum or petroleum product is delivered from the primary sample container or container or both into the analytical apparatus or into intermediate containers.

1.2 **Appendix X1** details the background information on the development of Table 1 used in performance testing. **Appendix X2** provides guidance in the acceptance testing for water in crude oil. **Appendix X3** provides a guide for materials of sample containers. **Appendix X4** provides a summary of recommended mixing procedures. **Appendix X5** provides a flow chart for sample container/mixing system acceptance test.

1.3 For sampling procedures, refer to Practices **D4057** (API *MPMS* Chapter 8.1) and **D4177** (API *MPMS* Chapter 8.2). Practice **D5842** (API *MPMS* Chapter 8.4) covers sampling and handling of light fuels for volatility measurement, and **D8009** (API *MPMS* Chapter 8.5).

1.4 It is recommended that the users of this practice perform the tests in Practice **D4177** (API *MPMS* Chapter 8.2) before performing the test in this practice.

1.5 *This standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this standard to establish appropriate safety, health, and environmental practices and determine the applicability of regulatory limitations prior to use.*

1.6 *This international standard was developed in accordance with internationally recognized principles on standardization established in the Decision on Principles for the*

Development of International Standards, Guides and Recommendations issued by the World Trade Organization Technical Barriers to Trade (TBT) Committee.

2. Referenced Documents

2.1 *ASTM Standards:*²

D3700 Practice for Obtaining LPG Samples Using a Floating Piston Cylinder

D4057 Practice for Manual Sampling of Petroleum and Petroleum Products

D4175 Terminology Relating to Petroleum Products, Liquid Fuels, and Lubricants

D4177 Practice for Automatic Sampling of Petroleum and Petroleum Products

D4206 Practice for Aviation Fuel Sample Containers for Tests Affected by Trace Contamination

D5842 Practice for Sampling and Handling of Fuels for Volatility Measurement

D8009 Practice for Manual Piston Cylinder Sampling for Volatile Crude Oils, Condensates, and Liquid Petroleum Products

2.2 *API Documents:*³

Manual of Petroleum Measurement Standards, Chapter 1, Terms and Definitions Database

Manual of Petroleum Measurement Standards, Chapter 10, Sediment and Water (all sections)

Publication 2003, Protection Against Ignitions Arising Out of Static, Lighting, and Stray Currents

Publication 2026, Safe Descent onto Floating Roofs of Storage Tanks in Petroleum Service

Publication 2217, Guideline for Confined Space Work in the Petroleum Industry

¹ This practice is under the jurisdiction of ASTM Committee **D02** on Petroleum Products, Liquid Fuels, and Lubricants and the API Committee on Petroleum Measurement, and it is the direct responsibility of Subcommittee **D02.02** the joint ASTM-API committee on Hydrocarbon Measurement for Custody Transfer (Joint ASTM-API). This practice has been approved by the sponsoring committees and accepted by the Cooperating Societies in accordance with established procedures.

Current edition approved July 1, 2025. Published July 2025. Originally approved in 1996. Last previous edition approved in 2019 as D5854 – 19a. DOI: 10.1520/D5854-25.

² For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at www.astm.org/contact. For *Annual Book of ASTM Standards* volume information, refer to the standard's Document Summary page on the ASTM website.

³ Available from American Petroleum Institute (API), 200 Massachusetts Ave. NW, Suite 1100, Washington, DC 20001, <http://www.api.org>.

*A Summary of Changes section appears at the end of this standard