

# Compilation of Air Emission Estimating Methods for Petroleum Distribution and Dispensing Facilities

**Marketing Segment**

API PUBLICATION 1673  
SECOND EDITION, JULY 2009

Prepared by:  
Robert L. Ferry  
J. Randolph Kissell  
The TGB Partnership



## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Copyright © 2009 American Petroleum Institute. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, [standards@api.org](mailto:standards@api.org).

Currently in preview, click buy full version

## Contents

	Page
<b>1 Introduction</b> .....	<b>1</b>
<b>1.1 Scope</b> .....	<b>1</b>
<b>1.2 Purpose</b> .....	<b>1</b>
<b>2 Definitions</b> .....	<b>1</b>
<b>3 Emission Estimating Methods</b> .....	<b>2</b>
<b>3.1 Distribution Facilities</b> .....	<b>2</b>
<b>3.2 Dispensing Facilities</b> .....	<b>14</b>
<b>3.3 Miscellaneous Activities</b> .....	<b>17</b>
<b>4 Properties of Volatile Organic Liquids</b> .....	<b>22</b>
<b>4.1 Properties</b> .....	<b>22</b>
<b>4.2 Speciation</b> .....	<b>22</b>
<b>Annex A TANKS 4.09D Limitations</b> .....	<b>24</b>
<b>Bibliography</b> .....	<b>27</b>
<b>Tables</b>	
<b>1 Emission Estimating Methods for Activities at Distribution Facilities (Routine and Non-routine)</b> .....	<b>3</b>
<b>2 Loading Loss Saturation Factor <math>K_S</math>—API MPMS Ch. 19.5</b> .....	<b>6</b>
<b>3 Ballasting Loss Saturation Factor <math>K_S</math>—API MPMS Ch. 2.5</b> .....	<b>6</b>
<b>4 Cargo Tank Loading Loss Saturation Factor <math>K_S</math>—AP-42, Table 5.2-1</b> .....	<b>7</b>
<b>5 Collection Efficiencies for Loading Cargo Tanks—AP-42, Section 5.2.2.1.1</b> .....	<b>8</b>
<b>6 Average Emission Factors for Distribution Facility Equipment</b> .....	<b>11</b>
<b>7 Control Effectiveness for an LDAR Program at a SO2 Process Unit—EIIP Volume II, Chapter 4, Table 4.2-2</b> .....	<b>12</b>
<b>8 Control Effectiveness for LDAR Component Monitoring Frequencies for Petroleum Refineries—EIIP Volume II, Chapter 4, Table 4.2-3</b> .....	<b>13</b>
<b>9 Emission Estimating Methods for Activities at Dispensing Facilities</b> .....	<b>14</b>
<b>10 Evaporative Emissions from Gasoline USTs (Stage I)</b> .....	<b>15</b>
<b>11 Evaporative Emissions from Gasoline Dispensing (Stage II)</b> .....	<b>16</b>
<b>12 Emission Estimating Methods for Other Activities</b> .....	<b>18</b>
<b>13 Particulate Emission Factors for Abrasive Blasting—AP-42, Table 13.2.6-1</b> .....	<b>19</b>
<b>14 AP-42, Table 13.2.2-2</b> .....	<b>19</b>
<b>15 Fugitive Emission Factors for Petroleum Refineries—AP-42, Table 5.1-2</b> .....	<b>21</b>
<b>16 References for Properties of VOLs</b> .....	<b>22</b>
<b>17 References for Compositions of VOLs</b> .....	<b>22</b>

Currently in preview, click buy full version

# Compilation of Air Emission Estimating Methods for Petroleum Distribution and Dispensing Facilities

## 1 Introduction

### 1.1 Scope

This publication is a compilation of methods for estimating emissions associated with activities that may occur at typical petroleum distribution and dispensing facilities. Distribution facilities include bulk terminals, bulk plants, pipeline breakout stations, and pipeline pumping stations. Dispensing facilities are primarily retail service stations. Evaporative losses of volatile organic liquids (VOLs) from distribution and dispensing facilities occur primarily from transfer operations (i.e. refueling of motor vehicles, and the loading or unloading of tank trucks, trailers, and ships or barges), storage tanks, and equipment leaks (i.e. piping components such as valves and pumps).

Emission estimating methods have been developed to quantify total VOL emissions from these sources and to speciate these emissions. Speciation is the determination of the fraction of the total emissions that are attributable to given individual chemical compounds, or species.

Emission estimating methods change over time as more accurate methods are developed, emission controls change, and the compositions of petroleum products change in response to regulations and consumer needs.

### 1.2 Purpose

The purpose of this publication is to compile the most current and widely accepted emission estimating methods for petroleum distribution and dispensing facilities in one document.

Numerous studies have been conducted to estimate emissions from these facilities. As a result, more than one estimating method is sometimes available for a given emission-generating activity, with the different methods potentially having differing levels of complexity. There is a trade-off between accuracy and complexity of emission estimates. More accurate estimates require more information about the specific activity.

Section 3 of this publication provides the emission estimating methods. Emission estimating methods that can be stated briefly are provided in whole in Section 3; otherwise, the reader is referred to another document for the complete methodology. Section 3 contains three subsections: one for distribution facilities, one for dispensing facilities, and one for miscellaneous activities. Section 4 provides information on the properties of VOLs used to estimate emissions.

## 2 Definitions

40 *CFR* Part 63, Subpart BBBBBB<sup>[1]</sup>, Section 63.11100, includes the following definitions related to gasoline distribution facilities:

### 2.1

#### **bulk gasoline plant**

Any gasoline storage and distribution facility that receives gasoline by pipeline, ship or barge, or cargo tank and has a gasoline throughput of less than 20,000 gal/day.

**NOTE** This differs from the definition implied by 40 *CFR* Part 60, Subpart XX<sup>[2]</sup>, Section 60.501 and 40 *CFR* Part 63, Subpart R<sup>[3]</sup>, Section 63.421. These rules do not define a bulk plant, but define a bulk terminal as any gasoline facility which receives gasoline by pipeline, ship or barge, and has a gasoline throughput greater than approximately 20,000 gal/day. This implies that a facility receiving only by cargo tank is a bulk plant, regardless of throughput.