

Hydraulic Fracturing—Well Integrity and Fracture Containment

ANSI/API RECOMMENDED PRACTICE 100-1
FIRST EDITION, OCTOBER 2015

REAFFIRMED, AUGUST 2020



American
Petroleum
Institute



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this Recommended Practice should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Copyright reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Foreword

The verbal forms used to express the provisions in this specification are as follows:

- the term “shall” denotes a minimum requirement in order to conform to the specification;
- the term “should” denotes a recommendation or that which is advised but not required in order to conform to the specification;
- the term “may” is used to express permission or a provision that is optional;
- the term “can” is used to express possibility or capability.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

	Page
1 Scope	1
2 Normative References	1
3 Terms, Definitions, Acronyms, and Abbreviations	2
3.1 Terms and Definitions	2
3.2 Acronyms and Abbreviations	5
4 Well Planning	6
4.1 General	6
4.2 Groundwater Sampling	7
4.3 Offset Well Data	7
4.4 Simultaneous Operations and Offset Well Considerations	9
5 Well Construction-Casing	9
5.1 General	9
5.2 Conductor Casing	10
5.3 Surface Casing	10
5.4 Intermediate Casing	11
5.5 Production Casing	12
5.6 Production Liners	14
5.7 Casing Wear	14
5.8 Fracture String Design	15
5.9 Wellhead	15
5.10 Re-entry Well Integrity	16
6 Pressure Containment Barriers and Barrier Verification	16
6.1 General	16
6.2 Overview	16
6.3 Geological Barrier	17
6.4 Cement Barriers	17
6.5 Mechanical Barriers	18
6.6 Barrier Verification	19
7 Cementing	21
7.1 General	21
7.2 Pre-job Considerations	21
7.3 Cementing Operations	24
7.4 Cement Sheath Evaluation	24
8 Fracturing Design Considerations	25
8.1 General	25
8.2 Fracture Stimulation Objectives	25
8.3 Fracturing Simulations	25
8.4 Design and Other Considerations	25
8.5 Formation Parameters (Uncertainties)	25
8.6 Controllable Fracture Design Parameters (Decisions)	26

Contents

	Page
9 Fracturing Execution Considerations	27
9.1 General	27
9.2 Completion Execution Objectives	27
9.3 Surface Equipment Selection	27
9.4 Pressure Monitoring and Management	27
10 Fracturing Model Optimization Considerations	28
Bibliography	29

Introduction

This document on well integrity has two areas of focus and is limited to onshore wells. The first is to design and execute the well plan such that useable quality groundwater is isolated and protected during the drilling and subsequent fracture stimulation operations. The second is to design and construct the well and install well equipment to meet the expected fracture load requirements.

Fracture containment combines those parameters that are existing, those that can be established at installation, and those that can be controlled during execution as follows:

- existing—formation parameters with associated range of uncertainties;
- established—well barriers and integrity as created during well construction;
- controllable—fracture design and execution parameters.

Although the typical industry-wide practices associated with well construction are similar, there are considerable variations in the details of individual well design and construction due to varying geologic, environmental, regulatory, and operational settings and requirements. These practices are the result of operators gaining localized and specific knowledge based on experience, along with the development and improvements associated with technology. These experiences and practices are communicated and shared via academic training, professional and trade association literature, and industry standards and publications. Well and fracture design is an iterative and collaborative process balancing equipment limitations and economics with regulatory and technical requirements.

API 65-2 and other standards under development address topics concerning the design, construction, and operation of onshore wells that are important and closely related to the subject of well integrity and containment of hydraulic fracturing treatments.

This document provides technical guidance only, and practices included herein may not be applicable in all regions and/or circumstances. This document does not constitute legal advice regarding compliance with legal or contractual requirements or risk mitigation. Where regulatory requirements are mentioned, it is not intended to be all inclusive. The operator is responsible for determining compliance with applicable legal requirements.

Hydraulic Fracturing—Well Integrity and Fracture Containment

1 Scope

1.1 This document contains recommended practices for onshore well construction and fracture stimulation design and execution as it relates to well integrity and fracture containment. The provisions in this document relate to the following two areas.

- a) Well integrity: the design and installation of well equipment to a standard that
 - protects and isolates useable quality groundwater,
 - delivers and executes a hydraulic fracture treatment, and
 - contains and isolates the produced fluids.
- b) Fracture containment: the design and execution of hydraulic fracturing treatments to contain the resulting fracture within a prescribed geologic interval. Fracture containment combines those parameters that are existing, those that can be established at installation, and those that can be controlled during execution:
 - existing—formation parameters with associated range of uncertainties;
 - established—well barriers and integrity as created during well construction;
 - controllable—fracture design and execution parameters.

1.2 The guidance from this document covers recommendations for pressure containment barrier design and well construction practices for onshore wells that will undergo hydraulic fracture stimulation. This document is specifically for wells drilled and completed onshore, although many of the provisions are applicable to wells in coastal waters.

1.3 This document does not attempt to address the full well life cycle of well operations although a brief paragraph on fracture stimulation for re-perforations is included in 5.10. This document is not a detailed well construction or fracture design manual. This document does not apply to continuous injection operations such as water disposal, water-flooding or continuous re-injection wells, or any other continuous injection operation.

1.4 API 100-2 is a companion document that also contains recommended practices applicable to the planning and operation of hydraulically fractured wells. This document includes recommendations for managing environmental aspects during well planning, construction, and execution.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Standard 65-2, *Isolating Potential Flow Zones During Well Construction*

API Recommended Practice 100-2, *Environmental Aspects Associated with E&P Operations Including Hydraulic Fracturing*