

Recommended Practice for Care and Use of Subsurface Pumps

API RECOMMENDED PRACTICE 11AR
FOURTH EDITION, JUNE 2000

ERRATA, DECEMBER 2013

REAFFIRMED, FEBRUARY 2020



AMERICAN PETROLEUM INSTITUTE

Recommended Practice for Care and Use of Subsurface Pumps

Upstream Segment

API RECOMMENDED PRACTICE 11AR
FOURTH EDITION, JUNE 2000

ERRATA, DECEMBER 2013

REAFFIRMED, FEBRUARY 2020



AMERICAN PETROLEUM INSTITUTE

SPECIAL NOTES

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations under local, state, or federal laws.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety data sheet.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. Sometimes a one-time extension of up to two years will be added to this review cycle. This publication will no longer be in effect five years after its publication, unless an operative API standard or, where an extension has been granted, upon republication. Status of the publication can be ascertained from the API Upstream Segment Telephone (202) 682-8000. A catalog of API publications and materials is published annually and updated quarterly by API, 1220 L Street, N.W., Washington, D.C. 20005.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this standard or comments and questions concerning the procedures under which this standard was developed should be directed in writing to the general manager of the Upstream Segment, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the general manager.

API standards are published to facilitate the broad availability of proven, sound engineering and operating practices. These standards are not intended to obviate the need for applying sound engineering judgment regarding when and where these standards should be utilized. The formulation and publication of API standards is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, N.W., Washington, D.C. 20005.

FOREWORD

Jurisdiction. This recommended practice (RP) is under the jurisdiction of the American Petroleum Institute (API) Committee on Standardization of Production Equipment.

Purpose. This document presents recommended practices for the care and use of subsurface pumps.

American Petroleum Institute (API) Recommended Practices are published to facilitate the broad availability of proven, sound engineering and operating practices. These Recommended Practices are not intended to obviate the need for applying sound judgment as to when and where these Recommended Practices should be utilized.

Attention Users of This Publication: Portions of this publication have been changed from the previous edition. The location of changes has been marked with a bar in the margin. In some cases the changes are significant, while in other cases the changes reflect minor editorial adjustments. The bar notations in the margins are provided as an aid to users to identify those parts of this publication that have been changed from the previous edition, but API makes no warranty as to the accuracy of such bar notations.

Note: This is the third edition of this API Recommended Practice. It was authorized by the Committee on Standardization of Production Equipment at the 1988 Standardization Conference as reported in Circ PS-1858, and subsequently approved by letter ballot.

The formulation and publication of API Recommended Practices is not intended to, in any way, inhibit anyone from using any other practices.

Any Recommended Practice may be used by anyone desiring to do so, and a diligent effort has been made by API to assure the accuracy and reliability of the data contained herein. However, the Institute makes no representation, warranty, or guarantee in connection with the publication of any Recommended Practice and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use, for any violation of any federal, state, or municipal regulation with which an API recommendation may conflict, or for the infringement of any patent resulting from the use of this publication.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any federal, state, or municipal regulation with which this publication may conflict.

Suggested revisions are invited and should be submitted to the general manager of the Upstream Segment, American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005.

CONTENTS

	Page
1 SCOPE.....	1
2 REFERENCES	2
2.1 Referenced Standards	2
3 HISTORY	2
4 TYPES OF SUBSURFACE PUMPS	2
4.4 Tubing Pumps	2
4.5 Rod Pumps.....	4
5 APPLICATION OF SUBSURFACE PUMPS.....	4
5.1 Tubing Pumps	4
5.2 Rod Pumps.....	5
5.3 To Obtain Optimum Performance.....	6
5.4 Allowable Pump Setting Depths	6
6 COMMON PUMP PROBLEMS AND SOLUTIONS.....	13
6.1 Corrosion	13
6.2 Fluid Pound	13
6.3 Gas Pound	14
6.4 Gas Lock	14
6.5 Sand Problems	14
6.6 Scale Problem	14
6.7 Systematic Problem Solving.....	15
7 MATERIAL SELECTION.....	22
8 PUMP REPAIR.....	24
8.1 General.....	24
8.2 Conditions	24
8.3 Insert Pump	24
8.4 Tubing Pump	46
9 CARE AND HANDLING OF SUBSURFACE PUMPS	47
10 RECORDKEEPING	48
Tables	
1 Pump Type Modes of Failure and Reference Figures	8
2 Yield Collapse Pressure Formula Range	9
3 Formula Factors and D/t Ranges for Plastic Collapse	9
4 Formula Factors and D/t Ranges for Transition Collapse	10
5 Common Pump Barrel Material Mechanical Properties	11
6 Pump OD/ID/Thread Data	11
7 Pump Setting Depths (ft) for Common Barrel Materials.....	12
8 Pump Designations	22
9 Pump Fittings	40

Figures

1	Pumping System	1
2	Operation of Tubing Type Pump.	3
3	A Typical Tubing Pump	4
4	A Typical Traveling Barrel Pump	5
5	A Typical Stationary Barrel, Bottom Hold Down, Pump.	7
6	A Typical Stationary Barrel, Top Hold Down, Pump	7
7	Subsurface Sucker Rod Pump Loading Configurations.	8
8	A Systematic Approach to Problem Well Tests	15
9	Valves Good Fluid Weight Satisfactory	16
10	Valves Good Fluid Weight Less Than Satisfactory	17
11	Indicated Valve Leaks TV or SV.	18
12	Only SV or TV Recorded	19
13	Abnormal Load Indicated by Valve Measurements and by Card Shape	20
14	A Systematic Approach to Problem Well Tests Without Weight Measurements.	21
15	Pump Designations	23
55	API Sucker Rod Pump Repair/New Pump Log	49
56	API Sucker Rod Pump Repair Report	50

Recommended Practice for Care and Use of Subsurface Pumps

1 Scope

1.1 The intent of this recommended practice is to give information on the proper selection, operation and maintenance of subsurface pumps so the best economical life can be obtained.

1.2 The basic walking-beam sucker rod combination for producing fluids from the ground had its beginning in very early history. In more recent times, many advances in design and metallurgy have evolved. The method is so popular that today approximately 90 percent of all artificially lifted wells are produced by a sucker rod pump.

1.3 The downhole sucker rod pump is only one portion of the pumping system (see Figure 1). The other major components are the sucker rod string, the surface pumping unit and the prime mover. For proper pumping operation and long maintenance-free runs, all components of the system must be designed and sized properly, taking into account well depth, the amount and viscosity of fluids (oil, water or gas) to be produced, and abrasiveness and corrosiveness of fluids. A failure of any one of the pumping components will result in a shut down of the system, resulting in a costly repair, downtime and possible loss of production.




Figure 1—Pumping System