

Recommended Practice on Electric Submersible System Vibrations

API RECOMMENDED PRACTICE 11S8
SECOND EDITION, OCTOBER 2012



AMERICAN PETROLEUM INSTITUTE

Currently in preview, click buy full version

Recommended Practice on Electric Submersible System Vibrations

Upstream Segment

API RECOMMENDED PRACTICE 11S8
SECOND EDITION, OCTOBER 2012



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this Recommended Practice should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Copyright reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope	1
2 Normative References	1
3 Terms and Definitions	1
4 Vibration Analysis	4
4.1 Harmonic Motion	4
4.2 Concepts of Vibration	6
4.3 Sources of Vibration	7
4.4 Control of Vibration	8
4.5 Vibration in ESP Systems	9
5 Vibration Testing	10
5.1 Vibration Limits	10
5.2 Measurement of Vibration	10
Annex A (informative) Units Conversion	12
Annex B (informative) Relationship Between Displacement, Velocity, and Acceleration	15
Annex C (informative) Classification of Severity of Machinery Vibration	16
Bibliography	18
Figures	
A.1 Relation of Frequency to the Amplitudes of Displacement and Velocity (USC Units)	13
A.2 Relation of Frequency to the Amplitudes of Displacement and Velocity (SI Units)	14
B.1 Displacement, Velocity, and Acceleration Relationship	15
Tables	
1 Vibration Analysis of ESP Phenomena	7
A.1 Conversion Factors for Translational Velocity and Acceleration	12
A.2 Conversion Factors for Rotational Velocity and Acceleration	12
A.3 Conversion Factors for Simple Harmonic Motion	13
C.1 Vibration Severity Criteria (After ISO IS 2372: 1974)	16
C.2 Vibration Severity Criteria (After Training Manual IRD Mechanalysis, Columbia, Ohio)	17

Currently in preview, click buy full version

Recommended Practice on Electric Submersible Pump System Vibrations

1 Scope

This Recommended Practice (RP) provides guidelines to establish consistency in the control and analysis of electric submersible pump (ESP) system vibrations. This document is considered appropriate for the testing of ESP systems and subsystems for the majority of ESP applications.

This RP covers the vibration limits, testing, and analysis of ESP systems and subsystems.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Recommended Practice 11S4, *Recommended Practice for Sizing and Selection of Electric Submersible Pump Installations*

API Recommended Practice 11S7, *Recommended Practice on Application and Testing of Electric Submersible Pump Seal Chamber Sections*

ISO 2372:1974¹, *Mechanical vibration of machines with operating speed from 10 to 200 rev/s—Basis for specifying evaluation standards* (replaced by 10816-1:1995)

William T. Thompson, *Theory of Vibration*, Prentice-Hall, Inc., Englewood, N. J., 1965, pg. 243.

3 Terms and Definitions

For the purposes of this document, the following definitions apply.

3.1 acceleration

"

A vector quantity that specifies the time rate of change of velocity, both linear and angular. Common units are in./sec² (cm/sec²) and radians/sec².

3.2 amplitude

The maximum value of a periodic quantity.

3.3 angular frequency

circular frequency

The frequency multiplied by 2π , in radians per unit time, applicable to a periodic quantity.

3.4 balancing

A procedure for adjusting the mass distribution of a rotor so that rotating imbalance, as seen by vibration of the journals or the forces on the bearings at once-per-revolution, is reduced or controlled.

¹ International Organization for Standardization, 1, ch. de la Voie-Creuse, Case postale 56, CH-1211 Geneva 20, Switzerland, www.iso.org.