

Recommended Practice for Chemical Analysis of Barite

API RECOMMENDED PRACTICE 13K
THIRD EDITION, MAY 2011

REAFFIRMED, MAY 2016



AMERICAN PETROLEUM INSTITUTE

Currently in preview, click buy full version

Recommended Practice for Chemical Analysis of Barite

Upstream Segment

API RECOMMENDED PRACTICE 13K
THIRD EDITION, MAY 2011

REAFFIRMED, MAY 2016



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representative warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Copyright © 2011 American Petroleum Institute. All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Important Information Concerning Use of Asbestos or Alternative Materials

Asbestos is specified or referenced for certain components of the equipment described in some API standards. It has been of extreme usefulness in minimizing fire hazards associated with petroleum processing. It has also been a universal sealing material, compatible with most refining fluid services.

Certain serious adverse health effects are associated with asbestos, among them the serious and often fatal diseases of lung cancer, asbestosis, and mesothelioma (a cancer of the chest and abdominal linings). The degree of exposure to asbestos varies with the product and the work practices involved.

Consult the most recent edition of the Occupational Safety and Health Administration (OSHA), U.S. Department of Labor, Occupational Safety and Health Standards for Asbestos, Tremolite, Anthophyllite, and Actinolite, 29 *Code of Federal Regulations* Section 1910.1001; the U.S. Environmental Protection Agency, National Emission Standard for Asbestos, 40 *Code of Federal Regulations* Section 61.140 through 61.153; and the U.S. Environmental Protection Agency (EPA) rule on labelling requirements and phased banning of asbestos products (Sections 763.160-170).

There are currently in use and under development a number of substitute materials to replace asbestos in certain applications. Manufacturers and users are encouraged to develop and use effective substitute materials that can meet the specifications, for and operating requirement of, the equipment to which they would apply.

SAFETY AND HEALTH INFORMATION WITH RESPECT TO PARTICULAR PRODUCTS OR MATERIALS CAN BE OBTAINED FROM THE EMPLOYER, THE MANUFACTURER OR SUPPLIER OF THAT PRODUCT OR MATERIAL, OR THE MATERIAL SAFETY DATA SHEET.

Contents

Page

Important Information Concerning Use of Asbestos or Alternative Materials		iv
1	Scope	1
2	Normative References	1
3	Terms and Definitions	2
4	Acronyms, Abbreviations, and Symbols	3
5	Wet Analysis Methods	5
5.1	Principle	5
5.2	Advantages of Wet Chemical Analysis Methods	5
5.3	Summary of General Analytical Methods	6
6	Barium Sulfate and Strontium Sulfate	6
6.1	Principle	6
6.2	Reagents and Materials	6
6.3	Apparatus	7
6.4	Sampling	8
6.5	Procedure—Barium Sulfate Determination	8
6.6	Procedure—Strontium Sulfate Determination	9
6.7	Calculation	9
7	Silica and Alumina	11
7.1	Principle	11
7.2	Reagents and Materials	11
7.3	Apparatus	12
7.4	Procedure—Sample Preparation	13
7.5	Procedure—Silica Determination	13
7.6	Procedure—Alumina Determination	14
7.7	Calculation	14
8	Hydrochloric Acid Soluble Metals—Sodium, Potassium, Calcium, Magnesium, Iron, Copper, Manganese, Lead, and Zinc	15
8.1	Principle	15
8.2	Reagents and Materials	15
8.3	Apparatus	15
8.4	Procedure	15
8.5	Calculation	16
9	Procedure—Hydrofluoric, Sulphuric, Nitric, Perchloric Acid Soluble Metals—Sodium, Potassium, Calcium, Magnesium, Iron, Copper, Manganese, Lead, and Zinc	16
9.1	Principle	16
9.2	Reagents and Materials	16
9.3	Apparatus	17
9.4	Procedure	17
9.5	Calculation	18
10	Alternative Methods for Iron	18
10.1	Principle	18
10.2	Reagents and Materials	19
10.3	Apparatus	19
10.4	Procedure—Nitric Acid Digestion	20
10.5	Calculation—Nitric Acid Digestion	20
10.6	Procedure—Aqua Regia Digestion	20

10.7	Calculation— <i>Aqua Regia</i> Digestion.....	21
10.8	Procedure—Carbonate Fusion.....	21
10.9	Calculation—Carbonate Fusion.....	21
11	Water-soluble Materials in Barite.....	22
11.1	Principle.....	22
11.2	Apparatus.....	22
11.3	Procedure.....	22
11.4	Calculation.....	23
12	Water-soluble Chlorides.....	23
12.1	Principle.....	23
12.2	Reagents and Materials.....	23
12.3	Apparatus.....	23
12.4	Procedure—Water-soluble Chlorides by Titration.....	24
12.5	Calculation—Water-soluble Chlorides by Titration.....	24
12.6	Procedure—Water-soluble Chlorides by Ion Chromatography.....	24
12.7	Calculation—Water-soluble Chlorides by Ion Chromatography.....	25
13	Water-soluble Sulfates.....	25
13.1	Principle.....	25
13.2	Reagents and Materials.....	25
13.3	Apparatus.....	25
13.4	Procedure—Preparation of Calibration Curve for Turbidity Method.....	26
13.5	Procedure—Analysis for Water-soluble Sulfates by Turbidity Method.....	26
13.6	Calculation—Water-soluble Sulfates by Turbidity Method.....	26
13.7	Procedure—Analysis for Water-soluble Sulfate by Ion Chromatography.....	27
13.8	Calculation—Water-soluble Sulfates by Ion Chromatography.....	27
14	Water-soluble Carbonates, Bicarbonates, and Hydroxyl Ions.....	27
14.1	Principle.....	27
14.2	Reagents and Materials.....	27
14.3	Apparatus.....	27
14.4	Procedure.....	27
14.5	Calculation.....	28
15	Water-soluble Phosphates.....	29
15.1	Principle.....	29
15.2	Reagents and Materials.....	29
15.3	Apparatus.....	29
15.4	Procedure—Preparation of Calibration Curve.....	30
15.5	Procedure—Analysis of Samples.....	30
15.6	Calculation.....	30
16	Loss on Ignition.....	31
16.1	Principle.....	31
16.2	Reagents and Materials, and Apparatus.....	31
16.3	Procedure.....	31
16.4	Calculation.....	31
17	Siderite Content.....	32
17.1	Principle.....	32
17.2	Reagents and Materials.....	32
17.3	Apparatus.....	32
17.4	Procedure—Extraction.....	33
17.5	Procedure—Iron Content by Atomic Absorption or Inductively Coupled Plasma.....	33
17.6	Calculation—Extraction.....	33
17.7	Procedure—Iron Content by Colorimetric Determination.....	33
17.8	Calculation—Iron Content by Colorimetric Determination.....	34

18	Zinc Carbonate and Lead Carbonate.....	34
18.1	Principle.....	34
18.2	Reagents and Materials, and Apparatus	34
18.3	Procedure—Extraction.....	35
18.4	Procedure—Lead and Zinc Determination by Atomic Absorption or Inductively Coupled Plasma	35
18.5	Calculation	35
19	Total Carbonate	35
19.1	Principle.....	35
19.2	Reagents and Materials	36
19.3	Apparatus	36
19.4	Procedure	37
19.5	Calculation	38
20	Acid-soluble Sulfides	38
20.1	Principle.....	38
20.2	Reagents and Materials	39
20.3	Apparatus	39
20.4	Procedure	40
20.5	Calculation	41
21	Calcium Hydroxide (Lime) or Cement	41
21.1	Principle.....	41
21.2	Reagents and Materials	41
21.3	Apparatus	42
21.4	Procedure	42
21.5	Calculation	42
22	X-ray Fluorescence Analysis.....	43
22.1	Principle.....	43
22.2	Reagents and Materials	44
22.3	Apparatus	44
22.4	Procedure—Sample Preparation	45
22.5	Procedure—Spectral Analysis	47
22.6	Calculation	47
23	Heavy Metals in Barite.....	47
Annex A (informative) Rational Analysis		48
Annex B (informative) Metric “SI” Unit Conversion Table.....		50
Figures		
1	Corrective Curve for SrSO ₄ in BaSO ₄	11
Tables		
1	Minerals Associated With Barite Ore Bodies	2
2	Dräger Tube Identification, Sample Volume, and Tube Factor to be Used for Various Sulfide Ranges	40

Currently in preview, click buy full version

Recommended Practice for Chemical Analysis of Barite

1 Scope

1.1 Barite is used to increase the density of oil well drilling fluids. It is a mined product that can contain significant quantities of minerals other than barium sulfate, which is its main component.

1.2 A list of some minerals commonly associated with barite ores is given in Table 1 with the chemical formulas, mineralogical names, and the densities of the mineral grains.

1.3 The performance of barite in a drilling fluid is related in part to the percentage and type of non-barite minerals distributed in the barite ore. Some of these minerals have little or no effect on drilling fluid properties, but others can degrade these properties and even be harmful to rig personnel.

1.4 It is the objective of this publication to provide a comprehensive, detailed description of the chemical analytical procedures for quantitatively determining the mineral and chemical constituents of barite. These procedures are quite elaborate and will normally be carried out in a well-equipped laboratory.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, on the edition cited applies. For undated references, the latest edition of the reference document (including any amendments) applies.

API Recommended Practice 13B-1, *Recommended Practice for Field Testing Water-based Drilling Fluids*

API Recommended Practice 13I-2009, *Recommended Practice for Laboratory Testing of Drilling Fluids*

API *Manual of Petroleum Measurement Standards (MPMS)*, Chapter 15, *Guidelines for Use of the International System of Units (SI) in the Petroleum and Allied Industries*

ISO 10416:2008 ¹, *Petroleum and natural gas industries—Drilling fluids—Laboratory testing*

U.S. *29 Code of Federal Regulations (CFR)* ², Section 1910.1001

U.S. *40 Code of Federal Regulations (CFR)*, Section 61.140 through Section 61.156

U.S. *51 Federal Register (FR)*, 3738-3759 (January 29, 1986)

¹ International Organization for Standardization, 1, ch. de la Voie-Creuse, Case postale 56, CH-1211, Geneva 20, Switzerland, www.iso.org.

² The *Code of Federal Regulations* and *Federal Register* are available from the U.S. Government Printing Office, Washington, DC 20402.