

# Design, Selection, Operation, and Maintenance of Marine Drilling Riser Systems

API RECOMMENDED PRACTICE 16Q  
SECOND EDITION, APRIL 2017

ADDENDUM 1, FEBRUARY 2023  
ADDENDUM 2, MARCH 2024



American  
Petroleum  
Institute

## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practice.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this Recommended Practice should consult with the appropriate authorities having jurisdiction.

Users of this Recommended Practice should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Copyright reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Washington, DC 20001.

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Washington, DC 20001, [standards.aip.org](http://standards.aip.org).

Currently in preview, click buy full version

## Contents

	Page
<b>1</b>	<b>Scope</b> ..... <b>1</b>
<b>2</b>	<b>Normative References</b> ..... <b>1</b>
<b>3</b>	<b>Terms, Definitions, and Abbreviations</b> ..... <b>2</b>
<b>3.1</b>	<b>Terms and Definitions</b> ..... <b>2</b>
<b>3.2</b>	<b>Acronyms and Abbreviations</b> ..... <b>12</b>
<b>4</b>	<b>Component Function and Selection</b> ..... <b>13</b>
<b>4.1</b>	<b>Introduction</b> ..... <b>13</b>
<b>4.2</b>	<b>Component Selection Criteria</b> ..... <b>13</b>
<b>4.3</b>	<b>Marine Drilling Riser System</b> ..... <b>13</b>
<b>4.4</b>	<b>Tensioner System</b> ..... <b>14</b>
<b>4.5</b>	<b>Diverter System (Surface)</b> ..... <b>17</b>
<b>4.6</b>	<b>Riser Tension Ring</b> ..... <b>17</b>
<b>4.7</b>	<b>Telescopic Joint (Slip Joint)</b> ..... <b>18</b>
<b>4.8</b>	<b>Hands-free Gooseneck/Hands-free Handling Mechanisms and Related Equipment (Connection Devices)</b> ..... <b>19</b>
<b>4.9</b>	<b>Riser Joints</b> ..... <b>20</b>
<b>4.10</b>	<b>Lower Marine Riser Package</b> ..... <b>21</b>
<b>4.11</b>	<b>Flex and Ball Joints</b> ..... <b>23</b>
<b>4.12</b>	<b>Flexible C/K and Auxiliary Lines</b> ..... <b>23</b>
<b>4.13</b>	<b>Riser Running Equipment</b> ..... <b>24</b>
<b>4.14</b>	<b>Riser-mounted C/K and Auxiliary Lines</b> ..... <b>25</b>
<b>4.15</b>	<b>Buoyancy Equipment</b> ..... <b>27</b>
<b>4.16</b>	<b>Specialty Equipment</b> ..... <b>28</b>
<b>5</b>	<b>Riser Response Analysis</b> ..... <b>30</b>
<b>5.1</b>	<b>General Considerations</b> ..... <b>30</b>
<b>5.2</b>	<b>Riser Analysis Considerations</b> ..... <b>31</b>
<b>5.3</b>	<b>Design and Operating Limits</b> ..... <b>32</b>
<b>5.4</b>	<b>General Riser Modeling and Analysis Approach</b> ..... <b>42</b>
<b>5.5</b>	<b>Drive-off/Drift-off Analysis</b> ..... <b>49</b>
<b>5.6</b>	<b>Weak Point Analysis of Riser Well System</b> ..... <b>50</b>
<b>5.7</b>	<b>Recoil Analysis</b> ..... <b>50</b>
<b>5.8</b>	<b>High-current Environment</b> ..... <b>51</b>
<b>5.9</b>	<b>Disconnected Riser Analysis Methodology</b> ..... <b>53</b>
<b>6</b>	<b>Riser Operations</b> ..... <b>55</b>
<b>6.1</b>	<b>Introduction</b> ..... <b>55</b>
<b>6.2</b>	<b>Riser Operations Documentation</b> ..... <b>55</b>
<b>6.3</b>	<b>Riser Operations Information Systems</b> ..... <b>55</b>
<b>6.4</b>	<b>Preparation to Run Riser</b> ..... <b>56</b>
<b>6.5</b>	<b>Riser Running and Retrieval</b> ..... <b>59</b>
<b>6.6</b>	<b>Installed Riser Operations</b> ..... <b>60</b>
<b>6.7</b>	<b>Drive-off/Drift-off</b> ..... <b>64</b>
<b>7</b>	<b>Riser Integrity</b> ..... <b>64</b>
<b>7.1</b>	<b>Basis of Inspection Requirements</b> ..... <b>64</b>
<b>7.2</b>	<b>Inspection Objectives and Acceptance Criteria</b> ..... <b>66</b>
<b>7.3</b>	<b>Operational Records for Riser Components</b> ..... <b>69</b>
<b>7.4</b>	<b>Guidance for Inspection of Riser Components</b> ..... <b>71</b>
<b>7.5</b>	<b>In-service Inspection and Maintenance</b> ..... <b>73</b>

7.6	Scheduled Inspection and Maintenance .....	74
7.7	Running, Transportation, and Storage of Joints.....	75
8	Special Situations.....	76
8.1	Deepwater Drilling .....	76
8.2	Cold Weather Considerations.....	77
8.3	Riser Collapse Considerations.....	77
8.4	H <sub>2</sub> S Considerations .....	77
8.5	Well Testing Operations .....	79
8.6	Managed Pressure Drilling.....	79
8.7	Load and Resistance Factor Design .....	81
8.8	Riser BLAT Usage .....	81
	Annex A (informative) Riser Management System (QA/QC).....	83
	Annex B (informative) Typical Riser Analysis Datasheet .....	86
	Annex C (informative) Fatigue.....	90
	Annex D (informative) Load and Resistance Factor Design.....	92
	Bibliography .....	93
<b>Figures</b>		
1	Marine Riser System and Associated Equipment .....	15
2	Allowable Stress and Significant Dynamic Stress Range.....	36
3	Pressure End Load Acting on the RCD (located in or below inner barrel).....	40
4	Pressure End Load Acting on the RCD (located in or above inner barrel).....	41
5	Determination of Marine Riser Length .....	58
6	Schematic Illustration of Riser System.....	68
<b>Tables</b>		
1	Marine Drilling Risers—Maximum Design and Operating Guidelines.....	35
2	Commonly Used Values of C <sub>d</sub> and C <sub>m</sub> .....	46
3	Drilling Riser Inspection Requirements.....	65
4	Data Required for Rationalizing Inspection .....	70

Currently in preview, click buy full version

# Design, Selection, Operation, and Maintenance of Marine Drilling Riser Systems

## 1 Scope

API 16Q provides requirements for the design, selection, operation, and maintenance of typical marine riser systems for floating drilling operations from a mobile offshore drilling unit (MODU) with a subsea blowout preventer (BOP) stack. Its purpose is to serve as a reference for designers, for those who select system components, and for those who use and maintain this equipment. It relies on basic engineering principles and the accumulated experience of offshore operators, contractors, consultants, and manufacturers.

Since technology is continuously advancing in this field, methods and equipment are improving and evolving. Each owner and operator is encouraged to observe the recommendations outlined herein and to supplement them with other proven technology that can result in a more cost-effective, safer, and/or more reliable performance.

The marine drilling riser is best viewed as a system. It is necessary that designers, contractors, and operators realize that the individual components are recommended and selected in a manner suited to the overall performance of that system. For the purposes of this document, a marine drilling riser system includes the tensioner system and all equipment between the top connection of the upper flex/ball joint to the lower flex joint. However, it specifically excludes the diverter. Also, the applicability of this document is limited to operations with a subsea BOP stack.

Sections 1 through 7 are applicable to most floating drilling operations. In addition, special situations and topics are addressed in Section 8 dealing with deepwater drilling, cold-weather environments, riser collapse, hydrogen sulfide (H<sub>2</sub>S), well testing, and managed pressure drilling (MPD). It is important that all riser primary load-path components addressed in this document be consistent with the load classifications specified in API 16F.

## 2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Specification 16C, *Choke and Kill Equipment*

API Specification 16F, *Specification for Marine Drilling Riser Equipment*

API Specification 17D, *Design and Operation of Subsea Production Systems—Subsea Wellhead and Tree Equipment*

API Standard 53, *Blowout Prevention Equipment Systems for Drilling Wells*

API Recommended Practice 64, *Recommended Practice for Diverter Systems Equipment and Operations*

ANSI/NACE MR0175<sup>2</sup>/ISO 15156<sup>3</sup>, *Petroleum and natural gas industries—Materials for use in H<sub>2</sub>S-containing environments in oil and gas production*

<sup>1</sup> American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, New York 10036, www.ansi.org.

<sup>2</sup> NACE International, 15835 Park Ten Place, Houston, Texas 77084, www.nace.org.

<sup>3</sup> International Organization for Standardization, 1, ch. de la Voie-Creuse, Case postale 56, CH-1211 Geneva 20, Switzerland, www.iso.org.