

Planning, Designing, and Constructing Fixed Offshore Platforms—Load and Resistance Factor Design

API RECOMMENDED PRACTICE 2A-LRFD
SECOND EDITION, AUGUST 2019

REAFFIRMED, JULY 2024



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher.

Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Foreword

This document contains engineering design principles and good practices that have evolved during the development of offshore oil resources. Good practice is based on good engineering; therefore, this recommended practice consists essentially of good engineering recommendations. In no case is any specific recommendation included that could not be accomplished by presently available techniques and equipment. Consideration is given in all cases to the safety of personnel, compliance with existing regulations, and antipollution of water bodies.

Offshore technology continues to evolve. In those areas where the committee felt that adequate data were available, specific and detailed recommendations are given. In other areas, general statements are used to indicate that consideration should be given to those particular points. Designers are encouraged to utilize all research advances available to them. As offshore knowledge continues to grow, this document will be revised. It is hoped that the general statements contained herein will gradually be replaced by detailed recommendations.

The verbal forms used to express the provisions in this standard are as follows:

- the term “shall” denotes a minimum requirement in order to conform to the standard;
- the term “should” denotes a recommendation or that which is advised but not required in order to conform to the standard;
- the term “may” is used to express permission or a provision that is optional;
- the term “can” is used to express possibility or capability.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication, or comments and questions concerning the procedures under which this publication was developed, should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every 5 years. A one-time extension of up to 2 years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Washington, DC 20001, standards@api.org.

Attention Users of This Publication: This edition supersedes the 1st Edition dated July 1993, as well as Errata dated October 1993 and Supplement 1 dated February 1997. Portions of this publication have been changed from the previous edition. In some cases the changes are significant, while in other cases the changes reflect minor editorial adjustments in order to conform to current API styling. Because the document was significantly reformatted from the previous edition, no attempt was made to indicate the locations of changes with bar notations.

Contents

1	Scope	1
2	Normative References.....	1
3	Terms, Definitions, Symbols, and Abbreviated Terms	2
3.1	Terms and Definitions.....	2
3.2	Symbols.....	9
3.3	Abbreviated Terms	14
4	Types of Fixed Steel Offshore Structure.....	16
4.1	General	16
4.2	Jackets.....	16
4.3	Towers	17
4.4	Jack-ups	17
5	Planning.....	18
5.1	General	18
5.2	Foundations and Active Geological Processes	18
5.3	Design for Inspection and Maintenance	18
5.4	Design Situations and Criteria	18
5.5	Regulations	19
6	Overall Considerations	19
6.1	Service and Operational Considerations	19
6.2	Safety Considerations.....	20
6.3	Environmental Considerations	21
6.4	Exposure Levels	24
6.5	Assessment of Existing Structures	26
6.6	Structure Reuse.....	26
7	General Design Requirements	26
7.1	General	26
7.2	Incorporating Limit States	27
7.3	Determining Design Situations	27
7.4	Structural Modeling and Analysis	28
7.5	Design for Pre-service and Removal Situations	28
7.6	Design for the In-place Situation	28
7.7	Determination of Resistances	28
7.8	Strength and Stability Check	29
7.9	Robustness	30
7.10	Reserve Strength	30
7.11	Indirect Loads/Actions	31
7.12	Structural Reliability Analysis.....	31
8	Loads/Actions for Pre-service Situations	31
8.1	General	31
8.2	General Requirements	32
8.3	Loads/Actions Associated with Lifting	34
8.4	Loads/Actions Associated with Fabrication.....	37
8.5	Loads/Actions Associated with Loadout	37
8.6	Loads/Actions Associated with Transportation.....	38
8.7	Loads/Actions Associated with Installation	39
8.8	Loads/Actions Associated with Removal	40
9	Loads/Actions for In-place Situations	40
9.1	General	40

9.2	Permanent Loads/Actions (G) and Variable Loads/Actions (Q).....	41
9.3	Extreme Environmental Load/Action due to Wind, Waves, and Current.....	42
9.4	Extreme Quasi-static Load/Action due to Wind, Waves, and Current (E_e).....	43
9.5	Extreme Quasi-static Load/Action Caused by Waves Only (E_{we}) or by Waves and Currents (E_{wce}).....	46
9.6	Loads/Actions Caused by Current.....	54
9.7	Loads/Actions Caused by Wind.....	54
9.8	Equivalent Quasi-static Load/Action Representing Dynamic Response Caused by Extreme Wave Conditions	55
9.9	Factored Loads/Actions.....	58
9.10	Design Situations	59
9.11	Local Hydrodynamic Loads/Actions	61
10	Accidental Situations	62
10.1	General	62
10.2	Vessel Collisions	65
10.3	Dropped Objects.....	66
10.4	Fires and Explosions	67
10.5	Abnormal Environmental Load/Actions (Robustness).....	67
11	Seismic Design Considerations.....	67
11.1	General	67
11.2	Seismic Design Procedure	68
11.3	Seismic Reserve Capacity Factor	68
11.4	Recommendations for Ductile Design	69
11.5	ELE Requirements.....	70
11.6	ALE Requirements	71
11.7	Topsides Appurtenances and Equipment	73
12	Structural Modeling and Analysis.....	74
12.1	Purpose of Analysis	74
12.2	Analysis Principles.....	75
12.3	Modeling.....	75
12.4	Analysis Requirements.....	83
12.5	Types of Analysis	90
12.6	Nonlinear Analysis	91
13	Strength of Tubular Members	94
13.1	General	94
13.2	Tubular Members Subjected to Tension, Compression, Bending, Shear, or Hydrostatic Pressure	96
13.3	Tubular Members Subjected to Combined Forces without Hydrostatic Pressure	104
13.4	Tubular Members Subjected to Combined Forces with Hydrostatic Pressure.....	106
13.5	Effective Lengths and Moment Reduction Factors.....	108
13.6	Conical Transitions	109
13.7	Dented Tubular Members	112
13.8	Corroded Tubular Members	120
13.9	Grouted Tubular Members.....	120
14	Strength of Tubular Joints.....	125
14.1	General	125
14.2	Design Considerations	126
14.3	Simple Tubular Joints	132
14.4	Overlapping Joints	138
14.5	Grouted Tubular Joints.....	138
14.6	Ring Stiffened Tubular Joints	139

14.7	Other Joint Types	140
14.8	Damaged Joints	140
14.9	Noncircular Joints	140
14.10	Cast Joints	140
15	Strength and Fatigue Resistance of Other Structural Components	140
15.1	Grouted Concentric-tubular Connections	140
15.2	Mechanical Connections	144
15.3	Clamps for Strengthening and Repair	149
16	Fatigue	153
16.1	General	153
16.2	General Requirements	154
16.3	Description of the Long-term Wave Environment	157
16.4	Performing the Global Stress Analyses	159
16.5	Characterization of the Stress Range Data Governing Fatigue	162
16.6	Long-term Local Stress Range History	163
16.7	Determining Long-term Stress Range Distribution by Spectral Analysis	165
16.8	Determining Long-term Stress Range Distribution by Deterministic Analysis	169
16.9	Determining Long-term Stress Range Distribution by Approximate Methods	169
16.10	Geometrical Stress Ranges	170
16.11	Fatigue Resistance of the Material	172
16.12	Fatigue Assessment	174
16.13	Other Causes of Fatigue Damage Than Wave Load/Action	176
16.14	Further Design Considerations	177
16.15	Fracture Mechanics Methods	178
16.16	Fatigue Performance Improvement Techniques	179
17	Foundation Design	179
17.1	General	179
17.2	Pile Foundations	180
17.3	General Requirements for Pile Design	181
17.4	Pile Capacity for Axial Compression	183
17.5	Pile Capacity for Axial Pullout	184
17.6	Axial Pile Performance	184
17.7	Soil Reaction for Piles under Axial Compression	185
17.8	Soil Reaction for Piles under Lateral Loads/Actions	185
17.9	Pile Group Behavior	186
17.10	Pile Wall Thickness	186
17.11	Length of Pile Section	190
17.12	Shallow Foundations	190
18	Corrosion Control	192
18.1	General	192
18.2	Corrosion Zones and Environmental Parameters Affecting Corrosivity	192
18.3	Forms of Corrosion, Associated Corrosion Rates, and Corrosion Damage	193
18.4	Design of Corrosion Control	194
18.5	Fabrication and Installation of Corrosion Control	199
18.6	Research, Inspection, Monitoring, and Maintenance of Corrosion Control	199
19	Materials	201
19.1	General	201
19.2	Design Philosophy	203
19.3	Strength Groups	204
19.4	Toughness Classes	204
19.5	Applicable Steels	206
19.6	Cement Grout for Pile/Pin-to-sleeve Connections and Grouted Repairs	206

20	Welding, Fabrication, and Weld Inspection	207
20.1	General	207
20.2	Welding.....	208
20.3	Inspection.....	215
20.4	Fabrication	215
21	Quality Control, Quality Assurance, and Documentation	218
21.1	General	218
21.2	Quality Management System.....	218
21.3	Quality Control Plan	218
21.4	Inspection of Installation Aids and Appurtenances.....	220
21.5	Inspection of Loadout, Sea-fastening, and Transportation	221
21.6	Installation Inspection.....	222
21.7	Documentation.....	223
21.8	Drawings and Specifications.....	224
22	Loadout, Transportation, and Installation	225
22.1	General	225
22.2	Loadout and Transportation.....	226
22.3	Transfer of Structure from Transport Vessel into Water.....	228
22.4	Placement on Seafloor and Assembly of the Structure	229
22.5	Pile Installation	230
22.6	Installation of Conductors	236
22.7	Topsides Installation.....	237
22.8	Grounding of Installation Welding Equipment	237
23	Structure Reuse.....	238
23.1	General	238
23.2	Fatigue Considerations for Reused Structures.....	238
23.3	Steel in Reused Structures.....	239
23.4	Inspection of Structures to Be Reused	239
23.5	Removal and Reinstallation.....	240
23.6	In-service Inspection and Structural Integrity Management.....	241
	Annex A (informative) Commentary—Additional Information and Guidance.....	242
	Annex B (informative) CTOD Testing Procedures	459
	Annex C (informative) Material Category Approach.....	464
	Annex D (informative) Welding and Weld Inspection Requirements—Material Category Approach	468
	Annex E (normative) Fabrication Tolerances	471
	Bibliography.....	484
Figures		
6.3-1	Vertical Framing Configurations Not Meeting Robustness Requirements	23
6.3-2	Vertical Framing Configurations Meeting Robustness Requirements	23
9.5-1	Procedure for Calculating the Quasi-static Load/Action Caused by Wave plus Current ...	46
9.5-2	Factor for Reduction of Hydrodynamic Coefficients for Conductors in Array due to Shielding as Function of Conductor Spacing/Diameter Ratio.....	51
9.5-3	Doppler Shift due to Steady Current	52
9.5-4	Regions of Applicability of Stream Function, Stokes V, and Linear Wave Theory	53
11.3-1	Seismic Load/Action–Deformation Curve	72
12.3-1	Definition of Offset	77
12.3-2	Definition of Member Rigid Links	78
13.6-1	Example Conical Transition	110
13.7-1	Sign Convention for Dented Tubular.....	115

14.1-1	Terminology and Geometrical Parameters for Simple Tubular Joints	126
14.2-1	Basic Planar Joint Types	128
14.2-2	Examples of Joint Classification	129
14.2-3	In-plane Joint Detailing	131
14.2-4	Out-of-plane Joint Detailing	132
14.3-1	Examples of Chord Length L_c Calculation.....	137
15.1-1	Grouted Pile-to-structure Connection with Shear Keys.....	142
15.1-2	Recommended Shear Key Details	143
16.7-1	Typical Long-term Cumulative Distribution of GSR Values	168
19.1-1	Flowchart for Material Selection	202
20.1-1	Flowchart for Welding, Inspection, Fabrication, and QA/QC Documentation	208
20.2-1	Vickers Hardness Test Locations.....	214
20.4-1	Positioning of Longitudinal and Circumferential Welds in Tubular Joints	216
A.9.5-1	Definition of Surface Roughness Height and Thickness	261
A.9.5-2	Dependence of Steady-flow Drag Coefficient on Relative Surface Roughness	263
A.9.5-3	Wake Amplification Factor for Drag Coefficients as Function of K/C_{ds}	265
A.9.5-4	Wake Amplification Factor for Drag Coefficients as Function of K	266
A.9.5-5	Inertia Coefficient as Function of K	267
A.9.5-6	Inertia Coefficient as Function of K/C_{ds}	268
A.9.5-7	Current Blockage Flow—Current Vectors Computed from Doppler Measurements	270
A.9.5-8	Shielding Factor for Loads/Actions due to Waves on Conductor Arrays as Function of Conductor Spacing	272
A.9.5-9	Comparison of Linear and Nonlinear Stretching of Current Profiles	275
A.9.8-1	Definition of D_e	278
A.13.2-1	Comparison of Test Data with Representative Column Buckling Strength Equations for Fabricated Cylinders Subjected to Axial Compression	305
A.13.2-2	Comparison of Test Data and the Representative Local Buckling Strength Equations for Cylinders Subjected to Axial Compression.....	307
A.13.2-3	Comparison of Test Data with Representative Bending Strength Equations for Fabricated Cylinders	309
A.13.2-4	Comparison of Test Data with Representative Hoop Buckling Strength Equations for Fabricated Cylinders Subjected to Hydrostatic Pressure.....	311
A.13.3-1	Comparison of Measured and Predicted Strengths of Short Tubulars Subjected to Combined Compression (Local Buckling) and Bending.....	313
A.13.3-2	Comparison of Measured and Predicted Strengths of Long Tubulars Subjected to Combined Compression (Column Buckling) and Bending.....	314
A.13.4-1	Marine Buoyancy Analysis Method vs. Rational Buoyancy Analysis Method	315
A.13.4-2	Comparison of Test Data with Interaction Equation for Cylinders under Combined Axial Tension and Hydrostatic Pressure (F_{hc} Determined from Tests).....	317
A.13.4-3	Comparison of Interaction Equations for Various Stress Conditions for Cylinders under Combined Axial Compressive Load and Hydrostatic Pressure	318
A.13.4-4	Comparison of Test Data with Elastic Interaction Curve for Cylinders under Combined Axial Compressive Load and Hydrostatic Pressure.....	319
A.13.4-5	Comparison of Test Data on Fabricated Cylinders with Elastic Interaction Curve for Cylinders under Combined Axial Load and Hydrostatic Pressure	319
A.13.4-6	Comparison of Test Data with Interaction Equations for Cylinders under Combined Axial Compressive Load and Hydrostatic Pressure (Combined Elastic and Yield Type Failures) ...	320
A.13.5-1	Effective Length Factors for Symmetric X-braces as Function of Force Distribution and Rotational End Stiffnesses for Equal Lengths (Torsional Stiffness of Crossing Member Included).....	321
A.13.5-2	Effective Length Factors for Nonsymmetric X-braces as Function of Force Distribution and Rotational End Stiffnesses (Longer Segment = 0.6 Times the Brace Length)	322

A.13.5-3	Effective Length Factors for Nonsymmetric X-braces as Function of Force Distribution and Rotational End Stiffnesses (Longer Segment = 0.7 Times the Brace Length)	323
A.13.5-4	Alignment Chart for Determining the Effective Length of Unbraced Columns	324
A.13.7-1	Comparison of Measured and Predicted Strengths for Dented Tubulars Subjected to Axial Compression.....	326
A.13.7-2	Comparison of Normalized Test Data of Dented Tubulars with Compression Strength Knock-down Ractor for $\lambda_d < 0.252$	327
A.13.7-3	Comparison of Measured and Predicted Strengths for Dented Tubulars Subjected to Bending (Dent in Compression)	328
A.13.7-4	Comparison of Measured and Predicted Strengths for Dented Tubulars Subjected to Combined Compression and Bending (Dent in Tension, Compression, or on Neutral Axis) ..	329
A.13.9-1	Comparison of Measured and Predicted Strengths Using the Representative Axial Compressive Strength Equations for Fully Grouted Damaged and Undamaged Tubular Members.....	331
A.13.9-2	Illustration of Relevance of Parameters K_2 and K_3	332
A.14.2-1	Effect of f_y/f_t for K-joints on Joint Strength under Balanced Axial Forces	334
A.14.2-2	Comparison of Fitted Curve to Experimental Data for Force-deformation Behavior of a Simple Tubular Joint.....	335
A.14.2-3	Force Patterns Causing Chord Ovalization Greater Than Considered in Strength Equations	338
A.15.1-1	Measured Bond Strength vs. Cube Compressive Strength	346
A.15.1-2	Measured Bond Strength vs. Cube Compressive Strength Times the Height-to-Spacing Ratio.....	347
A.15.2-1	Linearization of Axial Stress Components	351
A.15.2-2	Definition of Pipe and Notch Stresses	356
A.15.2-3	Transformation of Elastic Stress via Strain Energy	358
A.15.2-4	Relation between Notch and Pipe Stresses	359
A.15.2-5	Example of Calculated $S-N$ Curves for Various SCFs and Constant Pipe Mean Stress for HY-80 Material Compared with the Circumferential Weld between Connector and Pipe ...	362
A.15.3-1	General Design Procedure for Stressed Clamps	366
A.15.3-2	Typical Application of a Clamp on an End-to-end Connection	368
A.15.3-3	Typical Application of a Clamp for the Addition of a Member.....	372
A.15.3-4	Typical Application of a Clamp on a Tubular Joint.....	374
A.16.1-1	Fatigue Illustration: Two Pipes of Unequal Thickness Connected by a Full Penetration Butt Weld.....	376
A.16.3-1	Example of Two-dimensional Wave Scatter Diagram.....	380
A.16.3-2	Example of Wave Scatter Diagram	381
A.16.3-3	Typical Long-term Cumulative Distribution of Individual Wave Heights	383
A.16.5-1	Determination of Geometrical Stress at Point A around Tubular Connection	388
A.16.7-1	Flowchart of Spectral Analysis Procedure	389
A.16.7-2	Typical Transfer Functions of Total Applied Loads/Actions due to Waves.....	391
A.16.7-3	Typical Fatigue Damage Scatter Diagram	393
A.16.8-1	Flowchart of Deterministic Analysis Procedure	395
A.16.9-1	Weibull Distributions.....	398
A.16.9-2	Combination of Weibull Distributions	399
A.16.10-1	Distances for Extrapolation to Weld Toes	402
A.16.10-2	Joint Classification and Geometrical Parameters for SCFs	403
A.20.2	Welder Test Piece for Single-sided Welds.....	447
A.20.2-2	Welded Tubular Joints—Shield Metal Arc (Stick) Welding	449
B.1	CTOD Specimen Preparation	461
P.2	Notch Locations for CTOD Specimens	462
C.3	CTOD Specimen Sectioning and Examination.....	463
E.1	Global Horizontal Tolerances.....	472

E.2	Global Vertical Tolerances	473
E.3	Tolerance on Straightness of Tubular Members.....	474
E.4	Tolerances on Straightness of Tubular Members Assembled into Structure	475
E.5	Tolerances on Thickness Change Locations	476
E.6	Joint Mismatch Tolerances	477
E.7	Leg Alignment Tolerances at Plan Bracing Level (Structures with More Than Four Legs)....	478
E.8	Tolerances on Alignment of Brace Stubs at Tubular Joints.....	479
E.9	Tolerances for Tubular Joints.....	480
E.10	Ring Stiffener Cross-section Tolerances.....	481
E.11	Ring Stiffener Straightness Tolerance.....	482
E.12	Conductor Guide Alignment Tolerances	483

Tables

6.3-1	Gulf of Mexico Design Criteria and Robustness Analysis	22
6.4-1	Determination of Exposure Level	26
8.2-1	Partial Load/Action Factors for Calculating Internal Forces	33
8.3-1	Dynamic Amplification Factor for a Single Onshore Crane.....	34
9.5-1	Typical Values of Hydrodynamic Coefficients	49
9.5-2	Approximate Current Blockage Factors for Typical Gulf of Mexico Jacket-type Structures	50
9.7-1	Shape Coefficients, C_S , for Perpendicular Wind Approach Angle	55
9.10-1	Partial Load/Action Factors for In-place Situations and Exposure Level L-1.....	61
11.2-1	Applicability of Ductile Design Recommendations	68
11.3-1	Representative Values of Seismic Reserve Capacity Factor, C_F	68
12.4-1	Applicability of Analysis Types for Design Situation	84
13.1-1	Arrangement of Requirements for Members.....	95
13.5-1	Effective Length and Moment Reduction Factor for Member Strength Checking	109
14.3-1	Values for Q_u	134
14.3-2	Values for the Coefficients C_1 , C_2 , and C_3	136
14.5-1	Q_u for Grouted Joints	139
15.1-1	Connection Design Limitations	143
16.11-1	Basic Representative $S-N$ Curves for Air and Seawater	173
16.12-1	Fatigue Damage Design Factor, F_{FD}	175
16.16-1	Achievable Improvement Factor on Fatigue Performance for Weld Improvement Techniques.....	179
17.10-1	Minimum Pile Wall Thicknesses	189
19.3-1	Steel Group SMYS Requirements.....	204
19.4-1	Minimum Toughness Requirements for Structural Steels.....	205
21.2-1	Quality System Requirements	219
21.7-1	Documentation Requirements	223
A.7.7-1	Statistical Factor, k_n	248
A.7.7-2	Minimum Coefficients of Variation	250
A.7.11-1	Inclusion of indirect Loads/Actions in Permanent and Variable Loads/Actions.....	254
A.13.2-1	Comparison of Geometry Requirements in Different Codes for Stiffeners with Flanges When Supported Along Two Edges	312
A.13.4-1	Code Check Equation Differences between Marine Buoyancy Analysis Method and Rational Buoyancy Analysis Method	315
A.16.10-1	Classification Table for a Brace End.....	405
A.16.10-2	Equations for SCFs in T/Y-joints	410
A.16.10-3	Equations for SCFs in X-joints.....	411
A.16.10-4	Equations for SCFs in Gap/Overlap K-joints.....	413
A.16.10-5	Equations for SCFs in KT-joints	414
A.16.10-6	Joint Classification Tabulation	418

A.16.10-7	Type 1: Material Free from Welding.....	419
A.16.10-8	Type 2: Continuous Welds Essentially Parallel to the Direction of Applied Stress	420
A.16.10-9	Type 3: Transverse Groove Welds in Plates and Tubulars (i.e. Essentially Perpendicular to the Direction of Applied Stress).....	421
A.16.10-10	Type 4: Welded Attachments on the Surface or Edge of a Stressed Member	422
A.16.10-11	Type 5: Load-carrying Fillet and T-butt Welds	423
A.16.10-12	Type 6: Details in Welded Girders and Tubulars	425
A.19.2-1	Recommended Lowest Anticipated Service Temperatures.....	440
A.20.2-1	Root Gap Requirements for Tubular Joints—Shield Metal Arc Welding.....	448
A.20.2-2	Minimum Weld Thicknesses for Tubular Joints—Shield Metal Arc Welding.....	448
C.1	Material Category: Material Selection for the Structure	465
C.2	Correlation of Steel Group and Toughness Class for Steel Plates to US Specifications	466
C.3	Correlation of Steel Group and Toughness Class for Structural Steel Shapes to US Specifications.....	467
C.4	Correlation of Steel Group and Toughness Class for Structural Steel Pipe to US Specifications	467
D.1	Material Category: Minimum Weld Metal Toughness Requirements	468
D.2	Material Category: Minimum Heat Affected Zone Toughness Requirements	469
D.3	Material Category Approach: Minimum Extent of Weld Inspection	470

Introduction

The API offshore structures standards constitute a common basis covering those aspects that address design requirements and assessments of all offshore structures used by the petroleum and natural gas industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for manned and unmanned offshore structures, whatever the type of structure and the nature of the materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing loads/actions, structural analyses, design rules, safety elements, workmanship, quality control procedures, and national requirements, all of which are mutually dependent. The modification of one aspect of design in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in modifications, therefore, need to be considered in relation to the overall reliability of all offshore structural systems.

The offshore structures standards are intended to provide a wide latitude in the choice of structural configurations, materials, and techniques without hindering innovation. Sound engineering judgment is therefore necessary in the use of these standards.

Annex A provides background to and guidance on the—much but not all—use of this document and needs to be read in conjunction with the main body of this document. The section numbering in Annex A is the same as in the normative text to facilitate cross-referencing.

Materials, welding, and weld inspection requirements can be based either on a “material category” or on a “design class” approach, as discussed in Sections 19 and 20. If the material category approach is used, the corresponding provisions of Annexes C and D are normative; if the design class approach is used, the corresponding provisions of ISO 19902 are normative.

Annex E gives requirements on fabrication tolerances. To meet certain needs of industry for linking software to specific elements in this document, a special numbering system has been permitted for figures, tables, equations, and bibliographic references.

Planning, Designing, and Constructing Fixed Offshore Platforms—Load and Resistance Factor Design

1 Scope

This document specifies requirements and provides recommendations applicable to the following types of fixed steel offshore structures for the petroleum and natural gas industries:

- caissons, free-standing and braced;
- jackets;
- monotowers;
- towers.

In addition, it is applicable to compliant bottom founded structures, steel gravity structures, jack-ups, other bottom founded structures, and other structures related to offshore structures (such as underwater oil storage tanks, bridges, and connecting structures), to the extent to which its requirements are relevant.

This document contains requirements for planning and engineering of the following tasks:

- design, fabrication, transportation, and installation of new structures as well as their future removal;
- in-service inspection and integrity management of both new and existing structures;
- assessment of existing structures;
- evaluation of structures for reuse at different locations.

Requirements for topsides structures can be found in API 2TOP, for marine operations in API 2MOP, and for the site-specific assessment of jack-ups in ISO 19905-1. Additional requirements for the design of fixed steel offshore structures in arctic environments can be found in API 2N.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document applies (including any addenda/errata).

API Recommended Practice 2EQ, *Seismic Design Procedures and Criteria for Offshore Structures*

API Recommended Practice 2FB, *Recommended Practice for Design of Offshore Facilities Against Fire and Blast Loading*

API Recommended Practice 2GEO, *Geotechnical and Foundation Design Considerations*

API Recommended Practice 2GEO, *Geotechnical and Foundation Design Considerations*, First Edition

API Recommended Practice 2MET, *Derivation of Metocean Design and Operating Conditions*

API Recommended Practice 2MOP, *Marine Operations*

API Recommended Practice 2MOP, *Marine Operations*, First Edition