

Structural Integrity Management of Fixed Offshore Structures

API RECOMMENDED PRACTICE 2SIM
FIRST EDITION, NOVEMBER 2014

REAFFIRMED, SEPTEMBER 2020



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Copyright © 2014 American Petroleum Institute. All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this specification are as follows:

- the term “shall” denotes a minimum requirement in order to conform to the specification,
- the term “should” denotes a recommendation or that which is advised but not required in order to conform to the specification,
- the term “may” is used to express permission or a provision that is optional,
- the term “can” is used to express possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

	Page
1 Scope	1
2 Normative References	1
3 Terms, Definitions, Acronyms, and Abbreviations	1
3.1 Terms and Definitions	1
3.2 Acronyms and Abbreviations	5
4 Structural Integrity Management Overview	6
4.1 General	6
4.2 Competency	7
4.3 Risk	7
4.4 Limitations	7
5 Structural Integrity Management Process	8
5.1 General	8
5.2 Data	8
5.3 Evaluation	10
5.4 Strategy	16
5.5 Program	17
5.6 Decommissioning	17
6 Surveys	18
6.1 Inspection Strategy	18
6.2 Personnel Qualifications	18
6.3 Level I Surveys—Routine Above-water Inspection	18
6.4 Baseline Underwater Inspection	20
6.5 Level II, III, and IV Surveys—Routine Underwater Inspection	21
6.6 Special Inspections	24
6.7 Survey Work Scope	26
6.8 Inspection Specification	26
6.9 Data Records	27
7 Damage Evaluation	27
7.1 General	27
7.2 Degradation Mechanisms	27
7.3 Component Evaluation	29
7.4 System Evaluation	30
8 Structural Assessment Process	30
8.1 General	30
8.2 Assessment Category	31
8.3 Assessment Initiators	31
8.4 Assessment Information	33
8.5 Assessment Method	34
8.6 Performance Criteria	38
8.7 Risk Reduction	38

Contents

	Page
9 Assessment for Metocean Loading	38
9.1 General	38
9.2 Assessment Criteria	39
9.3 Assessment Loading	40
9.4 Design Level Method	43
9.5 Ultimate Strength Method	44
9.6 Risk Reduction	46
10 Assessment for Fatigue Loading	46
11 Assessment for Seismic Loading	46
11.1 General	46
11.2 Simplified Analysis	47
11.3 Design Basis Check	47
11.4 Extreme Level Earthquake	47
11.5 Abnormal Level Earthquake	47
11.6 Risk Reduction	47
12 Assessment for Ice Loading	48
12.1 General	48
12.2 Design Basis Check	48
12.3 Simplified Analysis	48
12.4 Design Level Method	48
12.5 Ultimate Strength Method	48
12.6 Risk Reduction	48
13 Risk Reduction	49
13.1 General	49
13.2 Exposure Reduction	49
13.3 Likelihood Reduction	50
14 Platform Decommissioning	56
14.1 General	56
14.2 Decommissioning Process	57
Annex A (informative) Commentary on Structural Integrity Management	59
Bibliography	95
Figures	
1 SIM Process	6
2 SIM Process and Document Organization	9
3 Risk Categorization Matrix Example	12
4 Assessment Within the SIM Process	15
5 Fitness-for-Purpose Assessment Process	32
6 Deck Silhouette Definition	42
7 Wave Heading and Direction Convention	43
8 SMR Techniques	51

Contents

	Page
A.1 Schematic Load vs Deformation Diagram of an X-braced Platform	67
A.2 Schematic Load vs Deformation Diagram of a Diagonally Braced Platform	73
Tables	
1 Exposure Category Matrix	13
2 Risk-based Inspection Program Intervals	21
3 Default Inspection Program	23
4 Drag Coefficient, C_d , for Wave/Current Platform Deck Forces	43
5 Design Level Metocean Criteria, U.S. Gulf of Mexico	44
6 Ultimate Strength Metocean Criteria, U.S. Gulf of Mexico	45
A.1 Decommissioning Activities	89

Introduction

The purpose of this recommended practice is to provide guidance to owner/operators and engineers in the implementation and delivery of a process to manage the structural integrity of existing fixed offshore platforms. This process is called structural integrity management (SIM).

The SIM process described in this recommended practice is based on internationally recognized industry standards, including API 2A-WSD, 22nd Edition and ISO 19902:2007, and on global industry best practices. This recommended practice details engineering practices for the evaluation, assessment, and inspection of existing fixed offshore structures to demonstrate their fitness-for-purpose. This recommended practice incorporates and expands on the recommendations of Section 14, "Surveys" and Section 17, "Assessment of Existing Platforms" as previously provided in API 2A, 21st Edition.

The principal section describing the recommended SIM process is Section 5. It contains details of each aspect of the SIM process and provides a roadmap for using the recommended practice. Each of the remaining sections provides self-contained detailed guidance on performing the relevant SIM task.

Section 6 contains guidance on underwater surveys of fixed platforms. Two approaches are provided: a risk-based underwater survey (6.5.2) and an exposure-based underwater survey (6.5.3). When the owner/operator has not adopted a risk-based SIM strategy, an exposure-based (default) inspection program should be used.

In particular, Section 9 contains guidance on the selection of calibrated metocean criteria used for the fitness-for-purpose assessment of platforms designed and constructed to API 2A-WSD, 19th Edition and earlier editions that are located in the U.S. waters of the Gulf of Mexico or West Coast. In addition, Section 9 contains guidance on the selection of appropriate metocean criteria used for the fitness-for-purpose assessment of platforms designed and constructed to API 2A-WSD, 20th Edition and later for platforms located in the waters of the U.S. Gulf of Mexico or U.S. West Coast.

Structural Integrity Management of Fixed Offshore Structures

1 Scope

This recommended practice provides guidance for the structural integrity management (SIM) of existing fixed offshore structures used for the drilling, development, production, and storage of hydrocarbons in offshore areas. However, the general principles of SIM apply to any structure.

Specific guidance is provided for the evaluation of structural damage, above- and below-water structural inspection, fitness-for-purpose assessment, risk reduction, mitigation planning, and the process of decommissioning. This recommended practice incorporates and expands on the recommendations of Section 14, “Surveys” and Section 17, “Assessment of Existing Platforms” as previously provided in API 2A-WSD, 21st Edition. See Annex A for additional information and guidelines on the provisions stated in the numbered sections of this document.

The SIM process provided in this recommended practice is applicable to existing platforms installed at any location worldwide. However, the recommended practice provides specific metocean criteria, which are only applicable for use in fitness-for-purpose assessments of platforms located in the U.S. Gulf of Mexico and the U.S. West Coast.

For guidelines, recommended practices, and other requirements relating to planning, designing, and constructing new fixed offshore platforms, including reuse and change-in-use of existing platforms, reference should be made to the latest edition of API 2A-WSD.

For guidelines, recommended practices, and other requirements relating to planning, designing, and constructing new offshore floating production systems, including reuse and change-in-use of existing floating production systems, reference should be made to the latest edition of API 2FPS.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Recommended Practice 2A-WSD, *Planning, Designing, and Constructing Fixed Offshore Platforms—Working Stress Design*, 22nd Edition

API Recommended Practice 2EQ, *Recommended Practice for Seismic Design Procedures and Criteria for Offshore Structures*

API Recommended Practice 2MET, *Recommended Practice for Derivation of Metocean Design and Operation Conditions*

API Recommended Practice 2N, *Planning, Designing, and Constructing Structures and Pipelines for Arctic Conditions*

3 Terms, Definitions, Acronyms, and Abbreviations

3.1 Terms and Definitions

For the purposes of this document, the following definitions apply.

3.1.1

air gap

The clearance between the highest water surface that occurs during the extreme metocean conditions and the underside of the cellar deck.