

Process Measurement

API RECOMMENDED PRACTICE 551
SECOND EDITION, FEBRUARY 2016

REAFFIRMED, APRIL 2024



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representative warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this Recommend Practice should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Copyright reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the Director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Washington, DC 20001, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope	1
2 Normative References	1
3 General	7
3.1 Introduction	7
3.2 Measurement Terminology	7
3.3 Instrument Range Selection	8
3.4 Instrument Selection	10
3.5 Mechanical Integrity	12
3.6 Metallurgy and Soft Goods Selection	12
3.7 Signal Transmission and Communications	17
3.8 Power, Grounding, and Isolation	19
3.9 Local Indicators	20
3.10 Tagging and Nameplates	21
3.11 Configuration and Configuration Management	22
3.12 Documentation	22
4 Temperature	22
4.1 Introduction	22
4.2 Thermowells	23
4.3 Thermocouples	30
4.4 Resistance Temperature Devices	36
4.5 Thermistors	39
4.6 Distributed Temperature Sensing	40
4.7 Radiation Pyrometers	41
4.8 Temperature Element Wiring	41
4.9 Temperature Signal Conditioners and Transmitters	42
4.10 Local Temperature Indicators	43
5 Pressure	45
5.1 Introduction	45
5.2 Pressure Measurements	46
5.3 Pressure and Differential Pressure Transmitters	47
5.4 Pressure Transmitter Performance	47
5.5 Pressure Gauges	52
5.6 Miscellaneous Pressure Devices	55
6 Flow	57
6.1 Introduction	57
6.2 Hand Type Flow Meters	61
6.3 Variable-Area Meters	72
6.4 Magnetic Flowmeters	76
6.5 Turbine Meters	82
6.6 Positive Displacement Meters	90
6.7 Vortex Meters	91
6.8 Ultrasonic Flow Meters	94
6.9 Coriolis Flow Meter	99
6.10 Thermal Dispersion Meter	101

Contents

	Page
7 Level	103
7.1 Introduction	103
7.2 Vessel Connections	107
7.3 Level Transmitters	110
7.4 Level Switches	144
7.5 Local Level Indicators	145
7.6 Specific Gravity Precautions	158
7.7 Emulsions and Foams	159
8 Instrument Installation	162
8.1 Introduction	162
8.2 General Requirements	162
8.3 Process Connections	162
8.4 Connection Lengths	168
8.5 Instrument Access	169
8.6 Impulse Line Installation	170
8.7 Instrument Valves and Manifolds	175
8.8 Flushing Connections and Bleed Rings	183
8.9 Calibration Connections	183
8.10 Supports	183
8.11 Environment	185
8.12 Thermal Stress, Structural Loads and Vibration	186
8.13 Process Pulsation	187
8.14 Differential Pressure Flow Meters	187
8.15 Process Differential Pressure Measurement	187
8.16 Draft Measurement	187
8.17 Cryogenic Installations	192
8.18 Oxygen Installations	192
9 Instrument Protection	195
9.1 Introduction	195
9.2 Diaphragm Seals	196
9.4 Purges	204
10 Instrument Heating and Climate Protection	209
10.1 Introduction	209
10.2 General	211
10.3 Electric versus Steam Tracing	212
10.4 Light Steam Tracing	213
10.5 Insulation and Protective Coverings	214
10.6 Instrument Housings	214
10.7 Viscous Liquids and Condensation Prevention	217
10.8 Special Applications	217
10.9 Electrical Tracing Methods and Materials	218
10.10 Steam Tracing Methods and Materials	218

Contents

	Page
Bibliography	221
Figures	
1 Thermowell Terminology	24
2 Thermowell Installation	25
3 Standard Thermowells	27
4 Van Stone Well in a Studding Outlet	28
5 Ceramic Thermowell	29
6 Metal Sheathed Thermocouple Types	31
7 Type Skin Thermocouple with Radiation Shield	34
8 Fixed Thermocouple Head and Sheath with Type S Expansion Loop	35
9 Knife Edge Tube Skin Thermocouple	35
10 Furnace Tube Skin Thermocouple	35
11 Accuracy Limits and Usable Temperature Ranges for Thermistors and RTDs	37
12 Example Pyrometer Installation for Claus Reactor	42
13 Sheathed Type Thermocouple with Armored Lead	42
14 Transmitter Mounted in Connection Head	43
15 Definition of Pressure	46
16 Swirl with Elbows in 90° Planes	59
17 Orifice Flanges	66
18 Integral Orifice Meter Run	67
19 Example Expansion Coefficients	68
20 Classical Venturi Tube Dimensions	69
21 VDI/VDE 3513-2 Variable Meter Accuracy Plot	74
22 Variable Area Meter Installation	76
23 Turbine Meter Cutaway	83
24 Turbine Meter Bearing Types	86
25 Relative Thermal Conductivity of Common Gases	102
26 Gauge Glass Assemblies	107
27 Instrument Connections to Bonnet Heads	108
28 General Formulas for the Calibration of a Differential Level Instrument	111
29 Differential Level Transmitters with Wet Legs	112
30 Steam Drum Density Compensation Fitting	115
31 Displacer Transmitter Mounting	118
32 Arrangement for a Displacer Wet Calibration	119
33 Nuclear Level Transmitter	121
34 RF Capacitance/Admittance or GWR Level Transmitter Mounting	130
35 Critical Dimensions for GWR Installation	137
36 Typical Display for Configuring a Transit Time Level Instrument	138
37 Crane Mounted Overflow Alarm Switches	146
38 Typical Bolted Bonnet Gauge Valve	150
39 Measurement Taps for Interface and Level Services	153
40 Follow-up Type Magnetic Level Gauge	155
41 Magnetic Gauge with Flag Indicators	156
42 Transmitter Saturation Values with a 0.70 S.G. Calibration	159
43 Specific Gravity-Temperature Relationship for Hydrocarbons	160
44 Liquid Communication with Non-Homogeneous Fluids	161
45 Pressure Transmitter Installations	164
46 End View of Horizontal Pipe Taps	165

Contents

	Page
47 Settling Chamber	167
48 Differential Pressure Measurement	168
49 Tapped Hex Head Bull Plug	169
50 API Type III High Pressure Tube Fitting	173
51 Rodding Tee's	176
52 Typical Rodding Unit for Orifice Flanges	177
53 Valve Arrangement for Instrument Manifolds	177
54 Two Bolt Pressure Transmitter	179
55 Tightly Coupled Transmitter Side Mounted to a Mono-flange	182
56 Reducing Flushing Ring	184
57 Instrument Line Mounts	185
58 Close Coupled Flow Metering Installation Details	188
59 Piezometric Wind Stabilization Fitting Fabrication	189
60 Piezometric Wind Stabilization Fitting Fabrication	190
61 A Commercial Piezometric Wind Stabilization Fitting	191
62 Wafer Style Diaphragm Seal	197
63 Level Transmitter with Capillaries	202
64 Freezing Points of Ethylene Glycol and Water Mixtures	203
65 Pressure Gauge Installations	205
66 Recommended Purge Rates for Various Orifice Flange Tap Sizes	208
67 Purge Installations	210
68 Typical Molded Enclosures	215
69 Instrument Electrical Tracing	219

Tables

1 Conversion Factors for Inches of Water at Common Base Temperatures	9
2 Output Signal, mA	18
3 Standard ISA/ASTM Thermocouples	30
4 Thermocouple Interchangeability Tolerance	31
5 Recommended Limit for Single Element Sheathed Thermocouples	31
6 Standard Resistant Temperature Elements	36
7 Alternate Resistant Temperature Elements	37
8 Thermal Fill Types	45
9 ASME B40.1 Pressure Gauge Grades	53
10 Comparison of Flow Metering Technologies	58
11 Non-Ideal Flow Run Conditions Covered by ISO TR 12767	64
12 Typical Piping Interface with an Instrument	104
13 Comparison of Nuclear Detectors	122
14 Types of Isotopes	124
15 Nuclear Regulations by Source Size	127
16 Probe Types	136
17 Typical Viscosities	136
18 Tubing Support	174
19 Diaphragm Seal Materials	198
20 Purge Fluids	207

Process Measurement

1 Scope

This document provides recommendations about the selection and design of process measurement systems. Further, it supplies information on their implementation and commissioning.

It covers the instrumentation life cycle including selection, design, installation, commissioning and operation. It is pertinent to those involved with instrument application including design firms, owner/operators, equipment package suppliers/integrators, construction and service personnel, as well as instrument manufacturers.

Instrument systems are often a compromise between the installed performance and maintainability. A system has to balance these requirements while ensuring that basic principles are upheld. This document assists in the understanding of these principals and making proper decisions.

This recommended practice is intended to be a source of good engineering practice. Its recommendations are practical and safe, which yield consistent and effective results.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Specification 6A, *Specification for Wellhead and Christmas Tree Equipment*

API Recommended Practice 556, *Instrumentation, Control, and Protective Systems for Gas Fired Heaters*

API Standard 602, *Steel Gate, Globe, and Check Valves for Sizes NPS 4 (DN 100) and Smaller for the Petroleum and Natural Gas Industries*

API Recommended Practice 2218, *Fireproofing Practices in Petroleum and Petrochemical Processing Plants*

API Recommended Practice 2350, *Overfill Protection for Storage Tanks in Petroleum Facilities*

API MPMS Chapter 1, *Vocabulary*

API MPMS Chapter 3.1B, *Standard Practice for Level Measurement of Liquid Hydrocarbons in Stationary Tanks by Automatic Tank Gauging*

API MPMS Chapter 3.3, *Standard Practice for Level Measurement of Liquid Hydrocarbons in Stationary Pressurized Storage Tanks by Automatic Tank Gauging*

API MPMS Chapter 3.6, *Measurement of Liquid Hydrocarbons by Hybrid Tank Measurement Systems*

API MPMS Chapter 14.3.1, *Concentric, Square-edged Orifice Meters—Part 1: General Equations and Uncertainty Guidelines*

API MPMS Chapter 14.3.2, *Concentric, Square-Edged Orifice Meters—Part 2: Specification and Installation Requirements, 2000*

API MPMS Chapter 14.3.2, *Concentric, Square-Edged Orifice Meters—Part 2: Specification and Installation Requirements, 2007*