

Inspection Practices for Piping System Components

API RECOMMENDED PRACTICE 574
FOURTH EDITION, NOVEMBER 2016



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representative warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Users of this recommended practice should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Users of instructions should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Where applicable, authorities having jurisdiction should be consulted.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Currently in preview, click buy full version

Contents

| | | |
|-----|---|----|
| 1 | Scope | 1 |
| 2 | Normative References | 1 |
| 3 | Terms, Definitions, Acronyms, and Abbreviations | 2 |
| 3.1 | Terms and Definitions | 2 |
| 3.2 | Acronyms and Abbreviations | 11 |
| 4 | Piping Components | 12 |
| 4.1 | Piping | 12 |
| 4.2 | Tubing | 23 |
| 4.3 | Valves | 23 |
| 4.4 | Fittings | 28 |
| 4.5 | Flanges | 31 |
| 4.6 | Expansion Joints | 31 |
| 4.7 | Piping Supports | 31 |
| 4.8 | Flexible Hoses | 33 |
| 5 | Pipe-joining Methods | 33 |
| 5.1 | General | 33 |
| 5.2 | Threaded Joints | 33 |
| 5.3 | Welded Joints | 33 |
| 5.4 | Flanged Joints | 34 |
| 5.5 | Cast Iron Pipe Joints | 34 |
| 5.6 | Tubing Joints | 34 |
| 5.7 | Special Joints | 34 |
| 5.8 | Nonmetallic Piping Joints | 37 |
| 6 | Reasons for Inspection | 38 |
| 6.1 | General | 38 |
| 6.2 | Process and Personnel Safety | 38 |
| 6.3 | Reliable Operation | 38 |
| 6.4 | Regulatory Requirements | 39 |
| 7 | Inspection Plans | 39 |
| 7.1 | General | 39 |
| 7.2 | Developing an Inspection Plan | 39 |
| 7.3 | Monitoring Process Change | 41 |
| 7.4 | Inspection for Specific Damage Mechanisms | 47 |
| 7.5 | Integrity Operating Windows | 63 |
| 8 | Frequency and Extent of Inspection | 64 |
| 8.1 | General | 64 |
| 8.2 | Construction Inspection | 64 |
| 8.3 | Offline Inspection | 65 |
| 8.4 | Inspection Scope | 65 |
| 9 | Safety Precautions and Preparatory Work | 65 |
| 9.1 | Safety Precautions | 65 |
| 9.2 | Communication | 66 |
| 9.3 | Preparatory Work | 66 |
| 9.4 | Investigation of Leaks | 68 |

Contents

| | | |
|------|--|-----|
| 10 | Inspection Procedures and Practices | 68 |
| 10.1 | External Visual Inspection | 68 |
| 10.2 | Thickness Measurements | 72 |
| 10.3 | Internal Visual Inspection | 80 |
| 10.4 | Nonmetallic Piping | 85 |
| 10.5 | Flexible Hoses | 87 |
| 11 | Pressure Tests | 88 |
| 11.1 | Purpose of Testing | 88 |
| 11.2 | Performing Pressure Tests | 88 |
| 11.3 | Hammer Testing | 90 |
| 11.4 | Tell-tale Hole Drilling | 90 |
| 11.5 | Inspection of Piping Welds | 91 |
| 11.6 | Other Inspection Methods | 91 |
| 11.7 | Inspection of Underground Piping | 91 |
| 11.8 | Inspection of New Fabrication, Repairs, and Alterations | 100 |
| 12 | Determination of Minimum Required Thickness | 102 |
| 12.1 | Piping | 102 |
| 12.2 | Valves and Flanged Fittings | 105 |
| 13 | Records | 106 |
| 13.1 | General | 106 |
| 13.2 | Sketches | 106 |
| 13.3 | Numbering Systems | 108 |
| 13.4 | Thickness Data | 108 |
| 13.5 | Review of Records | 108 |
| 13.6 | Record Updates | 108 |
| 13.7 | Audit of Records | 108 |
| | Annex A (informative) External Inspection Checklist for Process Piping | 110 |
| | Bibliography | 111 |
| | Figures | |
| 1 | Cross Section of a Typical Wedge Gate Valve | 24 |
| 2 | Cross Section of a Typical Globe Valve | 25 |
| 3 | Cross Sections of Typical Lubricated and Nonlubricated Plug Valves | 26 |
| 4 | Cross Section of a Typical Ball Valve | 26 |
| 5 | Cross Section of a Typical Diaphragm Valve | 27 |
| 6 | Typical Butterfly Valve | 27 |
| 7 | Cross Sections of Typical Check Valves | 28 |
| 8 | Cross Section of a Typical Slide Valve | 29 |
| 9 | Flanged- and Fittings and Wrought Steel Butt-welded Fittings | 30 |
| 10 | Forged Steel Threaded and Socket-welded Fittings | 30 |
| 11 | Cross Section of a Socket-welded Tee Connection | 35 |
| 12 | Flange Facings Commonly Used in Refinery and Chemical Plant Piping | 35 |
| 13 | Types of Flanges | 36 |
| 14 | Cross Section of a Typical Bell-and-spigot Joint | 36 |
| 15 | Cross Sections of Typical Packed and Sleeve Joints | 36 |
| 16 | Cross Sections of Typical Tubing Joints | 37 |
| 17 | Piping Circuit Example | 48 |

Contents

| | | |
|----|---|-----|
| 18 | Erosion of Piping | 49 |
| 19 | Corrosion of Piping | 49 |
| 20 | Internal Corrosion of Piping | 49 |
| 21 | Severe Atmospheric Corrosion of Piping | 50 |
| 22 | SAI Corrosion | 57 |
| 23 | Case of Doubling due to Mode Converted Shear Wave Echo Occurring Between the Backwall Echoes | 75 |
| 24 | Example of Screen Display of UT Thickness Gauge with Automatic Temperature Compensation | 78 |
| 25 | Radiograph of a Catalytic Reformer Line | 80 |
| 26 | Radiograph of Corroded Pipe Whose Internal Surface is Coated with Iron Sulfide Scale | 80 |
| 27 | Sketch and Radiograph of Dead-end Corrosion | 80 |
| 28 | Underground Piping Corrosion Beneath Poorly Applied Tape Wrap | 92 |
| 29 | Pipe-to-soil Internal Potential Survey Use to Identify Active Corrosion Spots in Underground Piping | 93 |
| 30 | Example of Pipe-to-Soil Potential Survey Chart | 94 |
| 31 | Wenner Four-pin Soil Resistivity Test | 96 |
| 32 | Soil Bar Used for Soil Resistivity Measurements | 97 |
| 33 | Two Types of Soil Boxes Used for Soil Resistivity Measurements | 98 |
| 34 | Typical Isometric Sketch | 107 |
| 35 | Typical Tabulation of Thickness Data | 109 |

Tables

| | | |
|---|--|-----|
| 1 | Nominal Pipe Sizes, Schedules, Weight Classes, and Dimensions of Ferritic Steel Pipe | 14 |
| 2 | Nominal Pipe Sizes, Schedules, and Dimensions of Stainless Steel Pipe | 18 |
| 3 | Permissible Tolerances in Diameter and Thickness for Ferritic Pipe | 20 |
| 4 | Mix Point Thermal Fatigue Screening Criteria | 53 |
| 5 | Damage Mechanisms Associated with Nonmetallic Piping | 62 |
| 6 | Comparison of Common Nonmetallic Piping NDE Techniques | 86 |
| 7 | Minimum Thicknesses for Carbon and Low Alloy Steel Pipe | 105 |

Inspection Practices for Piping System Components

1 Scope

This recommended practice (RP) supplements API 570 by providing piping inspectors with information that can improve skill and increase basic knowledge of inspection practices. This RP describes inspection practices for piping, tubing, valves (other than control valves), and fittings used in petroleum refineries and chemical plants. Common piping components, valve types, pipe joining methods, inspection planning processes, inspection intervals and techniques, and types of records are described to aid the inspectors in fulfilling their role implementing API 570. This publication does not cover inspection of special items, including instrumentation, furnace tubulars, and control valves.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API 570, *Piping Inspection Code: Inspection, Repair, Alteration, and Rerating of In-service Piping Systems*

API Recommended Practice 571, *Damage Mechanisms Affecting Fixed Equipment in the Refining Industry*

API Recommended Practice 577, *Welding Inspection and Metallurgy*

API Recommended Practice 578, *Material Verification Program for New and Existing Alloy Piping Systems*

API 579-1/ASME FFS-1¹, *Fitness-For-Service*

API Recommended Practice 580, *Risk-Based Inspection*

API Recommended Practice 583, *Corrosion Under Insulation and Fireproofing*

API Recommended Practice 584, *Integrity Operating Windows*

API Standard 598, *Valve Inspection and Testing*

API Recommended Practice 932-B, *Design, Materials, Fabrication, Operation, and Inspection Guidelines for Corrosion Control in Hydroprocessing Reactor Effluent Air Cooler (REAC) Systems*

API Recommended Practice 941, *Steels for Hydrogen Service at Elevated Temperatures and Pressures in Petroleum Refineries and Petrochemical Plants*

ASME B16.5, *Pipe Flanges and Flanged Fittings: NPS 1/2 Through NPS 24 Metric/Inch Standard*

ASME B16.20, *Metallic Gaskets for Pipe Flanges: Ring-Joint, Spiral-Wound, and Jacketed*

ASME B16.25, *Buttwelding Ends*

ASME B16.34, *Valves: Flanged, Threaded, and Welding End*

ASME B16.47, *Large Diameter Steel Flanges: NPS 26 Through NPS 60 Metric/Inch Standard*

ASME B31.3, *Process Piping*

ASME Boiler and Pressure Vessel Code (BPVC), Section V: *Nondestructive Examination*

ASME Boiler and Pressure Vessel Code (BPVC), Section V: *Nondestructive Examination; Article 11: Acoustic Emission Examination of Fiber Reinforced Plastic Vessels*

ASME PCC-1, *Guidelines for Pressure Boundary Bolted Flange Joint Assembly*

ASME PCC-2, *Repair of Pressure Equipment and Piping*

¹ ASME International, 2 Park Avenue, New York, New York 10016-5990, www.asme.org.