

Corrosion Under Insulation and Fireproofing

API RECOMMENDED PRACTICE 583
FIRST EDITION, MAY 2014



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor in making their obligations to comply with authorities having jurisdiction.

Information concerning safety and health risks and proper precautions with respect to particular materials and conditions should be obtained from the employer, the manufacturer or supplier of that material, or the material safety datasheet.

Where applicable, authorities having jurisdiction should be consulted.

Work sites and equipment operations may differ. Users are solely responsible for assessing their specific equipment and premises in determining the appropriateness of applying the recommended practice (RP). At all times users should employ sound business, scientific, engineering, and judgment when using this RP.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope	1
2 Normative References.....	1
3 Terms, Definitions, Acronyms, and Abbreviations	2
3.1 Terms and Definitions.....	2
3.2 Acronyms and Abbreviations	7
4 Introduction to the Causes of Damage	7
4.1 General	7
4.2 CUI in Carbon and Low Alloy Steels	8
4.3 CUI in Austenitic and Duplex Stainless Steels.....	9
4.4 CUF in Carbon and Low Alloy Steels	11
4.5 CUI on Aluminum Piping	11
5 Areas Susceptible to Damage	11
5.1 General	11
5.2 General Areas of Damage.....	12
5.3 Pressure Vessels	13
5.4 Piping	13
5.5 Tankage and Spheres	16
5.6 Heat-traced Systems.....	16
5.7 Shutdown/Mothballing	17
6 Insulation and Fireproofing Systems	18
6.1 Insulation Materials.....	18
6.2 Insulation Jacketing	24
6.3 Caulking	26
6.4 Fireproofing Materials.....	27
6.5 Coatings Under Insulation and Fireproofing Systems	32
7 Inspection for CUI and CUF Damage	34
7.1 General	34
7.2 Inspection of Piping Operating Below 32 °F (0 °C)	35
7.3 Inspection Tools and Methods.....	35
8 Risk-Based Inspection (RBI)	51
8.1 General	51
9 Design Practices to Minimize CUI	52
9.1 General	52
9.2 Criteria for Hot and Cold Services	53
9.3 Insulation Materials.....	53
9.4 Jacketing	54
9.5 General Design Aspects	56
9.6 Insulation	59
9.7 Heat-traced Systems.....	60
9.8 Protective Coatings and Caulk	60
9.9 Shutdown/Mothballing	61
9.10 Quality Control/Quality Assurance	61

Contents

	Page
10 Design Practices to Minimize CUF	61
10.1 General	61
10.2 Dense and Lightweight Concrete	61
10.3 Lightweight Cementitious Products	62
10.4 Intumescent Coatings and Subliming Compounds	62
10.5 Protective Coatings	62
10.6 Quality Control/Quality Assurance	62
11 Maintenance and Mitigation of CUI/CUF Issues	63
11.1 General	63
11.2 Programmed/Condition-based Maintenance	63
11.3 Execution	64
11.4 Deluge System Issues	64
11.5 Mitigation of CUI Damage	64
11.6 Mitigation of CUF Damage	72
11.7 Repair Techniques/Strategies	73
11.8 Safety Issues	76
Annex A (informative) Examples of a Qualitative Likelihood Assessment System	78
Annex B (informative) Examples of Insulation Techniques for Various Applications	81
Figure	
1 SCC Tendency of Austenitic and Duplex Alloys	10
2 Jacketed Piping with Area for Water Ingress	13
3 CUI Failure of 4-in. Gas Compressor Recycle Line	15
4 CUI at an Insulation Support Ring	17
5 Failure of Sphere Legs Due to CUF	17
6 Guided Wave Transducer Arrays, Signal Representation, and Results	37
7 Schematic of Profile Radiography Setup	38
8 Profile Radiograph of CUI Damage on an Insulated Small Diameter Pipe	39
9 Pit Depth Measurement Techniques	40
10 Application Limits for Ultrasonic and Film Density Radiography	40
11 Photo of a Flash Radiography System for Pipe Profiling to Detect Wall Thinning Due to Corrosion ..	42
12 Radiometric Profiling Display and System	43
13 RTR Display and System	44
14 A Pulsed Eddy Current Instrument with Probe	46
15 Principle of Operation the Pulsed Eddy Current Technique	47
16 A PECT Display Showing AWT Reading (top left), Logged Inspection Grid (bottom left), and the Decay of the Eddy Currents (bottom right)	47
17 Difference Between Average and Minimum Wall Thickness Within the Footprint	47
18 Photo of a Neutron Backscatter System	50
19 Thermographs Showing Areas with Wet Insulation (in Red)	51
20 Areas of Concern for CUI in a Vertical Vessel	55
21 Example of a Design/Layout That is Difficult to Insulate	57
22 Vertical Piping Should Be Wrapped from Bottom-to-top with an Overlap	65
23 Schematic of Two-wire Electric Spray Processes and Deposit Microstructure	66

Contents

	Page
24 Schematic of Oxy-fuel Wire Spray Processes	66
25 Example of a Petroleum-based Tape Wrap System	67
26 Photograph of a Personnel Protective Cage on a Vertical and Elbow Section of Piping (left) and a Removable Personnel Protective Cage on a Valve (right)	69
27 Photo Showing Piping with and Without Damage to the Insulation System	70
28 Example of Jacketing Joint with Missing Caulking	71
29 Example of Poor Jacketing Fit-up	71
30 Examples of Joints with Poor Ability to Shed Water	72
31 Example of Missing End Cap	72
B.1 Method of Insulating Nozzles and Manways	81
B.2 Method for In Situ Polyurethane Foaming of Straight Pipe and Valve/Flange Bore	82
B.3 Method for Insulating Pipe Support with and Without Continuous Vapor Barrier	83
B.5 Method for Insulating Vertical Vessel Bottom Support Ring	84
B.4 Method for Insulating Miscellaneous Attachments	84
B.6 Method of Diverting Water Away from Critical Locations	85
B.7 Method of Avoiding Water Buildup at Insulation Supports	85
B.8 Method of Avoiding Water Buildup for Vessel Nozzles and Attachments	86
B.9 Method of Avoiding Water Buildup for Piping	87
B.10 Method of Avoiding Water Buildup for Horizontal and Vertical Gussets	88
Tables	
1 Locations for CUI Throughout Process Facilities	12
2 Locations for CUI/CUF on Vessels	12
3 Susceptible Locations for CUI/CUF in Piping	15
4 Susceptible Locations for CUI/CUF in Piping Operating Below the Dew Point	16
5 Locations for CUI/CUF in Tanks and Vessels	16
6 Commonly Used Insulation Materials	18
7 NIA Guidelines for Sidewalls of Vertical Vessels	26
8 NIA Guidelines for Heads of Vertical Vessels	26
9 Comparison of Surface Preparation Standards	33

Currently in preview, click buy full version

Corrosion Under Insulation and Fireproofing

1 Scope

This recommended practice (RP) covers the design, maintenance, inspection, and mitigation practices to address external corrosion under insulation (CUI) and corrosion under fireproofing (CUF). The document discusses the external corrosion of carbon and low alloy steels under insulation and fireproofing and the external chloride stress corrosion cracking (ECSCC) of austenitic and duplex stainless steels under insulation. The document does not cover atmospheric corrosion or corrosion at uninsulated pipe supports but does discuss corrosion at insulated pipe supports.

The purpose of this RP is to:

- help owner/users understand the complexity of the many CUI/CUF issues;
- provide owner/users with understanding on the advantages and limitations of the various nondestructive examination methods used to identify CUI and CUF damage;
- provide owner/users with an approach to risk assessment (i.e. likelihood of failure and consequence of failure) for CUI and CUF damage; and
- provide owner/users guidance on how to design, install, and maintain insulation systems to avoid CUI and CUF damage.

The practices described in this document apply to pressure vessels, piping, and storage tanks and spheres. The document discusses the factors impacting the damage mechanisms, the guidelines to prevent external corrosion/cracking under insulation, the maintenance practices to avoid damage, the inspection practices to detect/assess damage, and the guidelines for risk assessment of equipment or structural steel subject to CUI and CUF damage.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API 510, *Pressure Vessel Inspection Code: In-service Inspection, Rating, Repair, and Alteration*

API 570, *Piping Inspection Code*

API Recommended Practice 571, *Damage Mechanisms Affecting Fixed Equipment in the Refining Industry*

API Recommended Practice 572, *Inspection Practices for Pressure Vessels*

API Recommended Practice 574, *Inspection Practices for Piping System Components*

API Recommended Practice 575, *Guidelines and Methods for Inspection of Existing Atmospheric and Low-pressure Storage Tanks*

API Recommended Practice 580, *Risk-Based Inspection*

API Recommended Practice 581, *Risk-Based Inspection Technology*

API Recommended Practice 653, *Tank Inspection, Repair, Alteration, and Reconstruction*

API Technical Report 938-C, *Use of Duplex Stainless Steels in the Oil Refining Industry*