

Cathodic Protection of Aboveground Petroleum Storage Tanks

API RECOMMENDED PRACTICE 651
FOURTH EDITION, SEPTEMBER 2014



AMERICAN PETROLEUM INSTITUTE

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Users of this Recommended Practice should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Copyright reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, "shall" denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, "should" denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope	1
2 Normative References	1
2.1 Standards, Codes, Publications, and Specifications	1
2.2 Other References	3
3 Terms and Definitions	3
4 Corrosion of Aboveground Steel Storage Tanks	8
4.1 Introduction	8
4.2 Corrosion Mechanisms	9
4.3 Internal Corrosion	11
5 Determination of Need for Cathodic Protection	11
5.1 Introduction	11
5.2 Tank History	12
5.3 Tank Pad and Soil Conditions	14
5.4 Other Factors Affecting Cathodic Protection	18
6 Methods of Cathodic Protection for Corrosion Control	19
6.1 Introduction	19
6.2 Galvanic Systems	19
6.3 Impressed Current Systems	21
7 Design of Cathodic Protection Systems	23
7.1 Introduction	23
7.2 Influence of Replacement Bottoms, External Liners (Release Prevention Barriers), and Secondary Containment on Cathodic Protection System Design	24
7.3 External Cathodic Protection	27
7.4 Internal Cathodic Protection	32
8 Criteria for Cathodic Protection	33
8.1 Introduction	33
8.2 Protection Criteria	33
8.3 Measurement Techniques	34
8.4 Alternative Reference Electrodes	35
9 Installation of Cathodic Protection Systems	35
9.1 Introduction	35
9.2 Galvanic Anode Systems	35
9.3 Impressed Current Systems	36
9.4 Corrosion Control Test Stations, Undertank Monitoring Methods, and Bonds	39
10 Interference Currents	42
10.1 Introduction	42
10.2 Sources of Interference Currents	42
10.3 Detection of Interference Currents	42
10.4 Control of Interference Currents	42
11 Operation and Maintenance of Cathodic Protection Systems	43
11.1 Introduction	43
11.2 Safety	43
11.3 Cathodic Protection Surveys	44
11.4 Cathodic Protection Records	45

Contents

Page

Figures

1	Electrochemical Corrosion Cell	7
2	Oxygen Concentration Cell Caused by Rocks or Clay in Tank Pad	8
3	Example of Stray Current Corrosion of an Unprotected Tank Bottom	10
4	Galvanic Corrosion	11
5	Cathodic Protection with Galvanic Anodes	20
6	Impressed Current Cathodic Protection	22
7	Impervious External Liner Beneath Aboveground Storage Tank	24
8	New Steel Bottom on Top of Old Bottom	26
9	Current Requirement Test Setup	31
10	Potential Measurement Schematic	34
11	Typical Galvanic Anode Installation	36
12	Typical Shallow Anode Bed Installation	37
13	Commonly Installed Deep Anode Bed	38
14	Permanently Installed Reference Electrode and Test Station	40
15	Perforated Pipe Installed for Reference Electrode	41

Tables

1	General Classification of Resistivity	15
2	Partial Galvanic Series	20
3	Commonly Used Reference Electrodes	35
4	Permanently Reference Electrodes	40

Introduction

Persons planning to construct an aboveground storage facility, replace existing aboveground storage tanks and associated piping systems, or cathodically protect existing aboveground storage tanks and associated piping should refer to applicable local, state, and federal fire, safety, and environmental regulations as well as the most recent edition of the following publications:

- API Standard 650;
- API Recommended Practice 652;
- API Standard 653;
- API Specification 12B;
- API Specification 12D;
- API Specification 12F;
- API Standard 2610;
- NACE RP0193;
- NACE RP0285;
- NFPA 30;
- NFPA 70; and,
- PEI RP200.

The appropriate government authority having jurisdiction should be consulted for regulations that apply to the area of installation prior to taking any action suggested in this recommended practice.

Currently in preview, click buy full version

Cathodic Protection of Aboveground Petroleum Storage Tanks

1 Scope

1.1 The purpose of this recommended practice (RP) is to present procedures and practices for achieving effective corrosion control on aboveground storage tank bottoms through the use of cathodic protection. This RP contains provisions for the application of cathodic protection to existing and new aboveground storage tanks. Corrosion control methods based on chemical control of the environment or the use of protective coatings are not covered in detail.

1.2 When cathodic protection is used for aboveground storage tank applications, it is the intent of this RP to provide information and guidance specific to aboveground metallic storage tanks in hydrocarbon service. Certain practices recommended herein may also be applicable to tanks in other services. It is intended to serve only as a guide to persons interested in cathodic protection. Specific cathodic protection designs are not provided. Such designs should be developed by a person thoroughly familiar with cathodic protection practices for aboveground petroleum storage tanks.

1.3 This RP does not designate specific practices for every situation because the varied conditions in which tank bottoms are installed preclude standardization of cathodic protection practices.

2 Normative References

2.1 Standards, Codes, Publications, and Specifications

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Specification 12B, *Bolted Tanks for Storage of Production Liquids*

API Specification 12D, *Field Welded Tanks for Storage of Production Liquids*

API Specification 12F, *Shop Welded Tanks for Storage of Production Liquids*

API Recommended Practice 500, *Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities*

API Recommended Practice 571, *Inspection of Atmospheric and Low Pressure Storage Tanks*

API Standard 620, *Design and Construction of Large, Welded, Low-pressure Storage Tanks*

API Standard 650, *Welded Tanks for Oil Storage*

API Recommended Practice 652, *Lining of Aboveground Petroleum Storage Tank Bottoms*

API Standard 653, *Tank Inspection, Repair, Alteration, and Reconstruction*

API Recommended Practice 1615, *Installation of Underground Petroleum Storage Systems*

API Recommended Practice 1621, *Bulk Liquid Stock Control at Retail Outlets*

API Recommended Practice 1632, *Cathodic Protection of Underground Petroleum Storage Tanks and Piping Systems*