

Recommended Practice for Machinery Installation and Installation Design

API RECOMMENDED PRACTICE 686
SECOND EDITION, DECEMBER 2009

REAFFIRMED, JULY 2024



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representative warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Copyright © 2009 American Petroleum Institute. All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, "shall" denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, "should" denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually and updated quarterly by API, 200 Massachusetts Avenue, NW, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Washington, DC 20001, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
Chapter 1—Introduction	1-1
Chapter 2—Rigging and Lifting	2-1
Chapter 3—Jobsite Receiving and Protection.....	3-1
Chapter 4—Foundations.....	4-1
Chapter 5—Mounting Plate Grouting	5-1
Chapter 6—Piping	6-1
Chapter 7—Shaft Alignment.....	7-1
Chapter 8—Lubrication Systems.....	8-1
Chapter 9—Commisioning	9-1

Recommended Practice for Machinery Installation and Installation Design

Chapter 1—Introduction

Downstream Segment

API RECOMMENDED PRACTICE 686
SECOND EDITION, DECEMBER 2009



Contents

	Page
1 Scope	1-1
1.1 Purpose	1-1
1.2 Life Cycle Cost	1-1
1.3 Contractual Requirements	1-1
1.4 Equipment Classification	1-1
1.5 Alternative Installation	1-1
1.6 Conflicting Requirements	1-1
2 Definitions	1-1

Currently in preview, click buy full version

Recommended Practice for Machinery Installation and Installation Design

Chapter 1—Introduction

1 Scope

1.1 Purpose

This recommended practice (RP) is intended to provide recommended procedures, practices, and checklists for the installation and precommissioning of new, existing, and reapplied machinery and to assist with the installation design of such machinery for petroleum, chemical, and gas industry services facilities. In general, this RP is intended to supplement vendor instructions and the instructions provided by the original equipment manufacturer (OEM) should be carefully followed with regard to equipment installation and checkout.

Most major topics of this RP are subdivided into sections of “Installation Design” and “Installation” with the intent being that each section can be removed and used as needed by the appropriate design or installation personnel.

1.2 Life Cycle Cost

It is the intent of this document to facilitate machinery installations that will provide the user with a reduced overall life-cycle cost of equipment ownership.

1.3 Contractual Requirements

API 686 is written such that it can be used as a contractual document between an owner company and an engineering and construction (E&C) contractor. The major benefit is that it provides a detailed scope of supply for machinery installation requirements, with acceptance criteria and documentation requirements. There is then no ambiguity amongst multiple E&C bidders as to the requirements for project machinery installation (i.e. everyone is on an even playing field).

1.4 Equipment Classification

This RP is intended to address those installation and construction procedures associated with all machinery. Additional “special-purpose” requirements are covered at the end of each section as required.

1.5 Alternative Installation

The installation contractor or design contractor may offer alternative methods of equipment installation as mutually agreed upon by the user and equipment manufacturer.

1.6 Conflicting Requirements

Any conflicts between this RP and/or the manufacturers’ recommended procedures shall be referred to the user-designated machinery representative for resolution before proceeding.

2 Definitions

For the purposes of this document, the following definitions apply.

2.1

alignment

The process of reducing the misalignment of two adjacent shafts connected by a coupling so that the center of rotation for each shaft is as near collinear as practical during normal operation.