

Fatigue Risk Management Systems for Personnel in the Refining and Petrochemical Industries

ANSI/API RECOMMENDED PRACTICE 755
FIRST EDITION, APRIL 2010



AMERICAN PETROLEUM INSTITUTE



Currently in preview, click buy full version

Fatigue Risk Management Systems for Personnel in the Refining and Petrochemical Industries

Downstream Segment

ANSI/API RECOMMENDED PRACTICE 755
FIRST EDITION, APRIL 2010



AMERICAN PETROLEUM INSTITUTE



Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Copyright © 2009 American Petroleum Institute. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

Foreword

Implementation of the recommendations in this document are intended to produce a step-change in fatigue management and are not to be thought of as the end point, but rather the beginning. To ensure this, it is anticipated that stakeholders and interested members of the scientific and academic communities will evaluate the effectiveness of the implementation of these guidelines over the next five years. At the end of this five year period, if not sooner, this document will be opened for review and amendment.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a recommended practice, “shall” denotes a minimum requirement in order to conform to the RP.

Should: As used in a recommended practice, “should” denotes a recommendation or that which is advised but not required in order to conform to the RP.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope	1
1.1 Overview	1
2 Normative References	1
3 Terms and Definitions	1
4 Components of a Comprehensive Fatigue Risk Management System (FRMS)	2
4.1 Roles and Responsibilities	2
4.2 Positions Covered by the Fatigue Risk Management System	2
4.3 Staff-Workload Balance	3
4.4 Safety Promotion: Training, Education, and Communication	3
4.5 Work Environment	4
4.6 Individual Risk Assessment and Mitigation	4
4.7 Incident/Near Miss Investigation	4
4.8 Hours of Service Limits	4
4.9 Periodic Review of the FRMS to Achieve Continuous Improvement	8
Bibliography	10
Table	
1 Hours of Service Guidelines for 8-, 10-, and 12-hour Shifts	9

Currently in preview, click buy full version

Fatigue Risk Management Systems for Personnel in the Petroleum and Petrochemical Industries

1 Scope

This recommended practice (RP) provides guidance to all stakeholders (e.g. employees, managers, supervisors, contractors) on understanding, recognizing and managing fatigue in the workplace. Owners and operators should establish policies and procedures to meet the purpose of this recommended practice.

This RP was developed for refineries, petrochemical and chemical operations, natural gas liquefaction plants, and other facilities such as those covered by the OSHA Process Safety Management Standard, 29 *CFR* 1910.119. This document is intended to apply to a workforce that is commuting daily to a job location.

1.1 Overview

It has been documented that excess workplace fatigue is a risk to safe operations and that prescriptive Hours of Service rules should be supplemented as necessary. Thus, fatigue mitigation should be addressed through a comprehensive fatigue risk management system (FRMS) that is integrated with other safety management systems, as necessary.

Similar to other safety management systems, everyone—the workforce and senior management—has a role in recognizing the importance of workplace fatigue risk mitigation and actively working to support the goals of the FRMS.

The FRMS should be based on sound science and recognize operational issues, and shall include consultation with key stakeholders in the development and implementation of the local application of the FRMS. The FRMS should include a process to review and enhance the FRMS, as needed, with a goal of continuous improvement.

2 Normative References

This document contains no normative references. For a list of documents and articles associated with API RP 755 and fatigue risk management, please see the Bibliography.

3 Terms and Definitions

For the purpose of this publication, the following definitions apply.

3.1

call-out

Summoning an employee to the work site to perform work that (s)he was not scheduled to perform.

3.2

extended shifts

Time an employee is assigned to work that extends outside their regularly scheduled shift hours and into other shifts.

3.3

fatigue

Reduced mental and physical functioning caused by sleep deprivation and/or being awake during normal sleep hours. This may result from extended work hours, insufficient opportunities for sleep, failure to use available sleep opportunities, or the effects of sleep disorders, medical conditions or pharmaceuticals which reduce sleep or increase sleepiness.