

Managed Pressure Drilling Operations with Surface Back-pressure

API RECOMMENDED PRACTICE 92M
FIRST EDITION, SEPTEMBER 2017

ERRATA 1, OCTOBER 2017
ERRATA 2, NOVEMBER 2023
ADDENDUM 1, APRIL 2023



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained therein. However, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope.....	1
2 Terms, Definitions, and Abbreviations.....	1
2.1 Terms and Definitions.....	1
2.2 Abbreviations.....	3
3 Managed Pressure Drilling Overview.....	4
3.1 Managed Pressure Drilling Objectives.....	4
3.2 Available Managed Pressure Drilling Solutions.....	4
3.3 Managed Pressure Drilling Components.....	4
3.4 Well Barriers.....	5
3.5 BOP Installation and Use.....	5
4 Planning.....	5
4.1 General.....	5
4.2 Technical Feasibility.....	5
4.3 Front-end Engineering Design.....	6
4.4 Safety Studies and Reviews.....	8
4.5 Emergency Response Plan.....	8
4.6 Detailed Design Engineering.....	8
5 Equipment.....	10
5.1 Managed Pressure Drilling Equipment Considerations.....	10
5.2 Rig Modifications.....	16
5.3 Rig-up, Commissioning and Testing.....	18
6 Drill String.....	20
6.1 General.....	20
6.2 General Requirements—Drill Pipe.....	20
6.3 General Requirements for the Bottom-hole Assembly.....	20
7 Drilling Fluid Considerations.....	21
7.1 General.....	21
7.2 Drilling Fluid Properties.....	21
7.3 Kill Weight Fluids.....	21
8 Well Control and Well Integrity.....	21
8.1 General.....	21
8.2 Introduction.....	22
8.3 Well Barrier Elements.....	22
8.4 Managed Pressure Drilling Operations Matrix.....	24
8.5 Contingency Plans.....	27
8.6 Well Control Action Drills.....	27
8.7 Use of Secondary Barrier Elements during Managed Pressure Drilling Operations.....	28
8.8 Roles and Responsibilities.....	28
9 Managed Pressure Drilling Operational Guidelines.....	29
9.1 General.....	29
9.2 Planning.....	29
9.3 Drilling and Related Operations.....	30
9.4 Wellsite Supervision.....	30
Annex A (informative) Influx Management with Surface Back-pressure Managed Pressure Drilling.....	31
Bibliography.....	50

Contents

	Page
Figures	
1	Conventional Well Barrier Element Example 23
2	MPD Well Barrier Element Example 25
A.1	Generalized Influx Management Envelope 40
A.2	Stages of MPD Influx Management 48
Tables	
1	Example Managed Pressure Drilling Operations Matrix 26
2	Well Control Incident Scenarios 27
3	Example Well Control Drills 28
A.1	Crew Drills 43

Currently in preview, click buy full version

Introduction

These guidelines (recommended practices) prepared by the IADC Underbalanced Operations and Managed Pressure Drilling (UBO/MPD) Committee, consisting of representatives from various IADC member companies; represent a composite of the practices employed by various operating companies, service companies and drilling contractors in managed pressure drilling operations. In some cases, a reconciled composite of the various practices employed by these companies was utilized. This publication is under the jurisdiction of the American Petroleum Institute, Drilling and Production Operations Subcommittee.

Managed pressure drilling operations are being conducted with full regard for personnel safety, public safety, and preservation of the environment in such diverse conditions as urban sites, wilderness areas, ocean platforms, deep water sites, very hot barren deserts, cold weather areas including the arctic environment and wildlife refuges. As tools and equipment continually improve and develop, the technology has been applied in many geologic formations, including oil and gas reservoirs and on sour wells, thus driving the need for globally accepted standards and safe operating best practices.

Managed Pressure Drilling Operations with Surface Back-pressure

1 Scope

This document provides information for planning, installation, testing and operation of wells drilled with surface back-pressure managed pressure drilling (MPD). This document applies only to drilling rigs with surface blowout preventers (BOPs).

This document considers situations where the total drilling operation is performed balanced or overbalanced, including both hydrostatically overbalanced (no supplemental surface pressure needed to control inflow) and hydrostatically underbalanced (supplemental surface pressure needed to control inflow) systems. See Annex A for guidance on planning and executing influx management using MPD techniques. For underbalanced operations, refer to API 92U.

This document does not cover MPD operations with subsea BOP stacks (see API 92S).

2 Terms, Definitions, and Abbreviations

2.1 Terms and Definitions

For the purposes of this recommended practice the following definitions apply.

2.1.1

common well barrier element

A barrier element that is shared between the primary and secondary barrier envelopes.

2.1.2

drilling window

Pressure difference between the higher of pore/collapse pressure and fracture/fluid losses pressure.

2.1.3

hazard identification

HAZID

The process of identifying hazards in order to plan for, avoid, or mitigate their impacts.

2.1.4

hazard and operability

HAZOP

A structured and systematic examination of processes (existing or planned) in order to identify and evaluate problems that may represent risks to personnel, environment or equipment, or prevent efficient operations.

2.1.5

kick

Unplanned, unexpected influx of liquid or gas from the formation into the wellbore.

2.1.6

kick tolerance

Maximum influx volume at a specific intensity that can be safely circulated out of the well without compromising the weakest point (formation, casing, surface equipment, etc.).