

Specification for Field-welded Tanks for Storage of Production Liquids

API SPECIFICATION 12D
THIRTEENTH EDITION, MAY 2025

API MONOGRAM PROGRAM EFFECTIVE DATE: NOVEMBER 2, 2025



American
Petroleum
Institute

Currently in preview, click buy full version

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Users of this standard should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them. However, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Currently in preview, click buy full version

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, "shall" denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, "should" denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, "may" denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, "can" denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Currently in preview, click buy full version

Contents

| | Page |
|--|------|
| 1 Scope | 1 |
| 1.1 General..... | 1 |
| 1.2 Compliance | 1 |
| 2 Normative References..... | 1 |
| 3 Terms and Definitions | 2 |
| 4 Materials | 4 |
| 4.1 General..... | 4 |
| 4.2 Plates | 4 |
| 4.3 Sheets | 5 |
| 4.4 Welding Electrodes | 5 |
| 4.5 Structural Shapes | 5 |
| 4.6 Piping..... | 5 |
| 4.7 Flanges | 5 |
| 4.8 Couplings | 5 |
| 4.9 Bolting..... | 5 |
| 5 Design..... | 6 |
| 5.1 Loads | 6 |
| 5.2 Load Combinations | 6 |
| 5.3 Tank Uplift | 6 |
| 5.4 Other Design Conditions | 6 |
| 5.5 Tank Size | 6 |
| 5.6 Weld Size | 8 |
| 5.7 Joints | 9 |
| 5.8 Bottom Design | 9 |
| 5.9 Shell Design | 13 |
| 5.10 Floating Roof..... | 13 |
| 5.11 Roof Design..... | 13 |
| 5.12 Appurtenance Designs..... | 15 |
| 6 Venting Requirements..... | 16 |
| 6.1 Normal Venting | 16 |
| 6.2 Emergency Venting | 16 |
| 7 Construction, Testing, and Painting..... | 17 |
| 7.1 Construction | 17 |
| 7.2 Welding..... | 17 |
| 7.3 Testing | 17 |
| 7.4 Visual Examination | 17 |
| 7.5 External Painting | 18 |
| 7.6 Internal Coating | 18 |
| 7.7 Cleaning..... | 18 |
| 8 Marking | 18 |
| 9 Inspection and Rejection | 19 |
| 9.1 Inspection Notice..... | 19 |
| 9.2 Inspection..... | 19 |
| 9.3 Rejection..... | 19 |
| Annex A | 20 |
| Annex B (informative) Suggestions for Order Field-welded Tanks | 21 |
| Annex C (informative) Background on Past Editions | 22 |

Figures

| | | |
|----------|-------------------------------|-----------|
| 1 | Tank Dimensions | 10 |
| 2 | Cone Bottom | 12 |
| 3 | Nameplate Format | 19 |

Tables

| | | |
|-----------|---|-----------|
| 1a | Tank Dimensions (see Figure 1) (SI)..... | 7 |
| 1b | Tank Dimensions (see Figure 1) (USC) | 8 |
| 2 | Key to Figure 1 (Dimensions)..... | 11 |
| 3 | Key to Figure 2 (Dimensions)..... | 12 |
| 4 | Allowable Roof Support Stresses..... | 14 |

Introduction

This specification is under the purview of the API Subcommittee on Aboveground Storage Tanks.

This specification is based on the accumulated knowledge and experience of purchasers and manufacturers of field-welded steel storage tanks of various sizes and capacities for internal pressures approaching atmospheric. It provides a purchase specification to facilitate the manufacture and procurement of storage tanks for production service, such as storage of crude oil, condensate, hydrocarbon products, and nonpotable water. If tanks are purchased in accordance with this specification, the purchaser is expected to specify certain basic requirements.

This specification shall become effective on the date printed on the cover.

Currently in preview, click buy full version

Currently in preview, click buy full version

Specification for Field-welded Tanks for Storage of Production Liquids

1 Scope

1.1 General

This specification covers material, design, fabrication, and testing requirements for vertical, cylindrical, aboveground, closed-top, welded steel storage tanks in various standard sizes and capacities for internal pressures of approximately atmospheric, not to exceed those listed in Column 2 of Table 1a or Table 1b.

This specification is for the convenience of purchasers and manufacturers in ordering and fabricating tanks.

1.2 Compliance

The manufacturer is responsible for complying with all provisions of this specification. The purchaser may make any investigation necessary to be satisfied that the manufacturer is in compliance and may reject any material that does not comply with this specification. It is urged that the purchaser exercise this right by providing an inspection independent of any supervisory inspection furnished by the manufacturer, and that the purchaser's inspector closely monitor all of the details of shop fabrication and/or field construction and testing herein specified that may affect the integrity and safety of the completed structure. The purchaser's inspection and approval does not relieve the manufacturer of their responsibility to comply with all provisions of this specification.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document applies, including any amendments.

API Standard 12R1, *Installation, Operation, Maintenance, Inspection, and Repair of Tanks in Production Service*

API Specification 5L, *Specification for Line Pipe*

API Standard 650, *Welded Tanks for Oil Storage*

API Recommended Practice 652, *Lining of Aboveground Petroleum Storage Tank Bottoms*

API Standard 2000, *Venting Atmospheric and Low-pressure Storage Tanks*

ASME Boiler and Pressure Vessel Code, Section IX ¹, *Welding, Brazing, and Fusing Qualifications*

ASME B16.5, *Pipe Flanges and Flanged Fittings: NPS 1/2 through NPS 24 Metric/Inch Standard*

¹ ASME International, 2 Park Avenue, New York, New York 10016-5990, www.asme.org.