

Specification for Drilling Fluids Materials

ANSI/API SPECIFICATION 13A
EIGHTEENTH EDITION, FEBRUARY 2010

EFFECTIVE DATE: AUGUST 1, 2010

ERRATA 1, AUGUST 2014
ERRATA 2, MAY 2015
ERRATA 3, JULY 2015
ERRATA 4, OCTOBER 2016

REAFFIRMED, JULY 2015

CONTAINS API MONOGRAM ANNEX AS PART OF U.S. NATIONAL
ADOPTION

**ISO 13500:2009 (Identical), Petroleum and natural
gas industries—Drilling Fluids—Specifications
and testing**



AMERICAN PETROLEUM INSTITUTE



Currently in preview, click buy full version

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

Users of this specification should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this specification should consult with the appropriate authorities having jurisdiction.

Work sites and equipment operations may differ. Users are solely responsible for assessing their specific equipment and premises in determining the appropriateness of applying the specification. At all times users should employ sound business, scientific, engineering, and judgment safety when using this specification.

API is not undertaking to meet the duties of employers, manufacturers, or suppliers to warn and properly train and equip their employees, and others exposed, concerning health and safety risks and precautions, nor undertaking their obligations to comply with authorities having jurisdiction.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

API Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, "shall" denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, "should" denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, standards@api.org.

Currently in preview, click buy full version

Contents

Page

API Foreword	ii
Foreword	xi
Introduction	xii
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviations	1
3.1 Terms and definitions	1
3.2 Symbols and abbreviations	2
4 Requirements	4
4.1 Quality control instructions	4
4.2 Use of test calibration materials in checking testing procedures	4
4.3 Records retention	4
5 Calibration	5
5.1 Coverage	5
5.2 Equipment requiring calibration	5
5.2.1 Volumetric glassware	5
5.2.2 Laboratory thermometers	5
5.2.3 Laboratory balances	6
5.2.4 Sieves	6
5.2.5 Hydrometer	6
5.2.6 Motor-driven, direct-indicating viscometer	7
5.2.7 Laboratory pressure-measuring devices	8
5.2.8 Mixer	9
5.2.9 Chemicals and solutions	9
5.2.10 Deionized (or distilled) water	10
5.2.11 API test calibration material	10
5.3 Calibration intervals	10
5.3.1 General	10
5.3.2 Thermometers	10
5.3.3 Laboratory balances	10
5.3.4 Sieves	10
5.3.5 Hydrometer	10
5.3.6 Motor-driven, direct-indicating viscometers	10
5.3.7 Mixer	10
5.3.8 Deionized (or distilled) water	11
5.3.9 Laboratory pressure-measuring devices	11
5.3.10 API test calibration materials	11
6 Packaged material	11
6.1 Description	11
6.2 Apparatus — Pallets	11
6.3 Apparatus — Bags	12
6.4 Marking — Pallets	12
6.5 Marking — Bags	12
6.6 Pallet covers	12
6.7 Package mass	13

6.8	Storage.....	13
6.9	Recycling.....	13
6.9.1	General.....	13
6.9.2	Pallets.....	13
6.9.3	Cover.....	13
6.9.4	Bags.....	13
7	Barite.....	13
7.1	Principle.....	13
7.2	Reagents and apparatus — Density by Le Chatelier flask.....	14
7.3	Procedure — Density by Le Chatelier flask.....	14
7.4	Calculation — Density by Le Chatelier flask.....	15
7.5	Reagents and apparatus — Water-soluble alkaline earths as calcium.....	16
7.6	Procedure — Water-soluble alkaline earth metals as calcium.....	16
7.7	Calculation — Water-soluble alkaline earths as calcium.....	17
7.8	Reagents and materials — Residue of diameter greater than 75 μm	17
7.9	Procedure — Residue of diameter greater than 75 μm	18
7.10	Calculation — Residue of diameter greater than 75 μm	18
7.11	Reagents and apparatus — Particles less than 6 μm in equivalent spherical diameter by sedimentation method.....	18
7.12	Procedure — Particles less than 6 μm in equivalent spherical diameter by sedimentation method.....	19
7.13	Calculation — Particles less than 6 μm in equivalent spherical diameter by sedimentation method.....	19
8	Haematite (hematite).....	23
8.1	Principle.....	23
8.2	Reagent and apparatus — Density by Le Chatelier flask.....	24
8.3	Procedure — Density by Le Chatelier flask.....	24
8.4	Calculation — Density by Le Chatelier flask.....	25
8.5	Reagents and apparatus — Water-soluble alkaline earth metals as calcium.....	25
8.6	Procedure — Water-soluble alkaline earth metals as calcium.....	26
8.7	Calculation — Water-soluble alkaline earth metals as calcium.....	27
8.8	Reagents and apparatus — Residues greater than 75 μm and less than 45 μm	27
8.9	Procedure — Residues of diameter greater than 75 μm and 45 μm	28
8.10	Calculation — Residues of diameter greater than 75 μm and 45 μm	28
8.11	Reagents and apparatus — Particles less than 6 μm in equivalent spherical diameter by the sedimentation method.....	28
8.12	Procedure — Particles less than 6 μm in equivalent spherical diameter by the sedimentation method.....	29
8.13	Calculation — Particles less than 6 μm in equivalent spherical diameter by the sedimentation method.....	30
9	Bentonite.....	31
9.1	Principle.....	31
9.2	Reagents and apparatus — Suspension properties.....	33
9.3	Procedure — Rheology of suspension.....	33
9.4	Calculation — Rheology of suspension.....	34
9.5	Procedure — Filtrate volume of suspension.....	34
9.6	Calculation — Filtrate volume of the suspension.....	34
9.7	Reagents and apparatus — Residue of diameter greater than 75 μm	34
9.8	Procedure — Residue of diameter greater than 75 μm	35
9.9	Calculation — Residue of diameter greater than 75 μm	35
10	Non-treated bentonite.....	36
10.1	Principle.....	36
10.2	Reagents and apparatus — Suspension properties.....	36
10.3	Procedure — Rheology of the suspension.....	37
10.4	Calculation — Rheology of the suspension.....	37

10.5	Procedure — Dispersed plastic viscosity of the suspension.....	37
10.6	Procedure — Dispersed filtrate volume of the suspension	38
10.7	Calculation — Dispersed filtrate volume of the suspension	38
11	OCMA grade bentonite.....	38
11.1	Principle.....	38
11.2	Reagents and apparatus — Suspension properties	39
11.3	Procedure — Rheology of the suspension.....	39
11.4	Calculation — Rheology of the suspension	40
11.5	Procedure — Filtrate volume of the suspension.....	40
11.6	Calculation — Filtrate volume of the suspension	40
11.7	Reagents and apparatus — Residue of diameter greater than 75 μm	41
11.8	Procedure — Residue of diameter greater than 75 μm	41
11.9	Calculation — Residue of diameter greater than 75 μm	42
12	Attapulgate.....	42
12.1	Principle.....	42
12.2	Reagents and apparatus — Suspension properties	42
12.3	Procedure — 600 r/min dial reading of the suspension	43
12.4	Reagent and apparatus — Residue of diameter greater than 75 μm	43
12.5	Procedure — Residue of diameter greater than 75 μm	44
12.6	Calculation — Residue of diameter greater than 75 μm	44
12.7	Reagent and apparatus — Moisture	44
12.8	Procedure — Moisture	45
12.9	Calculation — Moisture.....	45
13	Sepiolite.....	45
13.1	Principle.....	45
13.2	Reagents and apparatus — Suspension properties	45
13.3	Procedure — 600 r/min dial reading of suspension	46
13.4	Reagents and apparatus — Residue of diameter greater than 75 μm	46
13.5	Procedure — Residue of diameter greater than 75 μm	47
13.6	Calculation — Residue of diameter greater than 75 μm	47
13.7	Reagents and apparatus — Moisture	47
13.8	Procedure — Moisture	48
13.9	Calculation — Moisture.....	48
14	Technical-grade low-viscosity CMC (CMC-LVT)	48
14.1	Principle.....	48
14.2	Reagents and apparatus — Determination of starch and starch derivatives	49
14.3	Procedure — Determination of starch and starch derivatives	49
14.4	Interpretation — Determination of starch and starch derivatives	50
14.5	Reagents and apparatus — Solution properties of water-soluble polymers	50
14.6	Procedure — Viscometer reading in deionized water	51
14.7	Procedure — Filtrate volume of suspension	51
14.8	Calculation — Filtrate volume of the suspension.....	52
15	Technical-grade high-viscosity CMC (CMC-HVT)	52
15.1	Principle.....	52
15.2	Reagents and apparatus — Determination of starch and starch derivatives	53
15.3	Procedure — Determination of starch and starch derivatives	54
15.4	Interpretation — Determination of starch and starch derivatives	54
15.5	Reagents and apparatus — Solution properties of water-soluble polymers	55
15.6	Procedure — Viscometer reading in deionized water	55
15.7	Procedure — Viscometer reading in 40 g/l salt water	56
15.8	Procedure — Viscometer reading in saturated salt water	56
15.9	Procedure — Filtrate volume of the suspension.....	57
15.10	Calculation — Filtrate volume of the suspension.....	58

16	Starch	58
16.1	Principle	58
16.2	Reagents and apparatus — Suspension properties	58
16.3	Procedure — Viscometer reading in 40 g/l salt water	59
16.4	Procedure — Filtrate volume of 40 g/l salt solution	60
16.5	Calculation — Filtrate volume of the 40 g/l salt solution	60
16.6	Procedure — Viscometer reading in the saturated salt solution	60
16.7	Procedure — Filtrate volume of the saturated salt solution	61
16.8	Calculation — Filtrate volume of the saturated salt solution	61
16.9	Reagents and apparatus — Residue greater than 2 000 μm	61
16.10	Procedure — Residue greater than 2 000 μm	62
17	Low-viscosity polyanionic cellulose (PAC-LV)	62
17.1	Principle	62
17.2	Qualitative starch determination in water-soluble polymers	63
17.2.1	Description	63
17.2.2	Reagents and materials	63
17.2.3	Apparatus	63
17.2.4	Procedure — Preparation of the iodine/iodide solution	64
17.2.5	Procedure — Preparation of the PAC-LV solution and starch determination	64
17.2.6	Results — Starch test for PAC-LV	64
17.3	Moisture content	65
17.3.1	Apparatus	65
17.3.2	Procedure	65
17.3.3	Calculation	65
17.4	Filtrate volume	65
17.4.1	Reagents and materials	65
17.4.2	Apparatus	66
17.4.3	Procedure — Filtrate volume of the PAC-LV	66
17.4.4	Calculation — Filtrate volume of PAC-LV	67
17.5	Fluid apparent viscosity	67
17.5.1	Procedure — Fluid apparent viscosity	67
17.5.2	Calculation — Fluid apparent viscosity	68
18	High-viscosity polyanionic cellulose (PAC-HV)	68
18.1	Principle	68
18.2	Qualitative starch determination in water-soluble polymers	69
18.2.1	Principle	69
18.2.2	Reagents and materials	69
18.2.3	Apparatus	69
18.2.4	Procedure — Preparation of the iodine/iodide solution	70
18.2.5	Procedure — Preparation of the PAC-HV solution and starch determination	70
18.2.6	Results — Starch test for PAC-HV	70
18.3	Moisture content	71
18.3.1	Apparatus	71
18.3.2	Procedure	71
18.3.3	Calculation	71
18.4	Filtrate volume	71
18.4.1	Reagents and materials	71
18.4.2	Apparatus	72
18.4.3	Procedure — Filtrate volume of the PAC-HV	72
18.4.4	Calculation — Filtrate volume of the PAC-HV	73
18.5	Fluid apparent viscosity	73
18.5.1	Procedure — Fluid apparent viscosity	73
18.5.2	Calculation — Fluid apparent viscosity	74
19	Drilling-grade xanthan gum	74
19.1	Principle	74

19.2	Qualitative starch determination in xanthan gum.....	74
19.2.1	Principle.....	74
19.2.2	Reagents.....	74
19.2.3	Apparatus.....	75
19.2.4	Procedure — Preparation of the iodine/iodide solution for qualitative starch determination	76
19.2.5	Procedure — Preparation of xanthan gum solution for qualitative starch determination	76
19.2.6	Results.....	76
19.3	Qualitative guar determination in xanthan gum.....	77
19.3.1	Principle.....	77
19.3.2	Reagents and materials	77
19.3.3	Apparatus.....	77
19.3.4	Procedure — Preparation of the fresh water xanthan gum solution	77
19.3.5	Procedure — Preparation of the sodium borate solution	78
19.3.6	Procedure — Viscosity measurement of the xanthan gum solution	78
19.3.7	Procedure — Viscosity measurement of the xanthan gum solution treated with the sodium borate solution.....	78
19.3.8	Results.....	79
19.4	Moisture content.....	79
19.4.1	Apparatus.....	79
19.4.2	Procedure.....	79
19.4.3	Calculation	79
19.5	Particle size.....	80
19.5.1	Apparatus.....	80
19.5.2	Procedure.....	80
19.5.3	Calculation	81
19.6	Fluid viscosity.....	81
19.6.1	Reagents.....	81
19.6.2	Apparatus.....	81
19.6.3	Procedure — Preparation of the synthetic seawater.....	82
19.6.4	Procedure — Preparation of the xanthan gum polymer solution.....	82
19.6.5	Procedure — Measurement of the viscosity.....	82
19.7	Low-shear-rate viscosity	83
19.7.1	Principle.....	83
19.7.2	Apparatus.....	83
19.7.3	Procedure.....	83
19.8	Calibration of direct-indicating viscometer	83
19.8.1	Apparatus.....	83
19.8.2	Procedure.....	84
19.8.3	Calculation	84
20	Barite 4,1.....	84
20.1	Principle.....	84
20.2	Reagents and apparatus — Density by Le Chatelier flask.....	85
20.3	Procedure — Density by Le Chatelier flask.....	86
20.4	Calculation — Density by Le Chatelier flask	87
20.5	Reagents and apparatus — Water-soluble alkaline earths as calcium.....	87
20.6	Procedure — Water-soluble alkaline earth metals as calcium	88
20.7	Calculation — Water-soluble alkaline earths as calcium	88
20.8	Reagents and materials — Residue of diameter greater than 75 μm	88
20.9	Procedure — Residue of diameter greater than 75 μm	89
20.10	Calculation — Residue of diameter greater than 75 μm	89
20.11	Reagents and apparatus — Particles less than 6 μm in equivalent spherical diameter by sedimentation method.....	90
20.12	Procedure — Particles less than 6 μm in equivalent spherical diameter by sedimentation method.....	90
20.13	Calculation — Particles less than 6 μm in equivalent spherical diameter by sedimentation method.....	91

Annex A (informative) Mineral impurities in barite	96
Annex B (informative) Test precision	97
B.1 Description	97
B.1.1 General	97
B.1.2 Considerations for manufacturers and users	97
B.2 Basis	98
B.3 Definitions	98
B.4 Test precision tables	98
Annex C (informative) Examples of calculations	102
C.1 Hydrometer calibration	102
C.2 Barite — Particles less than 6 μm in equivalent spherical diameter	102
C.2.1 Example of data sheet	102
C.2.2 Sample constant, K_S, from Equation (7)	103
C.2.3 Calculation of D_e for 20 min reading	103
C.2.4 Calculation for percent of diameter less than 6 μm	103
C.3 Haematite — Particles less than 6 μm in equivalent spherical diameter	104
C.3.1 Example data sheet	104
C.3.2 Sample constant, K_S, from Equation (7)	104
C.3.3 Calculation of D_e for 20 min reading	105
C.3.4 Calculation for percent of diameter less than 6 μm	105
Annex D (informative) Use of the API Monogram by Licensees	106
D.1 Scope	106
D.2 References	106
D.3 API Monogram Program: Licensee Responsibilities	106
D.3.1 Maintaining a License to Use the API Monogram	106
D.3.2 Monogrammed Product—Conformance with API Q1	107
D.3.3 Application of the API Monogram	107
D.3.4 Records	107
D.3.5 Quality Program Changes	107
D.3.6 Use of the API Monogram in Advertising	107
D.4 Marking Requirements for Products	108
D.4.1 Product Specification Identification	108
D.4.2 Units	108
D.4.3 Nameplates	108
D.4.4 License Number	108
D.5 API Monogram Program: API Responsibilities	108
Bibliography	109

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 13500 was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 3, *Drilling and completion fluids, and well cements*.

This third edition cancels and replaces the second edition (ISO 13500:2006), subclauses 7.1.2/Table 2, 7.3.1, 8.5.2, 8.6.5, 8.13.4, 10.2.5, 11.4, 14.4.3, and 15.4.3 of which have been technically revised. Clause 17 on low-viscosity polyanionic cellulose, Clause 18 on high-viscosity polyanionic cellulose, and Clause 19 on drilling-grade xanthan gum have been added. Clause 20 is added for a new grade of barite.

Introduction

This International Standard covers materials that are in common usage in petroleum and natural-gas drilling fluids. These materials are used in bulk quantities, can be purchased from multiple sources and are available as commodity products. No single-source or limited-source products are included, nor are speciality products.

International Standards are published to facilitate communication between purchasers and manufacturers, to provide interchangeability between similar equipment and materials purchased from different manufacturers and/or at different times and to provide an adequate level of safety when the equipment or materials are utilized in the manner and for the purposes intended. This International Standard provides minimum requirements and is not intended to inhibit anyone from purchasing or producing materials to other standards.

This International Standard is substantially based on API Spec 13A, 16th Edition, February 1, 2004. The purpose of this International Standard is to provide product specifications for barite, haematite, bentonite, nontreated bentonite, Oil Companies' Materials Association (OCMA) grade bentonite, attapulgite, sepiolite, technical-grade low-viscosity carboxymethylcellulose (CMC-LVT), technical-grade high-viscosity carboxymethylcellulose (CMC-HVT), starch, low-viscosity polyanionic cellulose, high-viscosity polyanionic cellulose, drilling-grade Xanthum gum, and barite 4,1.

The intent of the document is to incorporate all International Standards for drilling fluid materials into an ISO-formatted document. A survey of the industry found that only the American Petroleum Institute (API) issued testing procedures and specification standards for these materials.

Reference to OCMA materials has been included in API work, as the OCMA and subsequent holding committees were declared defunct, and all specifications were submitted to API in 1983.

Annex A (informative) lists the mineral impurities in barite, Annex B (informative) provides the test precision and Annex C (informative) details examples of calculations.

Petroleum and natural gas industries — Drilling fluids — Specifications and testing

1 Scope

This International Standard covers physical properties and test procedures for materials manufactured for use in oil- and gas-well drilling fluids. The materials covered are barite, haematite, bentonite, nontreated bentonite, OCMA-grade bentonite, attapulgite, sepiolite, technical-grade low-viscosity carboxymethylcellulose (CMC-LVT), technical-grade high-viscosity carboxymethylcellulose (CMC-HVT), starch, low-viscosity polyanionic cellulose (PAC-LV), high-viscosity polyanionic cellulose (PAC-HV), drilling-grade Xanthan gum, and barite 4,1. This International Standard is intended for the use of manufacturers of named products.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6780, *Flat pallets for intercontinental materials handling — Principal dimensions and tolerances*

ISO 10414-1:2008, *Petroleum and natural gas industries — Field testing of drilling fluids — Part 1: Water-based fluids*

ASTM D422, *Standard Test Method for Particle-Size Analysis of Soils*

ASTM E11, *Standard Specification for Wire Cloth and Sieves for Testing Purposes*

ASTM E161, *Standard Specification for Precision Electroformed Sieves*

ASTM E77, *Standard Test Method for Inspection and Verification of Thermometers*

ASTM E177, *Standard Practice for Use of the Terms Precision and Bias in ASTM Test Methods*

NIST (NBS) Monograph 150, *Liquid-In-Glass Thermometry*

3 Terms, definitions, symbols and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

ACS reagent grade

chemicals that meet purity standards as specified by the American Chemical Society (ACS)