

# Subsurface Safety Valve and Annular Safety Valve Equipment

API SPECIFICATION 14A  
THIRTEENTH EDITION, MARCH 2024

API MONOGRAM PROGRAM EFFECTIVE DATE: MARCH 14, 2025



American  
Petroleum  
Institute

## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be used. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, [standards@api.org](mailto:standards@api.org).

Currently in preview, click buy full version

# Contents

	Page
<b>1</b> Scope.....	1
<b>2</b> Normative References .....	1
<b>3</b> Terms, Definitions, Acronyms, Abbreviations, and Symbols .....	4
<b>3.1</b> Terms and Definitions .....	4
<b>3.2</b> Acronyms, Abbreviations, and Symbols .....	10
<b>4</b> Functional Specification .....	11
<b>4.1</b> General .....	11
<b>4.2</b> SSSV Functional Characteristics .....	12
<b>4.3</b> Well Parameters .....	12
<b>4.4</b> Operational Parameters .....	13
<b>4.5</b> Environmental Compatibility .....	13
<b>4.6</b> Compatibility with Related Well Equipment .....	14
<b>4.7</b> Insert SSSV Considerations .....	14
<b>4.8</b> User/Purchaser Grade Selection .....	14
<b>5</b> Technical Specification .....	16
<b>5.1</b> Technical Requirements .....	16
<b>5.2</b> Technical Characteristics of SSSV .....	16
<b>5.3</b> Design Criteria .....	16
<b>5.4</b> Design Verification .....	21
<b>5.5</b> Design Validation .....	25
<b>5.6</b> Equipment Performance Ratings .....	32
<b>5.7</b> Design Changes .....	32
<b>5.8</b> Design Validation by Scaling for SSSVs .....	33
<b>5.9</b> Functional Test.....	34
<b>5.10</b> Alternate Technologies.....	34
<b>5.11</b> Design Assessment .....	35
<b>6</b> Supplier/Manufacturer Requirements .....	36
<b>6.1</b> General .....	36
<b>6.2</b> Documentation and Data Control .....	36
<b>6.3</b> Product Identification .....	40
<b>6.4</b> Quality Control .....	41
<b>6.5</b> Functional Testing .....	50
<b>6.6</b> Failure Reporting and Analysis .....	51
<b>7</b> Repair/Regress .....	51
<b>7.1</b> Repair .....	51
<b>7.2</b> Regress .....	51
<b>8</b> Storage and Preparation for Transport .....	51
Annex A (normative) Test Agency Requirements .....	53
Annex B (normative) Validation Testing Requirements .....	56
Annex C (normative) Functional Testing Requirements .....	84

## Contents

	Page
Annex D (normative) Supplier/Manufacturer Validation Testing Requirements for Grades V2-R, V2, V3-R, and V3 .....	93
Annex E (normative) Alternative Requirement for Closure Mechanism Minimal Leakage .....	96
Annex F (normative) Design Validation Requirements for Secondary Tools .....	97
Annex G (normative) Validation Grade V1 and V1-R Requirements.....	100
Annex H (normative) Verification and Validation Requirements for High-pressure, High-temperature Environment .....	112
Annex I (informative) Extended Sand Endurance Testing .....	121
Annex J (informative) Combined Loads Operational Test .....	126
Annex K (informative) Gas Slam Closure Testing .....	130
Annex L (normative) Dynamic Seal System Test.....	133
Annex M (normative) Rated Performance Envelope.....	135
Annex N (normative) Alternative Validation Test Requirements .....	137
Annex O (normative) Annular Safety Valves .....	163
Bibliography.....	177

## Figures

<b>B.1</b>	Example of Characteristic Hydraulic Control Pressure Curve for SCSSVs .....	57
<b>G.1</b>	Example of an Operating Time Test Profile.....	101
<b>M.1</b>	Rated Performance Envelope Example.....	135
<b>O.1</b>	ASV in Open Condition .....	176
<b>O.2</b>	ASV in Closed Condition .....	176

## Tables

<b>1</b>	Description of Validation Grades.....	15
<b>2</b>	Additional Tests.....	15
<b>3</b>	Design Validation Grade Coverage.....	26
<b>4</b>	Mechanical Properties .....	42
<b>5</b>	Maximum Defect Severity Levels for Castings .....	47
<b>B.1</b>	Test Agency SCSSV V3-R Steps .....	58
<b>B.2</b>	Test Agency SCSSV V2-R Steps .....	59
<b>B.3</b>	SCSSV Gas Flow Test.....	60

## Contents

	Page
<b>B.4</b> SCSSV Gas Flow Rates .....	61
<b>B.5</b> TRSV Drift Test .....	62
<b>B.6</b> WRSV Drift Test .....	63
<b>B.7</b> SSSV Liquid Leakage Test .....	64
<b>B.8</b> Unequalized Opening Test—SCSSV .....	65
<b>B.9</b> Operating-pressure Test—SCSSV .....	65
<b>B.10</b> Propane Test—SSSV .....	65
<b>B.11</b> Nitrogen Leakage Test—SSSV .....	68
<b>B.12</b> V3-R Water Flow Test—SCSSV .....	69
<b>B.13</b> SCSSV Liquid Flow Rates .....	69
<b>B.14</b> Controlled-temperature Test—SCSSV .....	71
<b>B.15</b> Grade V2-R Slurry Flow Test—SCSSV .....	73
<b>B.16</b> Grade V2-R Liquid Flow Rates .....	74
<b>B.17</b> Test Agency SSCSV Grade V3-R Steps .....	74
<b>B.18</b> Test Agency SSCSV V2-R Steps .....	75
<b>B.19</b> Gas Closure Test—SSCSV .....	75
<b>B.20</b> Liquid Closure Test—SSCSV .....	76
<b>B.21</b> Propane Test—SSCSV .....	77
<b>B.22</b> V3-R Liquid Flow Test—SSCSV .....	78
<b>B.23</b> SSCSV Liquid Flow Rates .....	79
<b>B.24</b> V2-R Slurry Flow Test—SSCSV .....	80
<b>B.25</b> Test Agency SSISV Grade V3-R Steps .....	81
<b>B.26</b> Gas Injection Test—SSISV .....	82
<b>B.27</b> Liquid Injection Test—SSISV .....	82
<b>B.28</b> V3-R Liquid Flow Test—SSISV .....	83
<b>C.1</b> Functional Test Procedure—SCSSV .....	85
<b>C.2</b> Functional Test Procedure—Velocity-type SSCSV .....	89
<b>C.3</b> Functional Test Procedure—Tubing-Pressure-type SSCSV .....	90
<b>C.4</b> Functional Test Procedure—SSISV .....	91
<b>G.1</b> Operating Life Test at Minimum Rated Operating Temperature .....	102
<b>G.2</b> Operating Life Test at Maximum Rated Operating Temperature with Intermediate Testing at Ambient Temperature .....	103
<b>G.3</b> Operating Cycle Test at Maximum Operating Temperature .....	106
<b>G.4</b> Hydraulic Control Line Chamber Evaluation .....	107
<b>G.5</b> Closure Mechanism Differential Slam Open Test .....	108
<b>G.6</b> Equalization Mechanism Endurance Test .....	110
<b>H.1</b> Nonmetal Material Additional Specification Requirements .....	115
<b>H.2</b> Elastomeric Material Additional Specification Requirements .....	115
<b>H.3</b> Thermoplastic Material Additional Specification Requirements .....	116
<b>I.1</b> Extended Cycle Endurance Test .....	122
<b>J.1</b> Combined Loads Operational Test .....	128
<b>K.1</b> Gas Slam Closure Test .....	131
<b>L.1</b> Dynamic Seal System Testing .....	134
<b>N.1</b> Difference between Annex B and Annex N .....	137
<b>N.2</b> SCSSV Gas Flow Rates .....	140
<b>N.3</b> SCSSV Liquid Flow Rates .....	144
<b>N.4</b> SSCSV Liquid Flow Rates .....	148
<b>O.1</b> ASV Validation Grades .....	165
<b>O.2</b> Opening Differential Unloading Validation Test—AFIA .....	167
<b>O.3</b> Functional Test Procedure—ASV .....	172

Currently in preview, click buy full version

## Introduction

This specification has been developed by users/purchasers and suppliers/manufacturers, of subsurface safety valves intended for use in the petroleum and natural gas industry worldwide. This specification is intended to give requirements and information to both parties in the selection, manufacture, testing, and use of subsurface safety valves. Furthermore, this specification addresses the minimum requirements to claim conformity to this specification.

Users of this specification should be aware that requirements above those outlined in this specification may be needed for individual applications. This specification is not intended to inhibit a supplier/manufacturer from offering to the user/purchaser from accepting, alternative equipment or engineering solutions. This may be particularly applicable where there is innovative or developing technology. Where an alternative is offered, the supplier/ manufacturer should identify any variations from this specification and provide details.

The International System of Units (SI) is used in this specification; however, U.S. Customary (USC) and other units are also shown for reference.

The requirements for lock mandrels and landing nipples contained in prior editions of this specification are now included in API Specification 14L.

This specification has been structured with design validation grades of increased requirements allowing the user/purchaser to select the validation grade required for a specific application.

There are eight design validation grades for SSSVs and two design validation grades for ASVs to provide the user/purchaser the choice of requirements to meet a specific preference for application. New to the 13<sup>th</sup> edition are design validation grades V1-HR, V1-R, V2-R, and V3-R for SSSVs, and V1-A and V3-A for ASVs. Design validation grades V1-H, V1, V2, and V3 are for products with Test Agency Validation tests meeting requirements listed in [Annex N](#). V1-HR and V1-H are for high-pressure high-temperature (HPHT) applications with specific requirements listed in [Annex H](#). The complexity and severity of the validation testing increases as the grade number decreases. Quality requirements for the manufacture of prototypes and factory-produced SSSVs and ASVs are included, however the use of quality levels has not been deemed necessary due to the critical nature of the downhole safety valve.

Changes to this specification in 13<sup>th</sup> edition include but are not limited to:

- 1) New normative annex, [Annex N](#) for Test Agency Validation requirements performed prior to the 12<sup>th</sup> edition (previously Annex B in 11<sup>th</sup> edition);
- 2) New normative annex, [Annex O](#) for Annular Safety Valves, there are also some requirements for ASVs within the main body of the specification;
- 3) Validation grades V4-1 and V4-2 are no longer included as these were for products validated prior to the 12<sup>th</sup> edition;
- 4) For the additional validation grades V1-HR, V1-R, V2-R, V3-R, the suffix -R designates that the Test Agency Validation test meets the requirements of [Annex B](#) of this edition, and other required validation testing found in this specification. Validation grades without the suffix -R designates that the Test Agency Validation was performed prior to the 12<sup>th</sup> edition (previously Annex B in 11<sup>th</sup> edition) and meets the requirements of [Annex N](#) and other required validation testing found in this specification.

Currently in preview, click buy full version

# Subsurface Safety Valve and Annular Safety Valve Equipment

## 1 Scope

This specification provides the requirements for subsurface safety valves (SSSVs), annular safety valves (ASVs) and the secondary tools as defined herein necessary to operate the features included within them, including all components that establish tolerances and/or clearances that may affect performance or interchangeability of the SSSV or ASV components. It includes repair operations and the interface connections to control conduits and/or other equipment but does not cover the connections to the primary well conduit.

NOTE The SSSV and ASV are emergency fail-safe devices. The products covered within this specification are installed and operated to the requirements of API Recommended Practice 14B.

This specification does not cover installation, maintenance, control systems for SSSV or ASV, computer systems, and control conduits not integral to the downhole SSSV or ASV. Also not included are products covered under API 6A, API 11D1, API 14L, API 17C, API 19G, API 19AC, API 19V, and other products with API specifications.

This specification only covers ASVs which are surface controlled.

Repair activities for SSSVs, ASVs, and secondary tools, conducted after final manufacturing is complete and product is shipped are covered by this specification. Redress activities for SSSVs, ASVs, and secondary tools are addressed in API Recommended Practice 14B and are outside the scope of this specification.

## 2 Normative References

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any addenda) applies.

ANSI/ASQ Z1.4, *Sampling Procedures and Tables for Inspection*

ANSI/NACE MR 0175/ISO 15156<sup>1</sup> (all parts), *Petroleum and natural gas industries — Materials for use in H<sub>2</sub>S-containing environments in oil and gas production*

API Manual of Petroleum Measurement Standards (MPMS), Chapter 10.4, *Determination of Water and/or Sediment in Crude Oil by the Centrifuge Method (Field Procedure)*

API Specification 5B, *Specification for Threading, Gauging, and Thread Inspection of Casing, Tubing, and Line Pipe Threads*

API Specification 11D1, *Packers and Bridge Plugs, Fourth Edition*

API Recommended Practice 13B-1, *Recommended Practice for Field Testing Water-based Drilling Fluids*

API Recommended Practice 14B, *Design, Installation, Repair and Operation of Subsurface Safety Valve Systems*

API Specification 14L, *Specification for Lock Mandrels and Landing Nipples*

API Standard 17F, *Specification for Subsea Production Control Systems, Fourth Edition*

API Specification 20A, *Carbon Steel, Alloy Steel, Stainless Steel, and Nickel Base Alloy Castings for Use in the Petroleum and Natural Gas Industry*

---

<sup>1</sup> NACE International, 15835 Park Ten Place, Houston, Texas 77084, [www.nace.org](http://www.nace.org).