

High-pressure Fiberglass Line Pipe

API SPECIFICATION 15HR
FOURTH EDITION, FEBRUARY 2016

API MONOGRAM PROGRAM EFFECTIVE DATE: AUGUST 1, 2016

ERRATA 1, AUGUST 2016
ERRATA 2, JANUARY 2021

REAFFIRMED, APRIL 2021



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this specification should consult with the appropriate authorities having jurisdiction.

Users of this specification should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Foreword

This specification is under the jurisdiction of the American Petroleum Institute Subcommittee on Fiberglass and Plastic Tubulars. The purpose of this specification is to provide standards for high-pressure fiberglass line pipe and fittings for use in conveying produced fluids including oil, gas, nonpotable water, and mixtures thereof in the oil and gas producing industries.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this recommended practice are as follows:

- the term “shall” denotes a minimum requirement in order to conform to the recommended practice;
- the term “should” denotes a recommendation or that which is advised but not required in order to conform to the recommended practice;
- the term “may” is used to express permission or a provision that is optional; and
- the term “can” is used to express possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Attention Users of this Publication. This edition of API Specification 15HR supersedes the Third Edition and includes items approved by letter ballot. Those ballot approved items (substantive changes) are indicated with **gray shading and red font**, but API makes no warranty as to the accuracy of such notations. Non-substantive changes will not be indicated. Portions of this publication have been changed from the previous edition. In some cases the changes are significant, while in other cases the changes reflect minor editorial adjustments in order to conform to current API styling. Since the document was significantly reformatted from the previous edition, no attempt was made to indicate the location of changes with bar notations.

Contents

	Page
1 Scope	1
1.1 Coverage	1
2 Normative References	2
3 Terms, Definitions, Abbreviations, and Symbols	2
3.1 Terms and Definitions	2
3.2 Abbreviations and Symbols	3
4 General Information	3
4.1 Service Conditions	3
4.2 Unit Conversion	4
4.3 Availability of Test Results	4
5 Purchasing Guidelines	5
5.1 General	5
5.2 Pressure Ratings	6
5.3 Components	6
6 Design	6
6.1 Performance Requirements	6
6.2 Dimensions	10
6.3 Threaded End Connections	11
6.4 Reconfirmation	12
7 Process of Manufacture and Material	13
7.1 Process of Manufacture	13
7.2 Materials	13
8 Quality Program	13
8.1 Quality Manual	13
8.2 Process Control Requirements	13
8.3 Quality Control Equipment	13
8.4 Quality Control Tests	14
8.5 Inspection and Rejection	16
8.6 Quality Control Record Requirements	16
9 Published Values	16
9.1 Published Properties	16
9.2 Published Dimensions	17
10 Equipment Marking	17
10.1 Methods	17
10.2 Marking Requirements	17
11 Handling, Packaging, Storing, and Shipping Requirements	18
11.1 Coupling Make-up and Thread Compounds	18
11.2 Thread Protectors	18
11.3 Flange Face Protectors	18
11.4 Packaging, Shipping, and Handling Requirements	18
12 Field Pressure Testing	18

Contents

	Page
Annex A	19
Annex B (informative) Service (Design) Factors	0
Annex C (normative) Determination of the Hoop Tensile Modulus and Poisson's Ratio	22
Annex D (normative) Determination of the Axial Tensile Poisson's Ratio	24
Annex E (normative) Product Characteristics	26
Annex F (normative) Test Method for Determination of Degree of Cure (Tg) by Differential Scanning Calorimetry	28
Annex G (informative) Purchaser Inspection	30
Bibliography	31
Figures	
1 Example Form for Ordering High-pressure Fiberglass Components	7
C.1 Typical Test Setup to Determine Hoop Tensile and Poisson Ratio	23
Tables	
1 Outline of Report Requirements	5
2 Sample Failure Distribution	8
3 Tolerance on Dimensions	11
4 Visual Inspection Standards	15

High-pressure Fiberglass Line Pipe

1 Scope

1.1 Coverage

This specification was formulated to provide for the availability of safe, dimensionally, and functionally interchangeable high-pressure fiberglass line pipe with a pressure rating from 500 lbf/in.² to 5000 lbf/in.² (3.45 MPa to 34.5 MPa), inclusive, in 250 lbf/in.² (1.72 MPa) increments for pipes $\leq$ than NPS 12 inches and 100 lbf/in.² (0.69 MPa) increments for pipes $>$ than NPS 12 inches. This specification is limited to mechanical connections and the technical content provides requirements for performance, design, materials, tests and inspection, marking, handling, storing, and shipping. Critical components are items of equipment having requirements specified in this document.

This specification is applicable to rigid pipe components made from thermosetting resins and reinforced with glass fibers. Typical thermosetting resins are epoxy, polyester, vinyl ester, and phenolic. Thermoplastic resins are excluded from the scope of this specification. Any internal liners applied shall be made also from thermosetting resins. Fiberglass line pipe for use in low-pressure systems are covered in API Spec 15LR.

This specification covers fiberglass pipe utilized for the production of oil and gas. Specific equipment covered by this specification is high-pressure line pipe and couplings, fittings, flanges, and reducers and adapters.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. However, not all documents listed may apply to your specific needs. The body of the standard should be referred to for how these documents are specifically applied.

API Specification 5B, *Specification for Threading, Gauging, and Thread Inspection of Casing, Tubing, and Line Pipe Threads*

API Specification 5B, *Specification for Threading, Gauging, and Thread Inspection of Casing, Tubing, and Line Pipe Threads*, Fifteenth Edition, 2008

API Recommended Practice 5B, *Gauging and Inspection of Casing, Tubing and Line Pipe Threads*

API Recommended Practice 1, *TL4, Recommended Practice for Care and Use of Fiberglass Tubulars*

API Specification Q1, *Specification for Quality Management System Requirements for Manufacturing Organizations for the Petroleum and Natural Gas Industry*

ANSI B16.5, *Pipe Flanges and Flanged Fittings*

ASTM D1509², *Standard Test Method for Short-Time Hydraulic Pressure of Plastic Pipe, Tubing and Fittings*

¹ American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, New York 10036, www.ansi.org.

² ASTM International, 100 Barr Harbor Drive, West Conshohocken, Pennsylvania 19428, www.astm.org.