

Choke and Kill Equipment

API SPECIFICATION 16C
THIRD EDITION, MARCH 2021

API MONOGRAM PROGRAM EFFECTIVE DATE: SEPTEMBER 2021



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, Suite 1100, Washington, DC 20001, standards@api.org.

Contents

	Page
1 Scope	1
2 Normative References	1
3 Terms, Definitions, and Abbreviations	3
3.1 Terms and Definitions	3
3.2 Abbreviations	8
4 Application and Design Requirements	9
4.1 Application	9
4.2 Service Conditions	10
4.3 Product Specification	13
4.4 Design Method	14
4.5 Performance Requirements	17
4.6 Design Validation	18
4.7 Closure Bolting	18
4.8 Clamps	18
4.9 Test, Vent, Pipe Plugs, and Gauge Connectors	18
4.10 Design Documentation	18
5 Material Requirements	19
5.1 General	19
5.2 Metallic Parts	19
5.3 Nonmetallic Parts	19
5.4 Bolting for Choke and Kill Equipment	20
5.5 Flexible Lines	20
5.6 Special Materials	20
5.7 Casting Practices	20
5.8 Hot Work Practices	21
5.9 Chemical Composition	21
5.10 Qualification Test Coupon	22
5.11 Heat Treatment-Equipment and Quenching	22
5.12 Mechanical Testing	22
5.13 Mud Gas Separators (Atmospheric)	22
6 Welding	24
6.1 General	24
6.2 Welding Procedure and Performance Qualification	25
6.3 Pressure-containing Fabrication Weldments	25
6.4 Pressure-containing Repair Weldments	26
6.5 Weld Overlay	27
6.6 Weld NDE	28
6.7 Repair Welds	30
7 Quality Control	31
7.1 Measuring and Testing Equipment	31
7.2 Quality Control Personnel Qualifications	32
7.3 Quality Control Requirements	33
7.4 Hydrostatic and Function Testing	45
7.5 Quality Control Record Requirements	51
8 Marking	52

Contents

	Page
8.1 General	52
8.2 Low- and High-stress Area Marking	52
8.3 Equipment-specific Marking	52
8.4 Hardness Marking for Bodies, Bonnets, and Flanges	53
9 Storing and Shipping	53
9.1 Storing of Equipment	53
9.2 Equipment and Parts Rust Prevention	54
9.3 Hydraulic Operating System	54
9.4 Storing of Nonmetallic Materials	54
9.5 Storing of Ring Gaskets	54
9.6 Shipping of Equipment	54
10 Equipment-specific Requirements	54
10.1 Choke and Kill System Requirements	54
10.2 End and Outlet Connectors	55
10.3 Ring Gaskets	56
10.4 Well Control Chokes	56
10.5 Actuators for Well Control Chokes	58
10.6 Rigid Choke and Kill Lines	59
10.7 Flexible Choke and Kill Lines	60
10.8 Hydraulic Control System-Well Control Chokes	63
10.9 Articulated Choke and Kill Lines	64
10.10 Choke and Kill Line Valves	66
10.11 Choke and Kill Manifold Assemblies	68
10.12 Buffer Chamber	70
10.13 Operating and Maintenance Manual Requirements	71
10.14 Mud Gas Separators (Atmospheric)	71
10.15 Flexloops	73
Annex A (normative) Design Validation Procedures	75
Annex B (normative) Heat Treating Equipment Qualification	96
Annex C (informative) Pipe Thermal Expansion Calculations	98
Annex D (normative) Well Control Choke Control Console System	100
Annex E (informative) Example Choke and Kill System Configurations	103
Annex F (informative) Atmospheric Mud Gas Separators	107
Annex G (normative) Charpy V-notch Impact Test Location for Weld Qualification	110
Figures	
1 Example Pressure Line with Cushion Targets	15
2 Example: Pressurized Line with Cushion Target T's	16
3 Total Fluid Cushion Bore Depth Example	16
4 Intersecting Header Example	17
5 Typical Flexible Line Construction	60
6 Typical Bonded and Non-bonded Flexible Line Assemblies	60
7 Typical Flexible Line End Termination and End Connectors	61
8 Example of an Articulated Choke or Kill Line	65

Contents

	Page
9 Example Illustrating Points of Rotation	65
B.1 Thermocouple Locations	67
E.1 Example Choke Manifold Assembly for 5K Rated Working Pressure Service— Surface BOP Installations	103
E.2 Example Choke Manifold Assembly for 10K or Greater Rated Working Pressure Service— Surface BOP Installations	104
E.3 Example Kill Line Assembly for 2K and 3K Rated Working Pressure Service— Surface BOP Installations	104
E.4 Example Kill Line Assembly for 5K and Greater Rated Working Pressure Service— Surface BOP Installations	104
E.5 Example Kill Line Assembly for 5K and Greater Rated Working Pressure Service— Surface BOP Installations	105
E.6 Example Standpipe Choke Installation	105
E.7 Example Choke and Kill Manifold for Subsea Systems	106
G.1 Location of Charpy V-Notch Impact T	111
 Tables	
1 Temperature Rating for Metallic and Nonmetallic Materials and Flexible Lines	10
2 Equipment Bore Sizes and Rated Working Pressures	11
3 Union, Swivel Union, and Articulated Line Sizes and Rated Working Pressures	12
4 Flexible Line Sizes and Rated Working Pressures	13
5 Bolting Requirements	20
6 Pressure-containing Parts Material Composition Limitations	21
7 Alloying Element Maximum Tolerance Range Requirements	22
8 Pressure-containing Parts Material Designation	23
9 Pressure-containing Parts Material Property Requirements	23
10 Acceptance Criteria Charpy V-notch Impact Requirements	24
11 Weld Inclusion Length Acceptance Criteria—Radiographic and Ultrasonic Methods	30
12 Quality Control Requirements for Bunnies, Bonnets, Flex Loops, Rigid Choke and Kill Lines, and End and Outlet Connectors	34
13 Minimum Hardness Values	35
14 Castings Acceptance Criteria	38
15 Quality Control Requirements for Stems	38
16 Quality Control Requirements for Nonmetallic Seals	39
17 Quality Control Requirements for Pressure-containing Parts of Flexible Choke and Kill Lines	41
18 Quality Control Requirements for Rigid Piping	42
19 Quality Control Requirements for Mud Gas Separators	44
20 Quality Control Requirements—Assembled Equipment	44
21 Metallic Marking Requirements	53
22 Quality Control Requirements for Male and Female Subs	56
23 Performance Requirements for Well Control Chokes and Actuators	58
24 Flexible Line Sizes and Pressure Requirements	61
25 Flexible Choke and Kill Line Flexible Specification Level (FSL)	63
26 Color Coding of Articulated Choke and Kill Line Components	66
27 Corrosion Resistance Level Requirements	67
A.1 Standard Test Fluid	80
A.2 PQL Life Cycle Testing Requirements	92
A.3 Subsea Valve and Actuator Hyperbaric Testing	92

Choke and Kill Equipment

1 Scope

This specification identifies requirements for the performance, design, materials, testing, inspection, welding, marking, handling, storing, shipment, and purchasing of surface and subsea choke and kill equipment for use in the petroleum and natural gas industries.

These requirements provide for safe and functionally interchangeable surface and subsea choke and kill system equipment. This specification does not apply to field use or field testing. This specification also does not apply to repair of choke and kill equipment, except for weld repair in conjunction with manufacturing.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Specification 5B, *Specification for Threading, Gauging and Thread Inspection of Casing, Tubing, and Line Pipe Threads*

API Specification 5CT, *Specification for Casing and Tubing*

API Specification 5L, *Specification for Line Pipe*

API Specification 6A, *Specification for Wellhead and Christmas Tree Equipment*

API Specification 16A, *Specification for Drill-Through Equipment*

API Specification 16F, *Specification for Marine Drilling Tower Equipment*

API Specification 20E, *Specification for Alloy and Carbon Steel Bolting*

API Specification 20F, *Specification for Corrosion-resistant Bolting*

API Standard 6X, *Design Calculations for Pressure-containing Equipment*

API Recommended Practice 200, *Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class 1, Division 1, and Division 2*

API Recommended Practice 505, *Recommended Practice for Classification of Locations for Electrical Installations at Petroleum Facilities Classified as Class 1, Zone 0, Zone 2*

ASME Boiler and Pressure Vessel Code (BPVC)¹, Section V, *Non-Destructive Examination*

ASME Boiler and Pressure Vessel Code (BPVC), Section VIII, *Pressure Vessels—Division 1*

ASME Boiler and Pressure Vessel Code (BPVC), Section VIII, Division 2, *Alternate Rules*

ASME Boiler and Pressure Vessel Code (BPVC) 2004, Section VIII, Division 2, Appendix 6

ASME Boiler and Pressure Vessel Code (BPVC), Section IX, *Welding and Brazing Qualifications*

¹ ASME International, 2 Park Avenue, New York, New York 10016-5990, www.asme.org.