

# Choke and Kill Equipment

API SPECIFICATION 16C  
SECOND EDITION, MARCH 2015

API MONOGRAM PROGRAM EFFECTIVE DATE: SEPTEMBER 28, 2015

ERRATA, JULY 2015  
ERRATA 2, NOVEMBER 2015  
ERRATA 3, FEBRUARY 2016



AMERICAN PETROLEUM INSTITUTE

## Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 1220 L Street, NW, Washington, DC 20005.

## Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the specification.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the specification.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 1220 L Street, NW, Washington, DC 20005. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 1220 L Street, NW, Washington, DC 20005.

Suggested revisions are invited and should be submitted to the Standards Department, API, 1220 L Street, NW, Washington, DC 20005, [standards@api.org](mailto:standards@api.org).

Currently in preview, click buy full version

## Contents

	Page
1 Scope .....	1
2 Normative References .....	1
3 Terms, Definitions, and Abbreviations .....	3
3.1 Terms and Definitions .....	3
3.2 Abbreviations .....	10
4 Design Requirements .....	10
4.1 Service Conditions .....	10
4.2 Product Specification .....	11
4.3 Design Method .....	14
4.4 Performance Requirements .....	15
4.5 Design Validation .....	15
4.6 Bore Size and Rated Working Pressure .....	16
4.7 Closure Bolting .....	16
4.8 Clamps .....	16
4.9 Test, Vent, Pipe Plugs, and Gauge Connections .....	16
4.10 Design Documentation .....	16
5 Material Requirements .....	17
5.1 General .....	17
5.2 Written Specifications .....	17
5.3 Drilling Chokes .....	18
5.4 Closure Bolting .....	18
5.5 Flexible Lines .....	18
5.6 Pressure-containing Parts, Bodies, Brackets, Stems, and End Connections .....	18
5.7 Rigid Piping .....	21
5.8 Qualification Test Coupons .....	22
6 Welding .....	25
6.1 General .....	25
6.2 Non-pressure-containing Weldments .....	25
6.3 Pressure-containing Fabrication Weldments .....	25
6.4 Pressure-containing Repair Weldments .....	29
6.5 Weld Overlay .....	30
7 Quality Control .....	32
7.1 General .....	32
7.2 Measuring and Testing Equipment .....	32
7.3 Quality Control Personnel Qualifications .....	34
7.4 Quality Control Requirements .....	34
7.5 Assembled Equipment .....	53
7.6 Quality Control Record Requirements .....	58
8 Marking .....	60
8.1 General .....	60
8.2 Low Stress Area Marking .....	60
8.3 High Stress Area Marking .....	60

## Contents

	Page
8.4 Equipment-specific Marking .....	60
8.5 Hardness Marking for Bodies, Bonnets, and Flanges .....	60
9 Storing and Shipping .....	60
9.1 Storing .....	60
9.2 Shipping .....	61
10 Equipment-specific Requirements .....	62
10.1 General .....	62
10.2 End and Outlet Connections .....	62
10.3 Ring Gaskets .....	63
10.4 Studs and Nuts .....	63
10.5 Drilling Chokes .....	63
10.6 Actuators for Drilling Chokes .....	65
10.7 Rigid Choke and Kill Lines .....	67
10.8 Flexible Choke and Kill Lines .....	67
10.9 Hydraulic Control System—Drilling Chokes .....	70
10.11 Buffer Chamber .....	74
10.12 Choke and Kill Manifold Assemblies .....	74
10.13 Operating and Maintenance Manual Requirements .....	75
Annex A (informative) Use of the API Monogram by Licensees .....	77
Annex B (normative) Design Validation Procedures .....	80
Annex C (informative) Weld Preparation Designs .....	96
Annex D (informative) Heat Treating Equipment Qualification .....	101
Annex E (informative) Pipe Thermal Expansion Calculations .....	103
Annex F (informative) Purchasing Guidelines .....	105
Annex G (normative) Drilling Choke Control Console System .....	106
Annex H (informative) Example Choke and Kill System Configurations .....	109
Bibliography .....	114
<b>Figures</b>	
1 Simple Geometric Shapes .....	23
2 Complex Shaped Components .....	23
3 Key Block Configuration .....	24
4 Welding Procedure Qualification Rockwell Hardness Test Locations .....	27
5 Welding Procedure Qualification Vickers Hardness Test Location .....	28
6 Hardness Test Locations .....	31
7 Typical Flexible Line Construction .....	67
8 Typical Bonded and Non-bonded Flexible Line Assemblies .....	68
9 Typical Flexible Line End Fitting .....	69
10 Example of an Articulated Choke or Kill Line .....	73

## Contents

	Page
<b>11 Example Illustrating “Points of Rotation”</b> .....	<b>73</b>
<b>C.1 Pipe Butt Joints</b> .....	<b>83</b>
<b>C.2 U-Groove</b> .....	<b>83</b>
<b>C.3 Heavy Wall V-groove</b> .....	<b>97</b>
<b>C.4 Attachment Welds</b> .....	<b>97</b>
<b>C.5 Hole Repair</b> .....	<b>98</b>
<b>C.6 Excavation for Repair—Removal of Sample Discontinuities in Weld Metal and Base Metal</b> .....	<b>99</b>
<b>C.7 Bushing/Seat Cavity</b> .....	<b>100</b>
<b>D.1 Thermocouple Locations</b> .....	<b>102</b>
<b>H.1 Example Choke Manifold Assembly for 2K and 3K Rated Working Pressure Service— Surface BOP Installations</b> .....	<b>109</b>
<b>H.2 Example Choke Manifold Assembly for 5K Rated Working Pressure Service— Surface BOP Installations</b> .....	<b>110</b>
<b>H.3 Example Choke Manifold Assembly for 10K or Greater Rated Working Pressure Service— Surface BOP Installations</b> .....	<b>111</b>
<b>H.4 Example Kill Line Assembly for 2K and 3K Rated Working Pressure Service— Surface BOP Installations</b> .....	<b>111</b>
<b>H.5 Example Kill Line Assembly for 5K Rated Working Pressure Service—Surface BOP Installations</b> ..	<b>112</b>
<b>H.6 Example Kill Line Assembly for 10K and Greater Rated Working Pressure Service— Surface BOP Installations</b> .....	<b>112</b>
<b>H.7 Example Choke and Kill Manifold for Subsea Systems</b> .....	<b>113</b>
<b>Tables</b>	
<b>1 Temperature Rating for Metallic and Non-metallic Materials and Flexible Lines</b> .....	<b>11</b>
<b>2 Equipment Bore Sizes and Rated Working Pressures</b> .....	<b>12</b>
<b>3 Union, Swivel Union, and Articulated Line Sizes and Rated Working Pressures</b> .....	<b>13</b>
<b>4 Flexible Line Sizes and Rated Working Pressures</b> .....	<b>14</b>
<b>5 Pressure-containing Parts Material Property Requirements</b> .....	<b>18</b>
<b>6 Pressure-containing Parts Material Designation</b> .....	<b>19</b>
<b>7 Pressure-containing Parts Material Steel Composition Maximum Limits</b> .....	<b>19</b>
<b>8 Alloying Element Maximum Tolerance Range Requirements</b> .....	<b>19</b>
<b>9 Acceptance Criteria Charpy V-notch Impact Requirements</b> .....	<b>20</b>
<b>10 Quality Control Requirements for Bodies, Bonnets, Choke and Kill Lines, and End and Outlet Connections</b> .....	<b>35</b>
<b>11 Minimum Hardness Values</b> .....	<b>36</b>
<b>12 Heat Treated Parts Acceptance Criteria</b> .....	<b>40</b>
<b>13 Castings Acceptance Criteria</b> .....	<b>40</b>
<b>14 Weld Inclusion Length Acceptance Criteria—Radiographic Method</b> .....	<b>42</b>
<b>15 Weld Inclusion Length Acceptance Criteria—Ultrasonic Method</b> .....	<b>42</b>
<b>16 Quality Control Requirements for Stems</b> .....	<b>44</b>
<b>17 Quality Control Requirements for Pressure-controlling Metallic Parts</b> .....	<b>45</b>
<b>18 Quality Control Requirements for Pressure-containing Parts of Actuators</b> .....	<b>45</b>
<b>19 Quality Control Requirements for Non-metallic Sealing Material</b> .....	<b>46</b>

## Contents

	Page
20 Quality Control Requirements for Pressure-containing Parts of Flexible Lines .....	48
21 Quality Control Requirements for Rigid Piping .....	50
22 Acceptance Criteria for Elongated Indications .....	51
23 Quality Control Requirements for Male and Female Subs .....	53
24 Quality Control Requirements—Assembled Equipment .....	54
25 Minimum Hydrostatic Test Pressures .....	55
26 Metallic Marking Requirements .....	61
27 Performance Requirements for Drilling Chokes and Actuators .....	65
28 Flexible Line Sizes and Rated Working Pressures .....	69
29 Flexible Choke and Kill Line Flexible Specification Level (FSL) .....	70
30 Color Coding of Articulated Choke and Kill Line Components .....	73
B.1 Standard Test Fluid .....	85

# Choke and Kill Equipment

## 1 Scope

This specification establishes the minimum requirements for the design and manufacture of the following types of new equipment:

- a) articulated choke and kill lines;
- b) choke and kill manifold buffer chamber;
- c) choke and kill manifold assembly;
- d) drilling choke actuators;
- e) drilling choke controls;
- f) drilling chokes;
- g) flexible choke and kill lines;
- h) union connections used in choke and kill assemblies;
- i) rigid choke and kill lines;
- j) swivel unions used in choke and kill equipment.

These requirements were formulated to provide for safe and functionally interchangeable surface and subsea choke and kill system equipment utilized for drilling oil and gas wells.

Technical content provides the minimum requirements for performance, design, materials, welding, testing, inspection, storing, and shipping.

See 4.2 for requirements on additional components that may be included in choke and kill system equipment.

If product is supplied bearing the API Monogram and manufactured at a facility licensed by API, the requirements of Annex A apply.

## 2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Specification 5B, *Specification for Threading, Gauging and Thread Inspection of Casing, Tubing, and Line Pipe Threads*

API Specification 5CT, *Specification for Casing and Tubing*

API Specification 5L, *Specification for Line Pipe*

API Specification 6A, *Specification for Wellhead and Christmas Tree Equipment*

API Specification 16A, *Specification for Drill Through Equipment*