

Interval Control Valves (ICV)

API SPECIFICATION 19ICV
FIRST EDITION, JUNE 2023



American
Petroleum
Institute

Currently in preview, click buy full version

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be used. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue NW, Suite 1100, Washington, DC 20001, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope.....	1
2 Normative References	1
3 Terms, Definitions, and Abbreviations.....	2
3.1 Terms and Definitions	2
3.2 Abbreviations	9
4 Functional Specifications	10
4.1 General	10
4.2 Product Type.....	10
4.3 Functional Characteristics	11
4.4 Well Parameters	11
4.5 Operational Parameters.....	12
4.6 Design Validation Grade Selection	12
4.7 Quality Levels	13
4.8 Environmental Compatibility	13
4.9 Compatibility with Related Well Equipment	13
4.10 Optional User/Purchaser Selected Requirements	14
5 Technical Specification	14
5.1 General	14
5.2 Technical Characteristics	14
5.3 Performance Ratings	14
5.4 Performance Envelope	15
5.5 Design Requirements and Verification.....	17
5.6 Materials	21
5.7 Design Validations	24
5.8 Downhole Control Modules and Special Features.....	28
5.9 Design Changes	28
5.10 Design Validation by Scaling.....	29
5.11 Design Documentation	31
6 Supplier/Manufacturer Requirements	31
6.1 General.....	31
6.2 Documentation and Data Control	32
6.3 Product Identification	34
6.4 Quality Requirements	34
7 Handling, Storage, and Preparation for Transport	43
8 Repair/Redress.....	44
Annex A (Informative) Validation Requirements for ICVs	45
Annex B (Normative) Functional Testing	62
Annex C (Informative) External Chamber Integrity Test for Functional Testing	65
Annex D (Informative) Scaling of Erosion Test Results to Well Application.....	66

Contents

	Page
Annex E (Informative) System Integration Testing	68
Annex F (Informative) Thermal Cycling of ICVs	71
Annex G (Informative) Testing of ICV with Absolute Pressures.....	73
Annex H (Informative) Injection Erosion Test	74
Bibliography.....	77

Figures

1	Example of ICV—Choking, Annulus-to-Tubing or Tubing-to-Annulus.....	10
2	Example of an ICV—Choking, Tubing-to-Tubing	11
3	Example of a Rated Performance Envelope.....	16
4	Example of an Elliptical Performance Envelope	17
A.1	Example of C_v vs Choke position and Choke Setting for a Specific Choke Design.....	55
A.2	Example of Calculated Flow Rate through ICV Choke at Different Pressure Drop for Each Choke Position	55
F.1	Examples of Temperature Range vs Thermal Cycle Range	71

Tables

1	Parameters for Thermoplastic Materials	24
2	Validation Testing Requirements Summary	26
3	Optional Validation Tests.....	26
4	Summary of Quality Requirements	35
5	Inspection Sample Size	42
B.1	Functional Test Requirements for Quality Levels.....	62
D.1	Well Standard Erosive Service and Erosion Test Conditions.....	66

Introduction

This specification has been developed by users/purchasers and suppliers/manufacturers of interval control valves (ICV) and related equipment as defined herein and is intended for use in the petroleum and natural gas industry worldwide to give requirements and information to both parties in the selection, manufacture, testing and use. Further, this specification addresses the minimum requirements with which the supplier/manufacturer is to conform so as to claim conformity with this specification.

This specification covers the best practices and establishes a clear framework to define performance characteristics and validation methods. For the purposes of this document an ICV is a component of an advanced well completion that is remotely actuated multiple times to control fluid flow through the ICV in both production and injection directions. The ICV uses actuation means such as hydraulic, electric, wireless technologies or combinations thereof without use of mechanical intervention.

This specification has been structured with grades of increased requirements in quality control and design validation. These grades allow the user/purchaser to select the level of requirements that are required for a specific application.

There are three quality levels: 1) quality level QL3 is the minimum level of quality offered by this product specification; 2) quality level QL2 provides additional inspection and verification steps; and 3) quality level QL1 is the highest level provided. Additional quality requirements can be specified by the user/purchaser as supplemental requirements.

There are three design validation grades, which provide the user/purchaser with a choice of requirements to meet their preference or application. Design validation grade V3 is the minimum grade and V1 is the most stringent grade provided.

The International System of Units (SI) is used in this International Standard, however U.S. Customary (USC) or other units are also shown for reference.

Users of this specification should be aware that requirements beyond those outlined in this specification may be necessary for individual applications. This specification is not intended to inhibit a supplier/manufacturer from offering, or the user/purchaser from accepting, alternative equipment or engineering solutions. This can be particularly applicable where there is innovative or developing technology. Where an alternative is offered, it is the responsibility of the supplier/manufacturer to identify any variations from this specification and provide details.

This specification was initiated using *Recommended Practice for Interval Control Valves 3362* provided by the Advanced Well Equipment Standards group.

Currently in preview, click buy full version

Interval Control Valves (ICV)

1 Scope

This specification provides the requirements for downhole interval control valves (ICV) as they are defined herein for use in the petroleum and natural gas industries. Included are the minimum requirements for a functional specification, design verification, design validation of performance ratings, manufacturing, functional evaluations, shipping, handling, and storage. Also included are requirements for downhole control modules which are necessary for the defined operations of the ICV.

ICVs conforming to this specification are not designated as well safety devices.

This specification does not include any additional requirements for high-pressure high-temperature (HPHT) environments with a pressure rating greater than 103.4 MPa (15,000 psi) or with a temperature rating greater than 177 °C (350 °F).

This specification does not cover validation testing with gas medium.

This specification does not cover applications, installation, operation, and maintenance. Control systems components for the ICV which are designated for positions above the tubing hanger are not included.

Also not included are products covered under other API specifications and the following products: remotely operated gas lift valves, inflow control devices (ICD) and autonomous ICDs, through tubing mechanically operated sliding sleeves, valves designed to function a single time, well condition-activated valves or well test tools. Also not included are secondary tools, control conduits including the connections, and reservoir monitoring devices not critical to the operation of the ICV. End connections of the ICV to the well conduit are not included.

2 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Manual of Petroleum Measurement Standards, Chapter 10.4: *Determination of Sediment and Water in Crude Oil by the Centrifuge Method (Field Procedure)*

API Specification 14L, *Lock Mangers and Landing Nipples*

API Specification 5CRA, *Specification for Corrosion Resistant Alloy Seamless Tubes for Use as Casing, Tubing and Coupling Stock*

API Specification 5CT, *Specification for Casing and Tubing*

ASME, Boiler and Pressure Vessel Code (BPVC), Section VIII: *Rules for Construction of Pressure Vessels*

ASME, Boiler and Pressure Vessel Code (BPVC), Section IX: *Welding and Brazing Qualifications*

ASNT SNT-TC-1A, *Recommended practice for personnel qualification and certification in nondestructive testing*

ASTM A370, *Standard Test Methods and Definitions for Mechanical Testing of Steel Products*

ASTM D395, *Standard Test Methods for Rubber Property—Compression Set*

ASTM D412, *Standard Test Methods for Vulcanized Rubber and Thermoplastic Elastomers—Tension*