

Alloy and Carbon Steel Bolting for Use in the Petroleum and Natural Gas Industries

API SPECIFICATION 20E
THIRD EDITION, MARCH 2024

API MONOGRAM PROGRAM EFFECTIVE DATE: MARCH 7, 2025



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be used. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Currently in preview, click buy full version

Contents

	Page
1 Scope.....	1
1.1 Purpose	1
1.2 Applicability.....	1
1.3 Bolting Specification Levels	1
2 Normative References	1
3 Terms, Definitions, and Abbreviations.....	3
3.1 Terms and Definitions	3
3.2 Abbreviations	5
4 Bolting Qualification	5
4.1 General	5
4.2 Essential Variables.....	6
4.3 Qualification Testing.....	7
4.4 Bolting Grades	8
4.5 Acceptance of Qualification Bolting	8
4.6 Records of Qualification.....	9
4.7 Suppliers.....	9
5 Production of Qualified Bolting	11
5.1 Material Specifications	11
5.2 Manufacturing Process Specification.....	12
5.3 Manufacturing Requirements.....	13
5.4 Raw Material	16
5.5 Examination and Test Requirements	17
5.6 Chemical Analysis.....	17
5.7 Mechanical Properties	17
5.8 Metallurgical Requirements	18
5.9 Nondestructive Examination Requirements.....	20
5.10 Dimensional, Thread Fit, and Visual Inspection.....	21
5.11 Final Acceptance Testing	22
6 Calibration Systems.....	22
7 Test Report	23
7.1 General	23
7.2 BSL-1.....	23
7.3 BSL-2 and BSL-3.....	23
8 Marking.....	24
8.1 Steel Product Marking.....	24
8.2 Marking Required by This Specification.....	24
9 Record Retention	24
10 Storage and Shipping	25
Annex A (normative) Raw Material Manufacturer Technical Audit Requirements.....	26
Bibliography.....	31

Contents

	Page
Figures	
1 A Micrograph of Rejectable Hard Banding.....	19
Tables	
1 Outsourced Activities	6
2 Limits of Changes to Essential Variables.....	7
3 Bolting Test Requirements	8
4 Raw Material Retesting & Validation Requirements for Technical Verification.....	11
5 Microstructure and Macrostructure Requirements for BSL-2 and BSL-3	19
6 Sampling	22
A.1 Technical Mill Audit Questions	27

Introduction

This Third Edition is the result of updating requirements from the Second Edition of API Specification 20E. API Specification 20E, Third Edition was developed based on input from the API 20E task group of technical experts. The technical revisions have been made to accommodate the needs of industry to move this specification to a higher level of service to the petroleum and natural gas industry.

Highlights of some of the significant changes between the Second and Third Editions include:

- metric equivalencies for thread descriptions have been added;
- essential variables were identified and added;
- labs performing qualification lot testing for all bolting specification levels (BSLs) and final acceptance testing of BSL-2 and BSL-3 product are now required to be ISO 17025 accredited;
- grade 2H and 2HM nuts have been limited to BSL-1 applications;
- grade 43 nuts have been added;
- grade B22 and B23 bolting has been restricted to classes 3, 4, and 5;
- grade B21 classes 3, 4, & 5 bolting has been added for BSL-1 and BSL-2;
- grade B16 bolting has been added for BSL-1 and BSL-2;
- allowable outsourced activities have been defined;
- bolting requalification requirements have been added;
- supplier audit frequencies have been defined;
- a specific process for verification of incoming raw material using defined testing criteria is now required;
- bolting grade, raw material casting method, raw material forming method, and quench method have been added as required MPS process control parameters;
- API 20H and 20N have been added as acceptable furnace qualification methodologies;
- ASTM A1100 has been added as the acceptable induction heating process qualification methodology;
- AMS-H-6870 was removed from the acceptable furnace qualification methodologies;
- a maximum furnace to quench tank transfer time of 90 seconds has been added;
- coating and plating processes have been identified as critical and will require validation per API Q1;
- removed zinc electroplating prohibition in splash zone or subsea service;
- ASTM F519 testing has been replaced with ASTM F606/F606M-21 Section 7 testing, as the method to verify that a plating process does not cause internal hydrogen embrittlement;
- top pouring of ingots has been prohibited in all cases other than the vacuum induction melting (VIM) process;

- vanadium and niobium are limited to .05 % for BSL-3 product;
- ASTM A962/A962M-22 S53 is now required for all continuous cast BSL-2 product;
- a maximum yield strength limit of 135 ksi (930 MPa) has been imposed for BSL-2 and BSL-3;
- nondestructive examination (NDE) process qualification shall now conform with API 20D;
- guidance for the allowance of oversizing of internal threads has been added;
- oversized nuts are required to be stamped with an “O” for purposes of identification;
- final documentation to include copies of the original bolting manufacturer’s test reports, product marking, and production lot quantity;
- use of the heat number as the manufacturing lot number has been prohibited;
- technical mill audit requirements were added as [Annex A](#).

Alloy and Carbon Steel Bolting for Use in the Petroleum and Natural Gas Industries

1 Scope

1.1 Purpose

This standard specifies requirements for the qualification, production, and documentation of alloy and carbon steel bolting used in the petroleum and natural gas industries.

1.2 Applicability

This standard applies when required by an applicable API equipment standard or otherwise specified as a requirement for conformance.

1.3 Bolting Specification Levels

This standard establishes requirements for three bolting specification levels (BSLs). These three BSL designations define different levels of technical, quality, and qualification requirements: BSL-1, BSL-2, and BSL-3. The BSLs are numbered in increasing levels of requirements to reflect increasing technical, quality, and qualification criteria.

2 Normative References

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

API Specification Q1, *Specification for Quality Management System Requirements for Manufacturing Organizations for the Petroleum and Natural Gas Industry*

API 6A, *Specification for Wellhead and Tree Equipment*

API 6HT, *Heat Treatment and Testing of Carbon and Low Alloy Steel Large Cross Section and Critical Section Components*

API Specification 20B, *Open Die Shaped Forgings for Use in the Petroleum and Natural Gas Industry*

API 20D, *Qualification of Nondestructive Examination Services for Equipment Used in the Petroleum and Natural Gas Industry*

API 20H, *Heat Treatment Services - Batch Type for Equipment Used in the Petroleum and Natural Gas Industry*

API 20J, *Qualification of Distributors of Metallic Materials for Use in the Petroleum and Natural Gas Industries*

API 20N, *Heat Treatment Services—Continuous Furnace for Equipment Used in the Petroleum and Natural Gas Industry*

ASNT, SNT-TC-1A,¹ *Personnel Qualification and Certification in Nondestructive Testing*

¹ ASNT American Society for Nondestructive Testing, 1711 Arlingate Lane, P.O. Box 28518, Columbus, Ohio 43228, www.asnt.org.