

CRA Line Pipe

API SPECIFICATION 5LC
FOURTH EDITION, MARCH 2015

ERRATA, OCTOBER 2015

API MONOGRAM PROGRAM EFFECTIVE DATE: SEPTEMBER 3, 2015

REAFFIRMED, JULY 2020



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to assure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

Classified areas may vary depending on the location, conditions, equipment, and substances involved in any given situation. Users of this Specification should consult with the appropriate authorities having jurisdiction.

Users of this Specification should not rely exclusively on the information contained in this document. Sound business, scientific, engineering, and safety judgment should be used in employing the information contained herein.

Copyright reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Foreword

This edition of API Specification 5LC supersedes the Third Edition and includes items approved by letter ballot through January 2014. Portions of this publication have been changed from the previous edition. Substantive changes are indicated with **gray shading and blue font**, but API makes no warranty as to the accuracy of such notations. Nonsubstantive changes will not be indicated with shading and colored font.

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this recommended practice are as follows:

- the term “shall” denotes a minimum requirement in order to conform to the recommended practice;
- the term “should” denotes a recommendation or that which is advised but not required in order to conform to the recommended practice;
- the term “may” is used to express permission or a provision that is optional and
- the term “can” is used to express possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

Suggestions for Ordering API CRA Line Pipe

In placing orders for line pipe to be manufactured in accordance with API Specification 5LC, the purchaser should specify the following on the purchase order:

Specification.....	API Spec 5LC
Quantity	
Grade.....	Tables 4 and 7
Type of Pipe.....	Section 4.1 c)
Size	
Nominal Diameter:	
Standard-weight Plain-end Pipe.....	Table 12
Extra-strong Plain-end Pipe.....	Table 12
Double-extra-strong Plain-end Pipe.....	Table 12
Outside Diameter:	
Regular-weight Plain-end Pipe.....	Table 12
Special Plain-end Pipe.....	Table 12
Weight per Foot or Wall Thickness.....	Table 12
Nominal Length.....	Section 10.5
End Finish.....	Section 10
Delivery Date and Shipping Instructions	

The purchaser should also state on the purchase order their requirements concerning the following stipulations, which are optional with the purchaser:

Certificate of Compliance.....	Section 1.5
Chemical Analysis Test Reports.....	Section 6.5
Acceptance and Maximum Allowable Percent of Joints.....	Section 10.7
Alternative Bevel, Plain-end Pipe in Sizes	
2 ³ / ₈ in. OD and larger.....	Section 10.8
Defect Repair Procedures.....	Sections 12.7, 12.8, 12.9
Markings in Metric Units.....	Section 13.1 b)
Purchaser Inspection.....	Annex G
Monogram Marking *.....	Annex A, Section A.4

* Users of this specification should note that there is no longer a requirement for marking a product with the API monogram. The American Petroleum Institute continues to license use of the monogram on products covered by this specification but it is administered by the staff of the Institute separately from the specification. The policy describing licensing and use of the monogram is contained in Annex A. No other use of the monogram is permitted. Nonlicensees may mark products in conformance with Section 13 and licensees may mark products in conformance with Annex A or Section 13.

Attention is called to the following stipulations which are subject to agreement between the purchaser and the manufacturer:

Chemical Composition.....	Section 6.1
Intermediate Grades.....	Section 7.1, Table D.1
Flattening Test Orientation.....	Section 7.9
Intermediate Diameters.....	Section 10.2
Intermediate Wall Thickness.....	Section 10.3
Supplementary Requirements.....	Annex B
Supplementary Hydrostatic Test.....	Section 9.4
Hydrostatic Test Pressure.....	Section 9.3
Lengths Applied to Carloads.....	Table 16
Nonstandard Length and Length Tolerances.....	Section 10.5
Repair of Welds of Electric-welded Pipe.....	Section 12.7 b)
Marking Requirements.....	Sections 13.1, 13.4, 13.5

Contents

	page
1	Scope 1
1.1	Coverage 1
1.2	Application of the API Monogram..... 1
2	Normative References..... 1
3	Terms, Definitions, and Abbreviations..... 2
3.1	Terms and Definitions 2
3.2	Abbreviations..... 3
4	General Information..... 3
4.1	Metric Units 3
4.2	Measuring Devices 4
4.3	Special Processes 4
4.4	Certification..... 4
4.5	Retention of Records 5
5	Process of Manufacture and Material..... 5
5.1	Process of Manufacture 5
5.2	Cold Expansion..... 7
5.3	Heat Treatment..... 8
5.4	Traceability..... 8
5.5	Hydrogen Sulfide Environments..... 8
6	Chemical Properties and Tests 8
6.1	Composition..... 8
6.2	Heat Analyses 8
6.3	Product Analyses 10
6.4	Recheck Analyses 10
6.5	Control Analyses 10
6.6	Chemical Analyses Procedures 10
7	Mechanical Properties and Tests..... 11
7.1	Tensile Tests—General 11
7.2	Tensile Testing..... 15
7.3	Longitudinal Tensile Tests 15
7.4	Transverse Tensile Tests..... 15
7.5	Weld Tensile Tests 16
7.6	Control Tensile Tests 16
7.7	Retests—Tensile Tests 16
7.8	Defective Specimens—Tensile Tests 16
7.9	Flattening Tests—Electric Weld..... 16
7.10	Acceptance Criteria—Flattening Tests..... 17
7.11	Retests—Flattening Tests..... 17
7.12	Flattening Tests—Seamless, Centrifugally Cast, and Welded Without Filler Metal 18
7.13	Weld With Filler Metal Manipulation Tests..... 19
7.14	Guided-Bend Test..... 19
7.15	Retests—Guided-bend Test..... 19
7.16	Weld Ductility Test for Electric-welded Pipe..... 20

7.17	Retests—Weld Ductility Test	22
7.18	Centrifugally Cast Homogeneity Test.....	22
7.19	Hardness Tests (LC52-1200).....	24
8	Special Tests	24
8.1	Ferrite/Austenite Ratio for Duplex Stainless Steel.....	24
8.2	Intergranular Corrosion Test (Strauss Test).....	25
9	Hydrostatic Tests	26
9.1	Inspection Hydrostatic Test.....	26
9.2	Verification of Test.....	26
9.3	Test Pressures	26
9.4	Supplementary Hydrostatic Tests.....	29
10	Dimensions, Weights, and Lengths	39
10.1	Dimensions and Weights	39
10.2	Diameter.....	40
10.3	Wall Thickness	40
10.4	Weight	41
10.5	Length	41
10.6	Straightness	41
10.7	Jointers	41
10.8	Pipe Ends.....	43
11	Nondestructive Inspection.....	44
11.1	Inspection Methods for Welded Pipe.....	44
11.2	Inspection Methods for Seamless Pipe.....	44
11.3	Inspection Methods for Centrifugally Cast Pipe.....	44
11.4	Radiological Inspection Equipment.....	44
11.5	Fluoroscopic Operator Qualification	44
11.6	Operator Certification.....	45
11.7	Reference Standard	45
11.8	ISO Wire Penetrameter	45
11.9	Frequency.....	46
11.10	Procedure for Evaluating In Motion Operation of the Fluoroscope.....	46
11.11	Acceptance Limits	46
11.12	Imperfections	46
11.13	Defects	46
11.14	Weld Repair	49
11.15	Ultrasonic and Electromagnetic Inspection of Welded Pipe.....	49
11.16	Ultrasonic and Electromagnetic Inspection of Seamless Pipe.....	51
11.17	Ultrasonic Inspection of Centrifugally Cast Pipe	52
12	Workmanship, Visual Inspection, and Repair of Defects	52
12.1	Inspection Notice	52
12.2	Purchaser Inspection	53
12.3	Workmanship	53
12.4	Visual Inspection	54
12.5	Defects	54
12.6	Repair of Defects	55
12.7	Procedure for Repair of Weld Seams of Submerged Arc Welded Pipe	56
12.8	Procedure for Repair of Weld Seams of Electric-weld and Induction-welded Pipe.....	56

12.9	Procedure for Repair of Weld Seam of Gas Metal Arc Welded Pipe	56
13	Marking and Surface Treatment	57
13.1	Marking—General	57
13.2	Location of Markings.....	57
13.3	Sequence of Markings.....	57
13.4	Length.....	58
13.5	Die Stamping.....	59
13.6	Surface Treatment	59
13.7	Pipe Processor Markings.....	59
Annex A	API Monogram Program, Use of the API Monogram by Licensees	60
Annex B	Supplementary Requirement(s)	64
Annex C	Repair Welding Procedure.....	65
Annex D	Minimum Elongation Values.....	72
Annex E	Guided-bend Test Jig Dimensions	75
Annex F	Metric Tables.....	86
Annex G	Purchaser Inspection.....	109

Figures

1	Orientation of Tensile Test Specimens	13
2	Tensile Test Specimens.....	14
3	Flattening Tests	17
4	Guided-bend Test Specimen.....	20
5	Jig for Guided-bend Test.....	21
6	Through-wall Hardness Test Locations	23
7	Location for Determination of Through-wall Ferrite/Austenite Ratio	24
8	Examples of Maximum Distribution Patterns of Indicated Circular Slag-inclusion-and Gas-pocket-type Discontinuities	47
9	Examples of Maximum Distribution Patterns of Indicated Elongated Slag-inclusion-type Discontinuities.....	49
10	Reference Standards	50
11	Reference Standards	51
C.1	Transverse Tensile Test Specimen	67
C.2	Tensile-elongation Test Specimen	68
C.3	Guided-bend Test Specimen.....	68
C.4	Jig for Guided-bend Test.....	69
C.5	Notch break Test Specimen.....	70
1	Special Processes for Manufacturing Conditions.....	4
2	Retention of Records.....	5
3	Pipe Manufacturing Processes.....	7
4	Chemical Requirements for Heat Analyses, Percent (%)	9
5	Purchaser Provided Analysis	10

6	Permissible Variation for Product Analyses of CRA Line Pipe.....	11
7	Tensile Requirements.....	12
8	Frequency of Tensile Testing.....	15
9	Flattening Retests.....	18
10	Specimen Lot Test Lengths.....	22
11	Quadrant Hardness Readings.....	23
12	Plain-end Line Pipe Dimensions, Weights, and Test Pressures (See Annex F for Metric Tables)	27
13	Test Pressure for Size Ranges in All Grades.....	39
14	Correction Factors.....	40
15	Tolerance on Dimensions and Weights.....	42
16	Tolerances on Lengths.....	43
17	Taper Angle.....	43
18	ISO Wire Penetrameter (Sensitivity 2 %).....	45
19	Elongated Slag-inclusion-type Discontinuities (See Figure 9).....	48
20	Circular Slag-inclusion- and Gas-pocket-type Discontinuities (See Figure 9).....	48
21	Acceptance Limits.....	51
22	Outside/Inside Weld Bead Height (Except ERW).....	53
23	Electric-Welded Pipe Inside Flash Trim.....	54
24	Applicable Repair Procedure.....	55
C.1	Guided-bend Test Jig Dimensions (See Figure C.4).....	69
D.1	Minimum Elongation Values.....	72
E.1	Guided-bend Test Jig Dimensions.....	75
F.1	Metric Dimensions, Weights, and Test Pressures.....	86

CRA Line Pipe

1 Scope

1.1 Coverage

This specification covers seamless, centrifugal cast, and welded alloy line pipe with improved corrosion resistant properties. The purpose of this specification is to provide standards for pipe with improved corrosion resistance suitable for use in conveying gas, water, and oil in both the oil and natural gas industries.

The size designations are nominal pipe sizes (NPS). In the text paragraphs herein, where pipe size limits (or size ranges) are given, these are outside diameter sizes except where stated to be nominal. These outside diameter size limits and ranges apply also to the corresponding nominal sizes. The primary product is beveled pipe. If plain-end square cut or other special end preparation is desired, this shall be subject to agreement between the purchaser and manufacturer. Included are NPS 1 in. through 42 in. Grades covered by this specification are LC30-1812, LC52-1200, LC65-2205, LC65-2506, LC30-2242, and [LC80-2507](#).

1.2 Application of the API Monogram

If product is manufactured at a facility licensed by API and it is intended to be supplied bearing the API Monogram, the requirements of Annex A apply.

2 Normative References

For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. For a list of other documents and articles associated with this standard, please see the Bibliography. The following referenced documents, either referenced in full or in part, are indispensable for the application of this document.

API Specification 5L, *Specification for Line Pipe*

API Specification Q1, *Specification for Quality Management System Requirements for Manufacturing Organizations for the Petroleum and Natural Gas Industry*

[ANSI²/NACE³ MR0175, Petroleum and natural gas industries—Material for use in H₂S-containing environments in oil and gas production—Part 2: Cracking-resistant CRAs \(corrosion-resistant alloys\) and other alloys](#)

ASTM A262⁴, *Standard Practices for Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels, Practice E*

ASTM A370, *Methods and Definitions for Mechanical Testing of Steel Products, Annex II—Steel Tubular Products*

ASTM A751, *Methods, Practices and Definitions for Chemical Analysis of Steel Products*

ASTM E4, *Practices for Load Verification of Testing Products*

ASTM E10, *Standard Method of Test for Brinell Hardness of Metallic Materials*

¹ [Seamless only.](#)

² American National Standards Institute, 1899 L Street, NW, 11th Floor, Washington, DC 20036, [www.ansi.org](#).

³ NACE International, 1440 South Creek Drive, Houston, Texas 77084, [www.nace.org](#).

⁴ ASTM International, 100 Barr Harbor Drive, West Conshohocken, Pennsylvania 19428, [www.astm.org](#).