

Rotary Drill Stem Elements

API SPECIFICATION 7-1
SECOND EDITION, FEBRUARY 2023

API MONOGRAM EFFECTIVE DATE: SEPTEMBER 1, 2023

ERRATA 1, SEPTEMBER 2023



American
Petroleum
Institute

Special Notes

API publications necessarily address problems of a general nature. With respect to particular circumstances, local, state, and federal laws and regulations should be reviewed. The use of API publications is voluntary. In some cases, third parties or authorities having jurisdiction may choose to incorporate API standards by reference and may mandate compliance.

Neither API nor any of API's employees, subcontractors, consultants, committees, or other assignees make any warranty or representation, either express or implied, with respect to the accuracy, completeness, or usefulness of the information contained herein, or assume any liability or responsibility for any use, or the results of such use, of any information or process disclosed in this publication. Neither API nor any of API's employees, subcontractors, consultants, or other assignees represent that use of this publication would not infringe upon privately owned rights.

API publications may be used by anyone desiring to do so. Every effort has been made by the Institute to ensure the accuracy and reliability of the data contained in them; however, the Institute makes no representation, warranty, or guarantee in connection with this publication and hereby expressly disclaims any liability or responsibility for loss or damage resulting from its use or for the violation of any authorities having jurisdiction with which this publication may conflict.

API publications are published to facilitate the broad availability of proven, sound engineering and operating practices. These publications are not intended to obviate the need for applying sound engineering judgment regarding when and where these publications should be utilized. The formulation and publication of API publications is not intended in any way to inhibit anyone from using any other practices.

Any manufacturer marking equipment or materials in conformance with the marking requirements of an API standard is solely responsible for complying with all the applicable requirements of that standard. API does not represent, warrant, or guarantee that such products do in fact conform to the applicable API standard.

All rights reserved. No part of this work may be reproduced, translated, stored in a retrieval system, or transmitted by any means, electronic, mechanical, photocopying, recording, or otherwise, without prior written permission from the publisher. Contact the Publisher, API Publishing Services, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001-5571.

Foreword

Nothing contained in any API publication is to be construed as granting any right, by implication or otherwise, for the manufacture, sale, or use of any method, apparatus, or product covered by letters patent. Neither should anything contained in the publication be construed as insuring anyone against liability for infringement of letters patent.

The verbal forms used to express the provisions in this document are as follows.

Shall: As used in a standard, “shall” denotes a minimum requirement in order to conform to the standard.

Should: As used in a standard, “should” denotes a recommendation or that which is advised but not required in order to conform to the standard.

May: As used in a standard, “may” denotes a course of action permissible within the limits of a standard.

Can: As used in a standard, “can” denotes a statement of possibility or capability.

This document was produced under API standardization procedures that ensure appropriate notification and participation in the developmental process and is designated as an API standard. Questions concerning the interpretation of the content of this publication or comments and questions concerning the procedures under which this publication was developed should be directed in writing to the Director of Standards, American Petroleum Institute, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001. Requests for permission to reproduce or translate all or any part of the material published herein should also be addressed to the director.

Generally, API standards are reviewed and revised, reaffirmed, or withdrawn at least every five years. A one-time extension of up to two years may be added to this review cycle. Status of the publication can be ascertained from the API Standards Department, telephone (202) 682-8000. A catalog of API publications and materials is published annually by API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001.

Suggested revisions are invited and should be submitted to the Standards Department, API, 200 Massachusetts Avenue, NW, Suite 1100, Washington, DC 20001, standards@api.org.

See Annex A of API Specification Q1 or the API website for information pertaining to the API Monogram Program and use of the API Monogram on applicable products or for information about the Monogram licensing program, please contact certification@api.org.

For API Monogram Program licensees and APIQR Program registrants, this standard shall become effective on the program date printed on the cover but may be used voluntarily from the date of publication.

Also concerning the API Monogram Program, for references listed in [Section 2](#) that are undated, new editions may be used upon publication but become mandatory on the effective date specified by the publisher or 12 months from the publication date, if an effective date is not specified.

Currently in preview, click buy full version

Contents

	Page
1 Scope.....	1
2 Normative References.....	1
3 Terms, Definitions, Abbreviations, and Symbols.....	2
3.1 Terms and Definitions.....	2
3.2 Abbreviations and Symbols.....	8
4 Conformance.....	11
4.1 General Illustration of Typical Drill Stem Elements.....	11
4.2 References to Annexes.....	12
4.3 Dual Citing of References.....	12
4.4 Units of Measurement.....	12
4.5 Marking of Threaded-only Rotary Shouldered Connections (RSC).....	12
5 Upper and Lower Kelly Valves.....	13
5.1 General.....	13
5.2 Design Criteria.....	13
5.3 Hydrostatic Testing.....	14
5.4 Connections.....	16
5.5 Non-destructive Examination of Connections.....	17
5.6 Documentation and Retention of Records.....	17
5.7 Marking.....	18
5.8 Supplementary Requirements.....	20
6 Square and Hexagonal Kellys.....	20
6.1 Size, Type, and Dimensions.....	20
6.2 Dimensional Gauging.....	20
6.3 Connections.....	21
6.4 Square Forged Kellys.....	21
6.5 Mechanical Properties.....	21
6.6 Non-destructive Examination.....	22
6.7 Marking.....	22
7 Drill Stem Subs.....	24
7.1 Class and Type.....	24
7.2 Dimensions for Type A and Type B.....	24
7.3 Dimensions for Type C (Swivel Subs).....	25
7.4 Dimensions for Type D (Lift Subs).....	25
7.5 Mechanical Properties.....	26
7.6 Non-destructive Examination.....	27
7.7 Connection Stress-relief Features.....	27
7.8 Cold Working of Thread Roots.....	27
7.9 Surface Treatment of Threads and Sealing Shoulders for Galling.....	27
7.10 Marking.....	27
8 Drill Collars.....	32
8.1 General.....	32
8.2 Standard Steel Drill Collars.....	34
8.3 Non-magnetic Drill Collars.....	36

Contents

	Page
9 Heavy-weight Drill Pipe (HWDP)	40
9.1 General	40
9.2 Sizes	40
9.3 Outside Diameter Tolerances.....	41
9.4 Tool Joint Alignment.....	41
9.5 Bores	41
9.6 Material Inspection Requirements	41
9.7 Connections.....	42
9.8 Mechanical Properties	43
9.9 Assembly	48
9.10 Traceability.....	48
9.11 Marking	48
9.12 Hard-banding	48
10 Drilling and Coring Bits	51
10.1 Roller Bits and Blade Drag Bits	51
10.2 Diamond Drilling Bits, Diamond Core Bits, Polycrystalline Diamond Compact (PDC) Bits	51
10.3 Fixed Cutter Bits—Supplementary Requirements	54
11 Stabilizers	55
11.1 General	55
11.2 Material Requirements.....	56
11.3 Blade Welding.....	57
11.4 Abrasion Protection	57
11.5 Dimensional Requirements.....	57
11.6 Connections and Bevel Diameters	58
11.7 Customer Information	59
11.8 Marking	60
12 Non-destructive Examination (NDE) of Bits and Tubes.....	61
12.1 General	61
12.2 Timing of Inspection.....	61
12.3 Retention of Records	61
12.4 Certification and Qualification of NDE Personnel	62
12.5 Methods Capable of Finding Surface-breaking Imperfections.....	62
12.6 Evaluation of Surface-breaking Imperfections (Prove-up).....	63
12.7 Acceptance Criteria for Surface-breaking Imperfections	63
12.8 Methods Used to Find Non-surface Breaking Imperfections	64
12.9 Reference Standards	66
12.10 NDE System Capability Records	67
12.11 Dynamic Standardization Test to Validate Repeatability and Accuracy of Ultrasonic Equipment.....	68
Annex A (informative) Purchaser Inspection.....	69
Annex B (normative) Material Requirements for Drill Stem Tools Not Directly Covered by this Standard	70
Annex C (normative) Tables in SI Units.....	75
ANNEX D (normative) Tables in USC Units	90
Annex E (informative) Procedures Used to Convert Units from USC to SI	107

Contents

	Page
Bibliography.....	112

Figures

1	Typical Drill-stem Assembly	11
2	Square Kelly	23
3	Hexagonal Kelly.....	23
4	Sleeve Gauge for Kellys (see Table C.8 or Table D.8).....	24
5	Drill Stem Subs (Types A, B, and C).....	29
6	Lift Subs (Type D).....	30
7	Float Valve Recess in Bit Subs.....	31
8	Drill Collars	39
9	Drill Collar Slip Grooves.....	39
10	Drill Collar Hard-band Locations.....	40
11	Dimensions of HWDP	41
12	Test Specimen Location and Orientation for HWDP Tool Joints.....	46
13	Recommended Hard-banding Locations on HWDP	50
14	Gauge Dimensions for Diamond and PDC Bits.....	53
15	Measurement Definitions for Stabilizers	56
16	Sampling Locations	57
17	Blade Taper Geometry.....	59
18	Watermelon Geometry.....	59
B.1	Correlation between Significant Dimensions of Simple Solid Shapes of Length “L” to the Diameters of Round Bars.....	72
B.2	Correlation between the Significant Dimensions of Simple Hollow Parts and Hollow Parts with More Complicated Shapes to the Diameters of Round Bars	72

Tables

B.1	Mechanical Properties and Tests for Heavy Section Tools	74
C.1	Hydrostatic Testing Pressures	75
C.2	Adjustment Factors for Impact Specimens	75
C.3	Service Class Definitions	75
C.4	Square Kelly Drive Section	76
C.5	Square Kelly End Upsets and Connections.....	77
C.6	Hexagonal Kelly Drive Section	78
C.7	Hexagonal Kelly End Upsets and Connections	79
C.8	Kelly Sleeve Gauge	80
C.9	Mechanical Properties and Test—New Kellys (All Sizes).....	80
C.10	Drill Stem Subs	80
C.11	Minimum Surface Hardness of Dimension D_R of Type B Drill Stem Subs and Dimension D_p of Type D Drill Stem Subs	80
C.12	Dimensions for Lift Subs.....	81
C.13	Float Valve Recess in Bit Subs.....	81
C.14	Drill Collars	82
C.15	Drill Collar OD Tolerances.....	83

Contents

	Page
C.16 Drill Collar Surface Imperfection Removal and Inspection Reference Standard Notch Depth	83
C.17 Mechanical Properties and Tests for New Standard Steel Drill Collars	83
C.18 Mechanical Properties for New Non-magnetic Drill Collars	83
C.19 Impact Energy of Non-magnetic Steels	84
C.20 Lower Connections for Bottom-hole Drill Collars	84
C.21 Additional Non-magnetic Drill Collar Sizes	84
C.22 Drill Collar Slip Groove Dimensions.....	84
C.23 Dimensions of Heavy-weight Drill Pipe (HWDP)	85
C.24 Allowable Surface Imperfection Removal	86
C.25 Mechanical Properties of HWDP Tool Joints	86
C.26 Roller Bit and Drag Bit Tolerances.....	86
C.27 Roller Bit Connections	86
C.28 Blade Drag Bit Connections.....	87
C.29 Diamond Drilling, Diamond Core and PDC Bit Tolerances	87
C.30 Diamond Drilling Bit and PDC Bit Connections	88
C.31 Sampling Requirements of Stabilizer Neck	88
C.32 Neck Lengths	88
C.33 Neck Diameters and Connections	89
C.34 Blade Dimensions.....	89
C.35 Blade Spiral Definitions.....	89
D.1 Hydrostatic Testing Pressures	90
D.2 Adjustment Factors for Impact Specimens	90
D.3 Service class Definitions	90
D.4 Square Kelly Drive Section	91
D.5 Square Kelly End Upsets and Connections.....	92
D.6 Hexagonal Kelly Drive Section	93
D.7 Hexagonal Kelly End Upsets and Connections	94
D.8 Kelly Sleeve Gauge	94
D.9 Mechanical Properties and Test–New Kelly (All Sizes).....	94
D.10 Drill Stem Subs	95
D.11 Minimum Surface Hardness of Dimension D_R of Type B Drill Stem Subs and Dimension D_p of Type D Drill Stem Subs	95
D.12 Dimensions for Lift Subs.....	95
D.13 Float Valve Recess in Bit Sub	96
D.14 Drill Collars	97
D.15 Drill Collar OD Tolerances	98
D.16 Drill Collar Surface Imperfection Removal and Inspection Reference Standard Notch Depth	98
D.17 Mechanical Properties and Tests for New Standard Steel Drill Collars	98
D.18 Mechanical Properties for New Non-magnetic Drill Collars	99
D.19 Impact Energy of Non-magnetic Steels	99
D.20 Lower Connections for Bottom-hole Drill Collars	99
D.21 Additional Non-magnetic Drill Collar Sizes	99
D.22 Drill Collar Slip Groove Dimensions.....	100
D.23 Dimensions of Heavy-Weight Drill Pipe (HWDP).....	101
D.24 Allowable Surface Imperfection Removal	103
D.25 Mechanical Properties of HWDP Tool Joints	103
D.26 Roller Bit and Drag Bit Tolerances.....	103
D.27 Roller Bit Connections	104
D.28 Blade Drag Bit Connections.....	104
D.29 Diamond Drilling, Diamond Core and PDC Bit Tolerances	105
D.30 Diamond Drilling Bit and PDC Bit Connections	105

Contents

	Page
D.31 Sampling Requirements of Stabilizer Neck	105
D.32 Neck Lengths	106
D.33 Neck Diameters and Connections	106
D.34 Blade Dimensions	106
D.35 Blade Spiral Definitions.....	106

Currently in preview, click buy full version

Currently in preview, click buy full version

Rotary Drill Stem Elements

1 Scope

This standard specifies the technical delivery conditions for rotary drill stem elements: upper and lower kelly valves, square and hexagonal kellys, drill stem subs, drill collars (steel and non-magnetic, round, and spiral), heavy-weight drill pipe (HWDP), drilling and coring bit connections, and stabilizers.

This standard is not applicable to drill pipe and tool joints, rotary shouldered connection designs, thread gauging practices, or grand master, reference master and working gauges, and does not include or identify performance properties. A typical drill stem assembly applicable to this standard is provided (see [4.1](#), [Figure 1](#)).

2 Normative References

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any addenda) applies.

API Recommended Practice 7G, *Drill Stem Design and Operating Limits*

API Specification 7-2, *Threading and Gauging for Rotary Shouldered Connections*

ASME Boiler and Pressure Vessel Code (BPVC), Section IX, *Welding, Brazing, and Fusing Qualifications*

ASNT SNT-TC-1A, *Personnel Qualification and Certification in Non-Destructive Testing*

ASTM A262, *Standard Practices for Detecting Susceptibility to Intergranular Attack in Austenitic Stainless Steels*

ASTM A370, *Standard Test Methods and Definitions for Mechanical Testing of Steel Products*

ASTMA434, *Standard Specification for Steel Bars, Alloy, Hot-Wrought or Cold-Finished, Quenched and Tempered*

ASTM E10, *Standard Test Method for Brinell Hardness of Metallic Materials*

ASTM E18, *Standard Test Methods for Rockwell Hardness of Metallic Materials*

ASTM E23, *Standard Test Methods for Notched Bar Impact Testing of Metallic Materials*

ASTM E213, *Standard Practice for Ultrasonic Examination of Metal Pipe and Tubing*

ASTM E309, *Standard Practice for Eddy-Current Examination of Steel Tubular Products Using Magnetic Saturation*

ASTM E1209, *Standard Test Method for Fluorescent Liquid Penetrant Examination Using the Water-Washable Process*

ASTM E1219, *Standard Test Method for Fluorescent Liquid Penetrant Examination Using the Solvent-Removable Process*

ASTM E1220, *Standard Test Method for Visible Penetrant Examination Using the Solvent-Removable Process*

ASTM E1418, *Standard Test Method for Visible Penetrant Examination Using the Water-Washable Process*

ASTM E3024, *Standard Practice for Magnetic Particle Testing for General Industry*